


DASH NO.	M CODE	MADE FROM
----------	--------	-----------

GSD

KC-59-70

REVISIONS	
ISSUE	CHANGES
3	CN 23586 C GL 03/25/83
4	CN 39608 C REDRAWN JPK 09/05/06



STAMP: KINGS KC-59-70  
YRWK (DATE CODE)

NOTES:

- FOR USE WITH RG-58 & 141/U CABLE GROUPS.
- FOR CABLING INSTRUCTIONS SEE CP-201A.
- FOR CRIMPING USE KTH-2001 DIE SET.
- INTERFACE PER MIL-STD-348, FIG 301-1.
- MATERIALS:  
 INSULATORS: TEFLON, ASTM-D4894  
 GASKETS: SILICON RUBBER, A-A-59588  
 OUTER CONTACT } BERYLLIUM COPPER, ASTM-B196  
 RT. ANGLE CONTACT  
 CRIMP SLEEVE: COMMERCIAL BRONZE, ASTM-B135  
 ALL OTHER METAL PARTS: BRASS, ASTM-B16
- FINISHES:  
 ALL METAL PARTS: SILVER PLATE, ASTM-B700
- ELECTRICAL CHARACTERISTICS:  
 NOMINAL IMPEDANCE: 50 OHMS  
 WORKING VOLTAGE: 500 VRMS  
 FREQUENCY RANGE: DC TO 4 GHZ

KC-59-70

SCALE 3 : 1

APPROX SURFACE AREA N/A

USED ON

REF:

BNC, RIGHT ANGLE, PLUG

DRAWN J. KENNEDY DATE 09/06/06

DESIGN J.G.L. DATE 10/25/73

APPR. DATE

**KINGS**  
ELECTRONICS CO., INC.  
ROCK HILL, SOUTH CAROLINA 29730

GSD

KC-59-70