

GVXO-43F

3.3V VCXO with wide range of frequency stability and pullability

options

- Low cost for volume applications
- Choice of pullability & stability
- Industrial temperature range option
- 3.3V supply voltage
- Full size DIL-14 package

CONFIGURABLE OPTIONS

Parameter	Option Code
Frequency	
Frequency pullability	
Any	
±50ppm min	N
±100ppm min	S
±150ppm min	W
Frequency stability	
Any	
±100ppm max	А
±50ppm max	В
±25ppm max	C
±20ppm max	D
±15ppm max	E
Operating temperature range	
Any	
-10 to +70°C	
-40 to +85°C	








SPECIFICATIONS

Frequency range	1.544 ~ 33.0MHz
Dimensions	20.80 x 13.08 x 5.70mm
Package	14 pin DIL (full size)
Voltage control	+1.65V ±1.65V, 10% linearity
	> 100k Ω input impedance
Ageing	±5.0ppm max per year
Storage temperature	-55 to +125°C
range	
Supply voltage (V _{DD})	+3.3V (±5%)
Supply current	10mA max (<20.0MHz)
	15mA max (20.0 ~ 33.0MHz)
Driving ability	30pF CMOS
	5 LSTTL
Logic levels	'0' level = +0.4V max
	'1' level = 90%V _{DD} min
Waveform symmetry @	40:60 max
50%V _{DD}	
Rise / fall time	5ns max (0.4V ~ 90%V _{DD} min)

PACKAGE DRAWING



ORDERING INFORMATION

To request a quotation for the GVXO-43F please use the configurable options form to choose the options you require and then submit your configured product to our team. Our expert advisers are always happy to help with your requirements and can be contacted on +44 1460 256 100 or at sales@golledge.com.

Once we've received your request our expert team will then produce a quotation tailored to meet your needs using the option codes you've selected.

Following product selection you will be issued with a seven character Golledge part number. Your Golledge part number is the internationally accepted Golledge manufacturing part number (MPN) that should be used for all project documentation, including bills of materials (BoMs) and purchase orders.

If you have any queries regarding any of our documentation our dedicated sales team will be happy to help.

HANDLING & STORAGE



Human Body Model (HBM) 1A (250V to <500V)



Moisture Sensitivity Level (MSL): 1 (or not applicable)





CONSTRUCTION

Resistance weld

MATERIAL COMPOSITION



Ead-free (< 0.1% by weight)



RoHS 2 compliant with no exemptions. See our

REACH compliant.

See our statement



AulTa Sn W Free of conflict minerals. See our declaration



Free of Halogens. See our declaration

Free of Ozone-depleting substances. <u>See our</u> declaration





OTHER INFORMATION

About Golledge

We are the UK's leading supplier of frequency control products and are proud to serve the global electronics industry. Our philosophy is a focus firmly on your requirements by striving to meet and exceed your needs. We do this by ensuring the utmost quality and consistency in our products and services. If you have any queries about the Golledge service or any of our products please get in touch, we'd love to hear from you.

Come and visit

Eaglewood Park, ILMINSTER, Somerset, TA19 9DQ, England

Give us a call

Tel: +44 1460 256 100 Fax: +44 1460 256 101

Email us

sales@golledge.com

Our Worldwide Distributors

Belgium & Luxembourg

Alcom Electronics NV/SA



info@alcom.be www.alcom.be +32 (0)3 458.30.33

Email

Web

Email

Web

Email

Web

Email

Web

Web

Tel

Tel

Tel

Tel

Tel

France

Equipments Scientifique



comp@es-france.com www.es-france.com +33 1 47 95 99 89

India

V5 Semiconductors ** **5**Semiconductors

sales@v5semiconductors.com v5semiconductors.com +91-80-2661 0621

Netherlands

Alcom Electronics BV

Alcom lectronics

info@alcom.nl alcom.nl +31 (0)10 288.25.00

Russia - Россия



Email elena@efo.ru www.golledge.ru +7(812)327-8654 China, Hong Kong - 中国 / 香港

Meiya China



sales@meiyatech.com www.meiyatech.com +86 755 2823 1923

Germany

MEV Elektronik Service GmbH



info@mev-elektronik.com www.mev-elektronik.com +49 54 24 23 40-0

Israel





sales@phnx.co.il www.phnx.co.il +972 9 764 4800

Norway

Link Nordic



bjorn.nyjordet@linknordic.com linknordic.com +47 93 22 68 90

Spain & Portugal

R.C. Microelectronica, S.A.



ventas@rcmicro.es www.rcmicro.es +34 93 260 21 66

Our customer feedback is testament to our quality; "Never had such good service as this from anyone in 35 years of being in the industry, this is impressive and has really helped us out of a corner to keep the design flowing" Andy (Senior Design Engineer), "As always your support is state of the art" Nicoleta (Material Management), "Legendary work - as usual it has to be said" John (Operations). To take advantage of our highly praised service get in touch with us today.



Email

Web

Email

Tel

Email Web

Tel