

Products

SEARCH

[Advanced Search](#)Automotive Electrical
Aftermarket

Residential Circuit Protection

Recently Viewed Items

[Wind SPD](#)

[Cooper Industries](#) > [Cooper Bussmann](#) > [Consumer](#) > [Products](#) > [Automotive Electrical Aftermarket](#) > [Fuse Holders, Panel, Blocks & Taps](#) > Fuse Panels - ATC, ATM, FMX

Fuse Panels - ATC, ATM, FMX

Fuse Panels for Blade Fuses

Designed for versatility, durability and ease-of-installation, Cooper Bussmann fuse panels and blocks deliver the ideal solution for many applications. Cooper Bussmann fuse panels and blocks are molded of high-performance thermoplastic, and feature high quality hardware in a choice of connector styles.

RTMF Fuse Panel - ATM Footprint



The Rear Terminal 20 Position ATM Fuse Panel provides efficient power distribution in a rugged compact package. The RTMF offers a weather tight enclosure (IP66/67) for ATM blade fuses and circuit breakers when cover, cable seals, and cavity plugs are installed.*

Part No.	Description
RTMF	20 position fuse block
RTMF-SC	20 position fuse block with shallow cover
RTMF-DC	20 position fuse block with deep cover

* Electrical terminals, cable seals and cavity plugs are either Delphi Packard Metri-Pack® 280 Series terminals (sealed/tangless) or AMP® terminals. They accept #12-22 AWG wire sizes. Delphi Packard 280 Series cavity plugs are installed where wires are not used. Seals and cavity plugs not sold by Cooper Bussmann.

Power Distribution Relay Module



The sealed Power Relay Module (CBPRM) and Power Fuse Module (CBPFM) are compact power distribution modules for high current applications having extreme moisture and high vibration. The 24 volt CBPRM contains a 35A relay and two FMX fuse positions (one protects the relay and the other a single-circuit in-line fuse). The CBPFM has two FMX fuse positions for separate circuits. Both the CBPRM and CBPFM feature rugged M8 power input studs, and an IP66 removable, weather-tight cover to protect the fuse positions. Electrical terminations not supplied by Cooper Bussmann.

Part No.	Description
CBPFM	Power Fuse Module
CBPRM	Power Relay Module

15600 Fuse Panels - ATC Footprint



A single, common power input makes it simple to wire for multiple circuits - each rated to 30 amps, up to 32 volts. Molded of high grade thermoplastic, for superior performance. Quick-connect terminals for easy installation. Recessed fuse contacts provide fingersafe protection.

Fuses and circuit breakers sold separately.

Fuse Positions	Short Base Part No.	Blister Pack	Tri-Lingual Blister	Long Base Part No.
4	15600-04-20			15600-04-21
6	15600-06-20	X*	X*	15600-06-21
8	15600-08-20			15600-08-21
10	15600-10-20			15600-10-21
12	15600-12-20			15600-12-21
14	15600-14-20			15600-14-21
16	15600-16-20			15600-16-21
18	15600-18-20			15600-18-21
20	15600-20-20			15600-20-21

[Careers](#)
[Environmental Policy](#)
[Corporate Giving](#)
[Sustainability](#)
[Safety & Health](#)
[Strategic Sourcing](#)
[Memorandum of Insurance](#)

[Cooper B-Line](#)
[Cooper Bussmann](#)
[Cooper Crouse-Hinds](#)
[Cooper Lighting](#)
[Cooper Power Systems](#)
[Cooper Safety](#)
[Cooper Wiring](#)

[Solutions](#)
[Markets](#)
[Brands](#)

[Library](#)
[Cross Reference](#)
[Education](#)
[Programs and Portals](#)
[Where to Buy](#)
[Cooper Technology Center](#)

[Investor News](#)
[Event Calendars](#)
[Terms of Use](#)
[Contact Us](#)
[Site Map](#)

