




APPROVED: _____

DATE: _____ TITLE: _____

Rev	AWO #	Description	Date	Appr
-		RELEASED	4/8/05	



Positions: 2 thru 20
 A = .100 [2.54] x No. of Positions + .021 [0.54]
 B = .100 [2.54] x No. of Spaces

UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE NICHES [MM] TOLERANCES: EXCEPT AS NOTED INCHES: .10 ØX ± .10 .XX ± .020 ØXXX ± .019 .XXX ± .015 ØXXXX ± .010		TITLE .100 [2.54] WIRE HOUSING	
DRAWN	SS	DATE	4/8/05
CHECKED			
APPROVED			

ADAM TECH
 909 Rahway Avenue, Union, NJ 07083
 Phone: 908-687-5000 Fax: 908-687-5710

SPECIFICATIONS:
 Material:
 Insulator: Nylon 66, rated UL 94V-2
 Insulator color: White
 Electrical:
 Operating voltage: 250 VAC max
 Current rating: 2 Amps max
 Insulation resistance: 1,000 Mohms min
 Dielectric withstanding voltage: 1,500 VAC for 1 minute
 Temperature Rating:
 Operating temperature: -25°C to +85°C
 Environmental:
 Lead free, RoHS compliant

