

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:

0850481811

Status:

Active

Overview:

[din_41612](#)

Description:

2.54mm (.100") Pitch DIN 41612/IEC 603-2 Mixed Layout Connector, Through Hole, Vertical, Female Style M, 28 Circuits

Documents:

[Drawing \(PDF\)](#)

[RoHS Certificate of Compliance \(PDF\)](#)

General

Product Family

Backplane Connectors

Series

85048

Application

Daughtercard

Comments

Mixed Layout

Component Type

PCB Receptacle

Overview

[din_41612](#)

Product Name

IEC 603-2/DIN 41612

Style

M

Physical

Circuits (Loaded)

28

Circuits (maximum)

42

Circuits Detail

Standard Contacts at A:a10-a23; C:c10-c23

Durability (mating cycles max)

400

First Mate / Last Break

No

Guide to Mating Part

No

Keying to Mating Part

Yes

Material - Metal

Copper Alloy

Material - Plating Mating

Gold

Material - Plating Termination

Tin

Number of Columns

14

Number of Pairs

Open Pin Field

Number of Rows

3

Orientation

Vertical

PC Tail Length (in)

0.177 In

PC Tail Length (mm)

4.50 mm

PCB Locator

No

PCB Retention

Yes

Packaging Type

Carton

Pitch - Mating Interface (in)

0.100 In

Pitch - Mating Interface (mm)

2.54 mm

Pitch - Term. Interface (in)

0.100 In

Pitch - Term. Interface (mm)

2.54 mm

Plating min: Mating (µin)

24

Plating min: Mating (µm)

0.60

Polarized to PCB

Yes

Stackable

No

Surface Mount Compatible (SMC)

No

Temperature Range - Operating

-55°C to +125°C

Termination Interface: Style

Through Hole

Electrical

Current - Maximum per Contact


2.5A

Data Rate

622.0 Mbps

Voltage - Maximum

250V AC (RMS)



EU RoHS

China RoHS

Compliance Status

Not Reviewed

REACH SVHC

Not Reviewed

Halogen-Free

Status

Not Reviewed

Need more information on product environmental compliance?

Email productcompliance@molex.com
For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series

85048Series

Mates With

DIN 41612/EIC 603-2 Mixed Layout Connector [85009](#) , [85017](#)




Material Info

Reference - Drawing Numbers

Packaging Specification	PK-85048-001
Sales Drawing	SD-85048-0003, SDA-85048-1811

This document was generated on 05/17/2010

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION



FIRST ANGLE PROJECTION

REVISE ONLY ON CAD SYSTEM

SH. REV.

UNLESS OTHERWISE SPECIFIED
TOLERANCES: ANGULAR $\pm 2^\circ$

DRWG BY
KN

SIGN

CAD/CAM PROJECT NAME
85048000
831

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO
MOLEX INC. & SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

3 PLACE $\pm$ $\pm$

CHK'D BY
Ca

SIGN

TITLE
42 pol. Federleiste
42 pos. female connector
DIN 41612, style M

2 PLACE $\pm$ $\pm$

APP'D BY
JB

SIGN

MOLEX EUROPE

1 PLACE $\pm$ $\pm$

SCALE
2:1

SIGN

SHEET NO. DATE
1 OF 2 97/04/10

DESIGN DIMENSION ☒ MM

SCALE

PART NO. DWG NO. SD-85048-0003

EQUIVALENT DIMENSION ☐ MM

SCALE

SIZE B

IF TWO DIMENSIONS ARE SHOWN THE UPPER IS
THE DESIGN DIMENSION, LOWER IS SECONDARY

SCALE

SIZE B

