HDC MPN 3

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com



Flexible
The four module sizes make for individual plug solutions that save a huge amount of space. The smaller pitch translates into an optimised design too.

General ordering data

Version	Pneumatic module
Order No.	2637340000
Type	HDC MPN 3
GTIN (EAN)	4050118765823
Qty.	1 pc(s).

HDC MPN 3

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Technical data

Dimensions and weights

Net weight	0.45 g

Temperatures

Limit temperature	-40 °C ... 80 °C

Environmental Product Compliance

REACH SVHC	Potassium perfluorobutane sulfonate 29420-49-3

General data

Material	Polycarbonate, glass fibre reinforced	Number of poles	3
Plugging cycles	≥ 500	Required plug-in slots	1
Series	ModuPlug	Type	Male, Female
UL 94 flammability rating	V-0		

Pneumatic module

Module operating pressure	8 bar	Inner hose diameter, min.	1.6 mm
Inner hose diameter, max.	4 mm		

Version

Type of connection	Hose connection (pneumatic)

Classifications

ETIM 6.0	EC000438	ETIM 7.0	EC000438
ETIM 8.0	EC000438	ECLASS 9.0	27-44-02-20
ECLASS 9.1	27-44-02-20	ECLASS 10.0	27-44-02-20
ECLASS 11.0	27-44-02-20		

Downloads

Approval/Certificate/Document of Conformity	Manufacturer's declaration
Engineering Data	STEP
Catalogues	Catalogues in PDF-format


HDC MPN 3

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany


www.weidmueller.com

Drawings

1



2



3

