







Applications	Commercial Grade		
Feature	No Directivity Wire Wound Wire Wound Ferrite Core		
Series Type	NLCV32-PFR		
Status	Production (Not Recommended for New Design) Recommended Alternate Part No. : NLCV32T-4R7M-EFR		
Brand	TDK		



	Size	
Length(L)	3.20mm ±0.20mm	
Width(W)	2.50mm ±0.20mm	
Thickness(T)	2.20mm ±0.20mm	
Recommended Land Pattern (A)	1.20mm Nom.	
Recommended Land Pattern (B)	2.00mm Nom.	
Recommended Land Pattern (C)	2.00mm Nom.	

Electrical Characteristics		
Inductance	4.7μH ±20% at 7.96MHz	
Rated Current	900mA	
DC Resistance [Typ.]	200mΩ	
DC Resistance [Max.]	240mΩ	
Self Resonant Frequency [Min.]	46MHz	
Self Resonant Frequency [Typ.]		
Q [Min.]		
Q [Typ.]	15	

Other		
Operating Temp. Range (Including Self-Temp. Rise)	-40 to 125°C	
	Wave (Flow)	
Soldering Method	Reflow	
	Iron Soldering	
AEC-Q200	No	
Packing	Blister (Plastic)Taping [180mm Reel]	
Package Quantity	2000pcs	
Weight	0.05g	


[!] Images are for reference only and show exemplary products. ! This PDF document was created based on the data listed on the TDK Corporation website. ! All specifications are subject to change without notice.











Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)














[!] Images are for reference only and show exemplary products.

[!] This PDF document was created based on the data listed on the TDK Corporation website.


[!] All specifications are subject to change without notice.







Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)



[!] Images are for reference only and show exemplary products.

[!] This PDF document was created based on the data listed on the TDK Corporation website.

[!] All specifications are subject to change without notice.












Associated Images



[!] Images are for reference only and show exemplary products. ! This PDF document was created based on the data listed on the TDK Corporation website.

[!] All specifications are subject to change without notice.