

HEX NUT AND LOCKWASHER NOT SHOWN FOR CLARITY

SEE NOTE 6
 1/2-28 UNEF-2A TH'D
 MARK: KINGS 129-6 M06 (DATE CODE)

.138 MAX. PANEL
 .04 D. REF. 3 HOLES ON CORNERS 120° APART

7/16 -28 UNEF-2A THREAD (3 PLACES)

- NOTES:
1. SAME AS M55339/50-00001, (129-6) EXCEPT FOR FINISH & MARKING.
 2. MARK PACKAGE: KINGS 129-6 M06 (DATE CODE)
 3. MATERIALS:
 INSULATORS: TEFLON, ASTM D1710
 LOCKWASHER: PHOSPHOR BRONZE, ASTM B103
 O-RING: SYNTHETIC RUBBER, SAE-AMS-P-83461
 CENTER CONTACTS: BER. COPPER, ASTM B196
 ALL OTHER METAL PARTS: BRASS, ASTM B16


4. FINISHES:
 CENTER CONTACTS: .000050 MIN GOLD PLATE, PER ASTM B488 OVER .000050 MIN. NICKEL PER AMS-QQ-N-290 (RoHS)
 ALL OTHER METAL PARTS: .000050 MIN NICKEL PER AMS-QQ-N-290 OVER .000050 MIN COPPER PER ASTM B734 (RoHS)
5. ELECTRICAL CHARACTERISTICS:
 NOMINAL IMPEDANCE: 50 OHMS
 WORKING VOLTAGE: 500 VRMS
 FREQUENCY RANGE: DC TO 11 GHz.
6. MOUNTING TORQUE IS 25 - 30 INCH POUNDS.
7. WEIGHT: 26.2 GRAMS

PART NO. 129-6 M06

REVISIONS	
ISSUE	CHANGES
4	CN 32485 C REDRAWN WJM 09/10/90
5	CN 37448 C MRM 09/22/97
6	CN 37937 E TML 12/09/99
H	ER 7581 BAM 04/08/08
J	ER 16448 DRK 07/13/09
K	REVISED PER DMF304 & ER041236 KPL 04/05/12

CUSTOMER SALES DRAWING

THIS DRAWING, THE DESIGNS AND IDEAS EMBODIED IN THE DEVICE TO WHICH IT RELATES, AND THE METHOD OF PRODUCING THE DEVICE, ARE THE PROPERTY OF WINCHESTER ELECTRONICS CORPORATION AND SHALL NOT BE EMPLOYED, COPIED, OR DISCLOSED TO ANYONE, IN ANY MANNER WITHOUT THE CONSENT OF WINCHESTER ELECTRONICS CORPORATION.

SCALE 4:1	
APPROX SURFACE AREA	
CAGE CODE: 91836	
REF: BOEING	
TNC BULKHEAD ADAPTER F-F-F	
DRAWN WJM	DATE 09/10/90
DESIGN CT	DATE 09/21/90
APPR. LI	DATE 09/24/90
 by WINCHESTER ELECTRONICS	
Winchester Electronics Corporation 62 Barnes Industrial Road North Wallingford, Connecticut 06492	

129-6 M06