

SD-54393-017.S01

DWG. NO.
SD-54393-017

F

D

V

C

B

DO NOT SCALE DRAWING

8

7

6

5

4

3

2

1

F




E

D

C

B

SD-54393-017.S02



16mm幅キャリアテープ
16mm WIDTH CARRIER TAPE

EC NO. DRWN: CHK: APPR:			EC NO. DRWN: CHK: APPR:			EC NO. DRWN: CHK: APPR:			REVISED EC NO. J2004-2846 DRWN:M.NINOMIYA '04/03/03 CHK: K.TOJO '04/03/03 APPR:M.SASAO '04/03/03			RELEASED EC NO. J2004-1672 DRWN:T.UENO '03/12/22 CHK: M.SASAO '03/12/22 APPR:M.SASAO '03/12/22			DESCRIPTION			MATERIAL 材料 注記参照 SEE NOTES			GENERAL TOLERANCES: (UNLESS SPECIFIED) 一般公差			SCALE --//			DESIGN UNITS ☒ mm ☐ INCH			MODEL NO. 54393-***82			THIRD ANGLE PROJECTION ☐ mm ☐ INCH ☒ mm ONLY			SHT REV			REVISION ON CAD ONLY		
									A			Ø			REV			FINISH 仕上 --//			10 UNDER 未満 ±0.2			DRAWN BY & DATE T.UENO '03/12/22			TITLE: 0.3 FPC Conn (Easy on) Hsg Assy Embstp Pkg -LEAD FREE-														
																		WIRE RANGE 適用電線範囲 --//			10 OVER 以上 ±0.25			CHECKED BY & DATE M.SASAO '03/12/22			MOLEX INCORPORATED														
																		INS. RANGE 被覆外径 --//			30 OVER 以上 ±0.3			APPROVED BY & DATE M.SASAO '03/12/22			CAD FILENAME SD-54393-017.S02			MATERIAL NO. SEE CHART			DRAWING NO. SD-54393-017			SHEET NO. 2 OF 4			SIZE B		
																					ANGLE 角度 ±3°			THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.																	

8

7

6

5

4

3

2

EN-02J(097) MXJ-54

DWG. NO.
SD-54393-017

F

D



V

C

B


DO NOT SCALE DRAWING

EC NO. DRWN: CHK: APPR:	EC NO. DRWN: CHK: APPR:	EC NO. DRWN: CHK: APPR:	REVISED EC NO. J2004-2846 DRWN:M.NINOMIYA '04/03/03 CHK: K.TOJO '04/03/03 APPR:M.SASAO '04/03/03	A	0	REV	DESCRIPTION 注記参照 SEE NOTES	MATERIAL 材料	FINISH 仕上	WIRE RANGE 適用電線範囲	INS. RANGE 被覆外径	GENERAL TOLERANCES: (UNLESS SPECIFIED) 一般公差	SCALE --H	DESIGN UNITS ☒ mm ☐ INCH	THIRD ANGLE PROJECTION	☐ mm INCH ☐ mm INCH ☒ mm ONLY	REVISE ON CAD ONLY
TITLE: 0.3 FPC Conn (Easy on) Hsg Assy Embstp Pkg -LEAD FREE-																	
MOLEX INCORPORATED																	
CAD FILENAME SD-54393-017.S03																	
MATERIAL NO. SEE CHART																	
DRAWING NO. SD-54393-017																	
SHEET NO. 3 OF 4																	
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.																	
SIZE B																	







24	29.4	25.4	13.4	16.2	54393-4582	45
			11.6	14.4	54393-3982	39
			9.8	12.6	54393-3382	33
			8	10.8	54393-2782	27
			6.8	9.6	54393-2382	23
			6.2	9.0	54393-2182	21
キャリアテープ幅 CARRIER TAPE WIDTH	D	C	B	A	MATERIAL NO.	種数 CKT.

SD-54393-017.S03





EC NO. DRWN: CHK: APPR:			EC NO. DRWN: CHK: APPR:			EC NO. DRWN: CHK: APPR:			REVISED EC NO. J2004-2846 DRWN:M.NINOMIYA '04/03/03 CHK: K.TOJO '04/03/03 APPR:M.SASAO '04/03/03			RELEASED EC NO. J2004-1672 DRWN:T.UENO '03/12/22 CHK: M.SASAO '03/12/22 APPR:M.SASAO '03/12/22			DESCRIPTION			MATERIAL 材料 注記参照 SEE NOTES			GENERAL TOLERANCES: (UNLESS SPECIFIED) 一般公差			SCALE --- ☒ mm ☐ INCH			DESIGN UNITS ☒ mm ☐ INCH			MODEL NO. 54393-***82			DIMENSIONS: ☐ mm ☐ INCH ☐ mm ☐ INCH ☒ mm ONLY			SHT REV			REVISION CAD ONLY		
															FINISH 仕上			//			10 UNDER 未満			±0.2			DRAWN BY & DATE T.UENO '03/12/22			TITLE: 0.3 FPC Conn (Easy on) Hsg Assy Embstp Pkg -LEAD FREE-											
															10 OVER 以上			30 UNDER 未満			±0.25			CHECKED BY & DATE M.SASAO '03/12/22																	
															30 OVER 以上						±0.3			APPROVED BY & DATE M.SASAO '03/12/22			MOLEX INCORPORATED														
															WIRE RANGE 適用電線範囲			//			ANGLE 角度			±3°												CAD FILENAME SD-54393-017.S04			MATERIAL NO. SEE CHART		
A															0			REV			INS. RANGE 被覆外径			//			THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.									SIZE B					

SD-54393-017.S04



注記 NOTES

1. 使用材料 MATERIAL
ハウジング : LCP , UL94V-0
アクチュエータ : PPS , UL94V-0
ターミナル : リン青銅 (t=0.15) , ニッケル下地鍍ビスマスマッキ
TERMINAL : PHOS-BR0. , TIN-BISMUTH OVER NICKEL PLATING.
金具 : リン青銅 (t=0.2) , ニッケル下地鍍メッキ
FITTING NAIL : PHOS-BR0. , TIN OVER NICKEL PLATING.
2. ソルダーテール半田付け面のスレ量、及び金具半田付け面のスレ量は、基準面 R に対し、上方向0MAX.、下方向0.18MAX.とする。
又、相互のパラッキ量は0.1MAX.とする。
MISALIGNMENT OF SOLDER TAILS AND FITTING NAILS FROM R
UPPER DIRECTION : 0 MAX. , LOWER DIRECTION : 0.18 MAX.
OFFSET BETWEEN SOLDER TAILS AND FITTING NAILS : 0.1 MAX.
3. (N-1) / 2 が偶数の場合、偶数極側に適用。
(N-1) / 2 が奇数の場合、奇数極側に適用。
IF (N-1) / 2 = EVEN, APPLY FOR EVEN CIRCUIT SIDE,
IF (N-1) / 2 = ODD, APPLY FOR ODD CIRCUIT SIDE,
4. 一般公差 : ±0.3
GENERAL TOLERANCES : ±0.3
5. 本製品は 54393- **27 の鉛フリー品です
THIS PRODUCT IS LEAD FREE OF 54393- **27



15.6	8.175	15	14.4	17.8	54393-5182	54393-5128	51
13.8	7.275	13.2	12.6	16	54393-4582	54393-4528	45
12	6.375	11.4	10.8	14.2	54393-3982	54393-3928	39
10.2	5.475	9.6	9	12.4	54393-3382	54393-3328	33
8.4	4.575	7.8	7.2	10.6	54393-2782	54393-2728	27
7.2	3.975	6.6	6.0	9.4	54393-2382	54393-2328	23
6.6	3.675	6	5.4	8.8	54393-2182	54393-2128	21
5.4	3.075	4.8	4.2	7.6	54393-1782	54393-1728	17
E	D	C	B	A	EMBOSSED TAPE ORDER No. オーダー番号	MATERIAL NO.	CKT.

REVISED EC NO: J2008-4034 DRWN:WABEI CHKD:THARUYAMA APPR:NUKITA B	DESCRIPTION 2008/05/28 2008/05/28 2008/05/28 REV	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 10:1	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION			
		10 UNDER	± ---	DRAWN BY T. UENO	DATE '03/12/22	0.3 FPC CONN (EASY ON) HSG ASSY -LEAD FREE-					
		10 OVER 30 UNDER	± ---	CHECKED BY M. SASAO	DATE '03/12/22						
		30 OVER	± ---	APPROVED BY M. SASAO	DATE '03/12/22	 MOLEX INCORPORATED					
		ANGULAR ± --- °		MATERIAL NO.					DOCUMENT NO.		
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE TABLE					SD-54393-022		SHEET NO. 1 OF 2
		SIZE A3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION								

F


E

D

C

B

A



REVISED EC NO: J2008-4034 B	DESCRIPTION REV	2008/05/28 DRWN:WABEI 2008/05/28 CHKD:THARUYAMA 2008/05/28 APPR:NUKITA	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 10:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION			
			10 UNDER	± ---	DRAWN BY T. UENO		DATE '03/12/22	TITLE 0.3 FPC CONN (EASY ON) HSG ASSY -LEAD FREE-				
			10 OVER 30 UNDER	± ---	CHECKED BY M. SASAO		DATE '03/12/22					
			30 OVER	± ---	APPROVED BY M. SASAO		DATE '03/12/22	molex MOLEX INCORPORATED				
			ANGULAR	± --- °	MATERIAL NO.		DOCUMENT NO.				SHEET NO.	
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE SHEET 1		SD-54393-022				2 OF 2	
					SIZE A3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						