


IMPEDANCE (Z)			
Frequency	25 MHz	100 MHz	300 MHz
Nominal (REF)	43 Ω	120 Ω	270 Ω
Minimum	- Ω	96 Ω	- Ω



DETAIL B
SCALE: 3:1

DETAIL A
SCALE: 2:1


UNCONTROLLED DOCUMENT

FERRITE CORE DIMENSIONS (SPEC): mm [in]

A	21.00 [.827]	+	0.38 [.015]
B	17.00 [.669]	+	0.38 [.015]
C	12.01 [.473]	+	0.30 [.012]
D	3.99 [.157]	+	0.18 [.007]
E	0.94 [.037]	+	0.18 [.007]
F	3.57 [.141]	+	0.08 [.003]

NOTES: UNLESS OTHERWISE SPECIFIED

1. COSMETIC SPECIFICATION REFER TO WI-QA-038.



WEIGHT/1000 3.77 kgs. 8.31 Lbs.

DIMENSIONS ARE IN mm (INCHES).				This print is the property of Laird Tech. and is loaned in confidence subject to return upon request and with the understanding that no copies shall be made without the written consent of Laird Tech. All rights to design or invention are reserved.					
F	UPDATE COMPANY LOGO	07/01/15	QIU						
E	UPDATE FORMAT & Z SPECS, ADD CURVE, CHG D DIMENSION FROM .152	07/07/03	JRK	PROJECT/PART NUMBER: 28S2827-210		REV	F	PART TYPE: FERRITE SPLIT RIBBON	DRAWN BY: JBE
D	ADD NOTCHES & DETAIL B & RADIUS DIMS ADD GRIND SYMBOLS, REM NOTE 1, ADD KGS	10/04/02	JRK			DATE:	11/02/95	SCALE:	4 : 1
C	UPDATE PRINT FORMAT ADD CHAMFER DETAIL, REMOVE NOTE # 2	03/04/02	JRK	CAD #	28S2827-210-F	TOOL #	S2827		
B	CHG TOL & ADDED CUSTOMER REF	12/05/95	JBE	REV		SCALE	4 : 1		
A	ORIGINAL DRAFT	11/02/95	JBE	DATE	11/02/95	SCALE	4 : 1		
REV	DESCRIPTION	DATE	INT	28S2827-210-F		TOOL #	S2827	FERRITE	