


## Data sheet | Item number: 706-2300/404-300

System cable; for Siemens S7-300; 8 analog inputs (current), var. 1; Length: 3 m; Conductor cross-section: 0.25 mm<sup>2</sup>



[www.wago.com/706-2300/404-300](http://www.wago.com/706-2300/404-300)



 Picture differs from the item.

### Data Notes

Note	When using more than 10 wires, the maximum current per wire must be reduced to 1 A.
------	-------------------------------------------------------------------------------------

### Electrical data

Inputs/outputs	8 analog inputs; current
Operating voltage	≤ AC/DC 35 V
Current per wire (max.)	2 A

### Connection data

Compatible PLC Modules	Siemens S7-300
Compatible PLC I/O Card Types	6ES7 331-7NF00-0AB0
Connection type (1)	System
Pluggable connectors	D-sub female connector
Connection type 2	System
Pole number 2	25
Connector 2	Siemens 6ES7-392-1BM00-0AA0
Cable type	LiYCY

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.

Wire cross-section	0.25 mm <sup>2</sup>
Color code	per DIN VDE 47100

### Physical data

Cable length	3 m
--------------	-----

### Material data

Weight	442 g
--------	-------

### Environmental requirements

Surrounding air temperature (operation)	-20 ... 50 °C
-----------------------------------------	---------------

### Commercial data

Product Group	30 ()
PU (SPU)	1 Stück
Country of origin	FR
GTIN	4045454927257
Customs tariff number	85444290900

### Optional accessories

#### Interface module

Interface module
------------------



#### Item no.: 704-8013

Interface module for system wiring; with solder pin; Male connector; 25-pole; 8-channel analog input or output; 4-wire; PCB terminal blocks; in mounting carrier [www.wago.com/704-8013](http://www.wago.com/704-8013)

### Downloads

#### Documentation

#### Bid Text

706-2300/404-300 X81 - Datei	2019. 2. 19.	xml 3.2 kB	Download
706-2300/404-300 doc - Datei	2015. 2. 9.	doc 26.1 kB	Download

#### Additional Information

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



Disposal; Electrical and electronic equipment, Packaging

V 1.0.0

pdf  
265.8 kB

[Download](#)

---

### System Description

WAGO System Wiring, Selection Guide

This guide will help you select the appropriate interface modules and system cables for the controller you are using.

pdf  
545.9 kB

[Download](#)

---

### Environmental Product Compliance

#### Compliance Search

Environmental Product Compliance 706-2300/404-300

System cable; for Siemens S7-300; 8 analog inputs (current), var. 1; Length: 3 m;  
Conductor cross-section: 0.25 mm<sup>2</sup>

URL

[Download](#)

---

### Installation Notes

Subject to changes. Please also observe the further product documentation!

---

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.