

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [0541670208](#)
Status: **Active**
Description: 0.50mm (.020") Pitch SlimStack™ Receptacle, Surface Mount, Dual Row, Vertical, 3.00 and 4.00mm (.118" and .157") Stacking Heights, Lower Circuit Size Version, Black, 20 Circuits

Documents:
[3D Model](#)
[Drawing \(PDF\)](#)
[Product Specification PS-52991-003 \(PDF\)](#)
[Product Specification PS-54167-002 \(PDF\)](#)
[Product Specification PS-54167-003 \(PDF\)](#)
[RoHS Certificate of Compliance \(PDF\)](#)

General	
Product Family	PCB Receptacles
Series	54167
Application	Board-to-Board
Product Name	SlimStack™
Physical	
Circuits (Loaded)	20
Glow-Wire Compliant	No
Mated Height (in)	0.118 In, 0.157 In
Mated Height (mm)	3.00 mm, 4.00 mm
Material - Plating Mating	Gold
Material - Plating Termination	Gold
Number of Rows	2
Orientation	Vertical
PCB Locator	No
PCB Retention	None
Packaging Type	Embossed Tape on Reel
Pitch - Mating Interface (in)	0.020 In
Pitch - Mating Interface (mm)	0.50 mm
Plating min: Mating (µin)	4
Plating min: Mating (µm)	0.1
Plating min: Termination (µin)	10
Plating min: Termination (µm)	0.25
Polarized to PCB	No
Surface Mount Compatible (SMC)	N/A
Temperature Range - Operating	-40°C to +105°C
Termination Interface: Style	Surface Mount

Electrical	
Current - Maximum per Contact	0.5A
Voltage - Maximum	50V

Material Info

Reference - Drawing Numbers

Product Specification	PS-52991-003, PS-54167-002, PS-54167-003, RPS-52991-009, RPS-52991-014, RPS-52991-019
Sales Drawing	SD-54167-001, SD-54167-002




image - Reference only

Series

EU RoHS
ELV and RoHS
Compliant
REACH SVHC
Not Reviewed
Halogen-Free
Status
Halogen-Free

China RoHS






Need more information on product environmental compliance?

Email productcompliance@molex.com
For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series
[54167Series](#)

Mates With
[53916](#) , [53748](#)



注記 NOTES:

1. 使用材料 MATERIAL

ハウジング: LCPガラス入り (黒) UL94V-0
HOUSING: LCP(G.F.)(COLOR :BLACK),
UL94V-0
ターミナル: リン青銅 (t=0.15)
TERMINAL: PHOSPHOR BRONZE (t=0.15)

2. メッキ仕様 PLATING


全体仕上げ: 金メッキ 0.1 MICROMETER MIN.
ALL OVER : GOLD 0.1 MICROMETER MIN.
下地メッキ: ニッケルメッキ 1.5 MICROMETER MIN.
UNDER PLATING : NICKEL 1.5 MICROMETER MIN.

3. 基準面 [X] からの溶剤テールの半田付け面のズレ量は、上方向 0、下方向 0.15MAX. とする。

MISALIGNMENT OF SOLDER TAIL FROM [X]
: UPPER DIRECTION 0, LOWER DIRECTION 0.15 MAX.



△ (全極数/2) = 偶数の場合に適用。
APPLY FOR (CIRCUIT/2)=EVEN.

5 嵌合相手: 53748 シリーズ, 53916 シリーズ, 502280 シリーズ
MATE WITH : 53748 SERIES, 53916 SERIES, 502280 SERIES.
6 テール平坦度は、0.1MAX.
TAIL COPLANARITY TO BE 0.1MAX.




参考基板レイアウト (マウント面)

P.C. BOARD PATTERN
DIMENSION. (REF.)
(MOUNTING AREA)




20.2	19.5	23.8	54167-0801	80
17.7	17.0	21.3	-0701	70
15.2	14.5	18.8	-0601	60
12.7	12.0	16.3	-0501	50
10.2	9.5	13.8	-0401	40
7.7	7.0	11.3	-0301	30
5.2	4.5	8.8	54167-0201	20
C	B	A	MATERIAL NO.	極数 CIRCUIT

54167***1		MODEL NO.		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION	
GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		---	METRIC		
10 UNDER		± 0.2		DRAWN BY		DATE	
10 OVER 30 UNDER		± 0.25		S. AIHARA		'96/11/28	
30 OVER		± 0.3		CHECKED BY		DATE	
ANGULAR		± 3 °		M. SASAO		'01/12/26	
DRAFT WHERE APPLICABLE		MUST REMAIN		APPROVED BY		DATE	
WITHIN DIMENSIONS		SEE CHART		M. SASAO		'01/12/26	
SIZE		A3		MATERIAL NO.		DOCUMENT NO.	
						SD-54167-001	
						SHEET NO.	
						1 OF 1	




NOTES


- 製品詳細寸法については図面 SD-54167-001 を参照下さい。
RE DETAILED DIMENSION, SEE SD-54167-001
- 梱包数量：3000個／リール
NUMBER OF CONNECTORS：3000PCS/REEL
- リードテープ長さ LEAD TAPE LENGTH



- トップテープの剥離強度：0.1N~1.3 (10gf~130gf) (剥離方向は下図参照)
尚、本規格値は出荷時に適用。(但し、輸送時に剥離が発生しないこと。)
PEELING OFF FORCE OF TOP TAPE：0.1N~1.3 (10gf~130gf)
(PEELING DIRECTION AS SHOWN IN FOLLOWING FIG.)
THIS REQUIREMENT SHOULD BE APPLIED AT SHIPMENT.
PEEL OFF SHOULD NOT BE ALLOWED, DURING TRANSPORTATION.




- 材料(MATERIAL)
キャリアテープ(CARRIER TAPE)：ポリプロピレン(POLYPROPYLENE)
トップテープ(TOPTAPE)：PET, PE, PEF
リール(REEL)：ポリスチレン(PS) <リサイクル材を含む>
POLYSTYREN(PS) <RECYCLE MATERIAL CONTAINED>




16mm幅キャリアテープ
16mm WIDTH CARRIER TAPE

REVISED EC NO: J2006-0604 DRW:NAIDA 2005/08/31 CHK:KTOYODA 2005/09/01 APP:NUKITA 2005/09/09	DESCRIPTION	54167***8		MODEL NO.		I6	21.4	17.4	10.1	9.1	3.7	54167-0208	20
						キャリアテープ幅 CARRIER TAPE WIDTH	E	D	(C)	(B)	(A)	MATERIAL NO.	極数 CIRCUIT
		GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY			SCALE ---		DESIGN UNITS METRIC		THIRD ANGLE PROJECTION		
	10 UNDER	± ---	DRAWN BY S.AIHARA		DATE '97/05/09		TITLE 0.5 B/B CONN REC HSG ASSY EMBSTP PKG -LEAD FREE-		MOLEX INCORPORATED				
	10 OVER 30 UNDER	± ---	CHECKED BY T.IITO		DATE '00/12/06								
	30 OVER	± ---	APPROVED BY M.FUKUSHIMA		DATE '00/12/06								
	ANGULAR ± --- °		MATERIAL NO.		DOCUMENT NO.		SHEET NO.						
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART		SD-54167-002		2 OF 6							
REV	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION												





24mm幅キャリアテープ
24mm WIDTH CARRIER TAPE

REVISED EC NO: J2006-0604 DRWN: AIDA CHKD: KTOYODA APPR: NUKITA		DESCRIPTION REV	54167***8		MODEL NO.	24	29.4	25.4	15.1	14.1	7.4	54167-0408	40
						キャリアテープ幅 CARRIER TAPE WIDTH	E	D	(C)	(B)	(A)	MATERIAL NO.	極数 CIRCUIT
			GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE MM ONLY			SCALE ---	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		
			10 UNDER		± ---	DRAWN BY S. AIHARA		DATE '97/05/09	TITLE 0.5 B/B CONN REC HSG ASSY EMBSTP PKG -LEAD FREE- MOLEX INCORPORATED				
			10 OVER 30 UNDER		± ---	CHECKED BY T. ITO		DATE '00/12/06					
			30 OVER		± ---	APPROVED BY M. FUKUSHIMA		DATE '00/12/06					
			ANGULAR ± --- °			MATERIAL NO.		DOCUMENT NO.				SHEET NO.	
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SEE CHART		SD-54167-002				3 OF 6	
			THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION										



32mm幅キャリアテープ
32mm WIDTH CARRIER TAPE

REVISED	EC NO: J2006-0604	DRWN:NAIDA	2005/08/31	CHKD:KTOYODA	2005/09/01	APPR:NUKITA	2005/09/09	DESCRIPTION	REV	54167***8		MODEL NO.	32		37.4	33.4	17.6	16.6	11.2	54167-0508		50
										CARRIER TAPE WIDTH		E	D	(C)	(B)	(A)	MATERIAL NO.		極数			
										GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE			SCALE		DESIGN UNITS		THIRD ANGLE PROJECTION			
										MM ONLY		---		METRIC								
										DRAWN BY		DATE		TITLE								
10 UNDER		± ---		S.AIHARA		'96/11/25		0.5 B/B CONN REC HSG														
10 OVER 30 UNDER		± ---		CHECKED BY		DATE		ASSY EMBSTP PKG														
30 OVER		± ---		T.ITO		'00/12/06		-LEAD FREE-														
ANGULAR ± --- °				APPROVED BY		DATE		MOLEX INCORPORATED														
DRAFT WHERE APPLICABLE				M.FUKUSHIMA		'00/12/06		MOLEX INCORPORATED														
MUST REMAIN				MATERIAL NO.				DOCUMENT NO.		SHEET NO.												
WITHIN DIMENSIONS				SEE CHART				SD-54167-002		4 OF 6												
				SIZE				THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX														
				A3				INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION														



SECT:X-X

32mm幅キャリアテープ
32mm WIDTH CARRIER TAPE

REVISED EC NO: J2006-0604 T DRWN:NAIDA CHKD:K TOYODA APPR:NUKITA	DESCRIPTION		REV		32		37.4		33.4		20.1		19.1		13.7		54167-0608		60	
	54167***8		MODEL NO.		キャリアテープ幅 CARRIER TAPE WIDTH		E		D		(C)		(B)		(A)		MATERIAL NO.		極数 CIRCUT	
	GENERAL TOLERANCES (UNLESS SPECIFIED)				DIMENSION STYLE MM ONLY				SCALE ---		DESIGN UNITS METRIC		THIRD ANGLE PROJECTION							
	10 UNDER		± ---		DRAWN BY T. YASUI		DATE '97/05/14		TITLE 0.5 B/B CONN REC HSG ASSY EMBSTP PKG -LEAD FREE-											
	10 OVER 30 UNDER		± ---		CHECKED BY T. ITO		DATE '00/12/06													
	30 OVER		± ---		APPROVED BY M. FUKUSHIMA		DATE '00/12/06		molex MOLEX INCORPORATED											
	ANGULAR ±1 °				MATERIAL NO.		SEE CAHRT		DOCUMENT NO. SD-54167-002				SHEET NO. 5 OF 6							
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION													

