

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [0543333071](#)
Status: **Active**
Overview: [crc_compact_robotic_connectors](#)
Description: CRC™ Shielded Rectangular I/O Receptacle Assembly Set, Wire-to-Wire, Female Terminal, Signal, 30 Circuits, Polarization Type A, Lead-Free

Documents:
[Drawing \(PDF\)](#) [RoHS Certificate of Compliance \(PDF\)](#)
[Product Specification PS-51238-018 \(PDF\)](#)

General

Product Family	I/O Connectors
Series	54333
Application	Wire-to-Wire
Component Type	Kit
Overview	crc_compact_robotic_connectors
Product Name	CRC™
Type	N/A

Physical

Boot Color	N/A
Circuits (Loaded)	30
Circuits (maximum)	30
Color - Resin	Black, Gray
Durability (mating cycles max)	100
Gender	Socket
Keying to Mating Part	Yes
Lock to Mating Part	Yes
Material - Metal	Stainless Steel, Steel
Material - Plating Mating	n/a
Material - Resin	Polycarbonate, Polyester
Number of Rows	6
Orientation	Vertical
Packaging Type	Bag
Panel Mount	No
Pitch - Mating Interface (in)	0.118 In
Pitch - Mating Interface (mm)	3.00 mm
Pitch - Term. Interface (in)	0.118 In
Pitch - Term. Interface (mm)	3.00 mm
Polarized to Mating Part	Yes
Ports	1
Surface Mount Compatible (SMC)	No
Temperature Range - Operating	-40°C to +105°C
Termination Interface: Style	Crimp or Compression
Waterproof / Dustproof	No

Electrical

Current - Maximum per Contact	7A
Shield Type	Full Shield
Shielded	Yes
Voltage - Maximum	250V AC (RMS)/DC

Material Info

Reference - Drawing Numbers

Product Specification	PS-51238-018, RPS-51238-001
Sales Drawing	SD-54333-006



image - Reference only Series

EU RoHS
ELV and RoHS
Compliant
REACH SVHC
Not Reviewed
Halogen-Free
Status
Not Reviewed

China RoHS



Need more information on product environmental compliance?

Email productcompliance@molex.com
For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series
[54333Series](#)

Mates With
[55836-3071](#) CRC™ Shielded Rectangular I/O Plug Assembly Set

This document was generated on 05/19/2010

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

	10	9	8	7	6	5	4	3	2	1	
F											F
E											E
D											D
C											C
B											B

MOLD COVER	51237-1205	2	51237-2005	2	51237-3005	2
CROSS RECESSED HEAD SCREW	58203-0020	2	58203-0020	2	58203-0021	2
CABLE CLAMP	56382-1200	1	56382-2000	1	56382-3000	1
SHELL COVER	56385-1228	1	56385-2028	1	56385-3028	1
SHELL BODY	56384-1228	1	56384-2028	1	56384-3028	1
RECEPTACLE SHELL	56377-1202	1	56377-2002	1	56377-3002	1
REC. SOCKET HS'G ASS'Y	51238-1212	1	51238-2012	1	51238-3012	1
部品名称 PART NAME	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.
極数 CIRCUIT	12		20		30	
セット型番 SET NO.	54333-1271		54333-2071		54333-3071	
タイプ TYPE	A TYPE					

A	RELEASED EC NO: J2008-1429 DRAWN: MABEI CHKD: THARUYAMA APPR: NUKITA 2007/10/22 2007/10/22 2007/10/22	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	A
			10 UNDER	± 0.2	DRAWN BY M. NABEI	DATE '07/10/19	TITLE COMPACT ROBOT CONN. W/W TYPE SOCKET SET			
			10 OVER 30 UNDER	± 0.25	CHECKED BY T. HARUYAMA	DATE '07/10/19				
			30 OVER	± 0.3	APPROVED BY N. UKITA	DATE '07/10/19	MOLEX MOLEX INCORPORATED			
			ANGULAR	± 3 °	MATERIAL NO.	DOCUMENT NO.		SHEET NO. 2 OF 5		
			0	REV	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SIZE A3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		

	10	9	8	7	6	5	4	3	2	1	
F											F
E											E
D											D
C											C
B											B

MOLD COVER	51237-1205	2	51237-2005	2	51237-3005	2
CROSS RECESSED HEAD SCREW	58203-0020	2	58203-0020	2	58203-0021	2
CABLE CLAMP	56382-1200	1	56382-2000	1	56382-3000	1
SHELL COVER	56385-1228	1	56385-2028	1	56385-3028	1
SHELL BODY	56384-1228	1	56384-2028	1	56384-3028	1
RECEPTACLE SHELL	56377-1202	1	56377-2002	1	56377-3002	1
REC. SOCKET HS'G ASS'Y	51238-1213	1	51238-2013	1	51238-3013	1
部品名称 PART NAME	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.
極数 CIRCUIT	12		20		30	
セット型番 SET NO.	54333-1272		54333-2072		54333-3072	
タイプ TYPE	B TYPE					

A	RELEASED EC NO: J2008-1429 DRAWN: MABEI CHKD: THARUYAMA APPR: NUKITA 2007/10/22 2007/10/22 2007/10/22	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	A
			10 UNDER	± 0.2	DRAWN BY M. NABEI	DATE '07/10/19	TITLE COMPACT ROBOT CONN. W/W TYPE SOCKET SET			
			10 OVER 30 UNDER	± 0.25	CHECKED BY T. HARUYAMA	DATE '07/10/19				
			30 OVER	± 0.3	APPROVED BY N. UKITA	DATE '07/10/19	MOLEX INCORPORATED			
			ANGULAR	± 3 °	MATERIAL NO.	DOCUMENT NO.		SHEET NO.		
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE SHEET 1		SD-54333-006		3 OF 5	
			0	REV			SIZE A3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		

10	9	8	7	6	5	4	3	2	1																																																																													
<table><tr><td>MOLD COVER</td><td>51237-1205</td><td>2</td><td>51237-2005</td><td>2</td><td>51237-3005</td><td>2</td></tr><tr><td>CROSS RECESSED HEAD SCREW</td><td>58203-0020</td><td>2</td><td>58203-0020</td><td>2</td><td>58203-0021</td><td>2</td></tr><tr><td>CABLE CLAMP</td><td>56382-1200</td><td>1</td><td>56382-2000</td><td>1</td><td>56382-3000</td><td>1</td></tr><tr><td>SHELL COVER</td><td>56385-1228</td><td>1</td><td>56385-2028</td><td>1</td><td>56385-3028</td><td>1</td></tr><tr><td>SHELL BODY</td><td>56384-1228</td><td>1</td><td>56384-2028</td><td>1</td><td>56384-3028</td><td>1</td></tr><tr><td>RECEPTACLE SHELL</td><td>56377-1202</td><td>1</td><td>56377-2002</td><td>1</td><td>56377-3002</td><td>1</td></tr><tr><td>REC. SOCKET HS'G ASS'Y</td><td>51238-1214</td><td>1</td><td>51238-2014</td><td>1</td><td>51238-3014</td><td>1</td></tr><tr><td>部品名称 PART NAME</td><td>部品型番 PART NO.</td><td>数量 QUAN.</td><td>部品型番 PART NO.</td><td>数量 QUAN.</td><td>部品型番 PART NO.</td><td>数量 QUAN.</td></tr><tr><td>極数 CIRCUIT</td><td colspan="2">12</td><td colspan="2">20</td><td colspan="2">30</td></tr><tr><td>セット型番 SET NO.</td><td colspan="2">54333-1273</td><td colspan="2">54333-2073</td><td colspan="2">54333-3073</td></tr><tr><td>タイプ TYPE</td><td colspan="6">C TYPE</td></tr></table>										MOLD COVER	51237-1205	2	51237-2005	2	51237-3005	2	CROSS RECESSED HEAD SCREW	58203-0020	2	58203-0020	2	58203-0021	2	CABLE CLAMP	56382-1200	1	56382-2000	1	56382-3000	1	SHELL COVER	56385-1228	1	56385-2028	1	56385-3028	1	SHELL BODY	56384-1228	1	56384-2028	1	56384-3028	1	RECEPTACLE SHELL	56377-1202	1	56377-2002	1	56377-3002	1	REC. SOCKET HS'G ASS'Y	51238-1214	1	51238-2014	1	51238-3014	1	部品名称 PART NAME	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.	極数 CIRCUIT	12		20		30		セット型番 SET NO.	54333-1273		54333-2073		54333-3073		タイプ TYPE	C TYPE					
MOLD COVER	51237-1205	2	51237-2005	2	51237-3005	2																																																																																
CROSS RECESSED HEAD SCREW	58203-0020	2	58203-0020	2	58203-0021	2																																																																																
CABLE CLAMP	56382-1200	1	56382-2000	1	56382-3000	1																																																																																
SHELL COVER	56385-1228	1	56385-2028	1	56385-3028	1																																																																																
SHELL BODY	56384-1228	1	56384-2028	1	56384-3028	1																																																																																
RECEPTACLE SHELL	56377-1202	1	56377-2002	1	56377-3002	1																																																																																
REC. SOCKET HS'G ASS'Y	51238-1214	1	51238-2014	1	51238-3014	1																																																																																
部品名称 PART NAME	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.																																																																																
極数 CIRCUIT	12		20		30																																																																																	
セット型番 SET NO.	54333-1273		54333-2073		54333-3073																																																																																	
タイプ TYPE	C TYPE																																																																																					
<table><tr><td rowspan="7">RELEASED EC NO: J2008-1429 DRAWN: NABEI 2007/10/22 CHKD: HARUYAMA 2007/10/22 APPR: NUKITA 2007/10/22 REV 0</td><td colspan="3">GENERAL TOLERANCES (UNLESS SPECIFIED)</td><td colspan="2">DIMENSION STYLE MM ONLY</td><td>SCALE ---</td><td>DESIGN UNITS METRIC</td><td colspan="2">THIRD ANGLE PROJECTION</td></tr><tr><td colspan="2">10 UNDER</td><td>±0.2</td><td colspan="2">DRAWN BY M. NABEI</td><td>DATE '07/10/19</td><td colspan="3" rowspan="2">TITLE COMPACT ROBOT CONN. W/W TYPE SOCKET SET</td></tr><tr><td colspan="2">10 OVER 30 UNDER</td><td>±0.25</td><td colspan="2">CHECKED BY T. HARUYAMA</td><td>DATE '07/10/19</td></tr><tr><td colspan="2">30 OVER</td><td>±0.3</td><td colspan="2">APPROVED BY N. UKITA</td><td>DATE '07/10/19</td><td colspan="3" rowspan="2">MOLEX INCORPORATED</td></tr><tr><td colspan="3">ANGULAR ±3 °</td><td colspan="2">MATERIAL NO.</td><td>DOCUMENT NO.</td><td colspan="2">SHEET NO.</td></tr><tr><td colspan="3">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td colspan="2">SEE SHEET 1</td><td colspan="2">SD-54333-006</td><td colspan="2">4 OF 5</td></tr><tr><td colspan="3"></td><td colspan="2">SIZE A3</td><td colspan="5">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td></tr></table>										RELEASED EC NO: J2008-1429 DRAWN: NABEI 2007/10/22 CHKD: HARUYAMA 2007/10/22 APPR: NUKITA 2007/10/22 REV 0	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		10 UNDER		±0.2	DRAWN BY M. NABEI		DATE '07/10/19	TITLE COMPACT ROBOT CONN. W/W TYPE SOCKET SET			10 OVER 30 UNDER		±0.25	CHECKED BY T. HARUYAMA		DATE '07/10/19	30 OVER		±0.3	APPROVED BY N. UKITA		DATE '07/10/19	MOLEX INCORPORATED			ANGULAR ±3 °			MATERIAL NO.		DOCUMENT NO.	SHEET NO.		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SEE SHEET 1		SD-54333-006		4 OF 5					SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																				
RELEASED EC NO: J2008-1429 DRAWN: NABEI 2007/10/22 CHKD: HARUYAMA 2007/10/22 APPR: NUKITA 2007/10/22 REV 0	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION																																																																														
	10 UNDER		±0.2	DRAWN BY M. NABEI		DATE '07/10/19	TITLE COMPACT ROBOT CONN. W/W TYPE SOCKET SET																																																																															
	10 OVER 30 UNDER		±0.25	CHECKED BY T. HARUYAMA		DATE '07/10/19																																																																																
	30 OVER		±0.3	APPROVED BY N. UKITA		DATE '07/10/19	MOLEX INCORPORATED																																																																															
	ANGULAR ±3 °			MATERIAL NO.		DOCUMENT NO.					SHEET NO.																																																																											
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SEE SHEET 1		SD-54333-006		4 OF 5																																																																														
				SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																																
tb_frame_A3_J_ME_S Rev. E 2006/04/15	9	8	7	6	5	4	3	2	EN-02JA(021)																																																																													

10	9	8	7	6	5	4	3	2	1																																																																													
<table><tr><td>MOLD COVER</td><td>51237-1205</td><td>2</td><td>51237-2005</td><td>2</td><td>51237-3005</td><td>2</td></tr><tr><td>CROSS RECESSED HEAD SCREW</td><td>58203-0020</td><td>2</td><td>58203-0020</td><td>2</td><td>58203-0021</td><td>2</td></tr><tr><td>CABLE CLAMP</td><td>56382-1200</td><td>1</td><td>56382-2000</td><td>1</td><td>56382-3000</td><td>1</td></tr><tr><td>SHELL COVER</td><td>56385-1228</td><td>1</td><td>56385-2028</td><td>1</td><td>56385-3028</td><td>1</td></tr><tr><td>SHELL BODY</td><td>56384-1228</td><td>1</td><td>56384-2028</td><td>1</td><td>56384-3028</td><td>1</td></tr><tr><td>RECEPTACLE SHELL</td><td>56377-1202</td><td>1</td><td>56377-2002</td><td>1</td><td>56377-3002</td><td>1</td></tr><tr><td>REC. SOCKET HS'G ASS'Y</td><td>51238-1214</td><td>1</td><td>51238-2014</td><td>1</td><td>51238-3014</td><td>1</td></tr><tr><td>部品名称 PART NAME</td><td>部品型番 PART NO.</td><td>数量 QUAN.</td><td>部品型番 PART NO.</td><td>数量 QUAN.</td><td>部品型番 PART NO.</td><td>数量 QUAN.</td></tr><tr><td>極数 CIRCUIT</td><td colspan="2">12</td><td colspan="2">20</td><td colspan="2">30</td></tr><tr><td>セット型番 SET NO.</td><td colspan="2">54333-1273</td><td colspan="2">54333-2073</td><td colspan="2">54333-3073</td></tr><tr><td>タイプ TYPE</td><td colspan="6">C TYPE</td></tr></table>										MOLD COVER	51237-1205	2	51237-2005	2	51237-3005	2	CROSS RECESSED HEAD SCREW	58203-0020	2	58203-0020	2	58203-0021	2	CABLE CLAMP	56382-1200	1	56382-2000	1	56382-3000	1	SHELL COVER	56385-1228	1	56385-2028	1	56385-3028	1	SHELL BODY	56384-1228	1	56384-2028	1	56384-3028	1	RECEPTACLE SHELL	56377-1202	1	56377-2002	1	56377-3002	1	REC. SOCKET HS'G ASS'Y	51238-1214	1	51238-2014	1	51238-3014	1	部品名称 PART NAME	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.	極数 CIRCUIT	12		20		30		セット型番 SET NO.	54333-1273		54333-2073		54333-3073		タイプ TYPE	C TYPE					
MOLD COVER	51237-1205	2	51237-2005	2	51237-3005	2																																																																																
CROSS RECESSED HEAD SCREW	58203-0020	2	58203-0020	2	58203-0021	2																																																																																
CABLE CLAMP	56382-1200	1	56382-2000	1	56382-3000	1																																																																																
SHELL COVER	56385-1228	1	56385-2028	1	56385-3028	1																																																																																
SHELL BODY	56384-1228	1	56384-2028	1	56384-3028	1																																																																																
RECEPTACLE SHELL	56377-1202	1	56377-2002	1	56377-3002	1																																																																																
REC. SOCKET HS'G ASS'Y	51238-1214	1	51238-2014	1	51238-3014	1																																																																																
部品名称 PART NAME	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.																																																																																
極数 CIRCUIT	12		20		30																																																																																	
セット型番 SET NO.	54333-1273		54333-2073		54333-3073																																																																																	
タイプ TYPE	C TYPE																																																																																					
<table><tr><td rowspan="7">RELEASED EC NO: J2008-1429 DRAWN: NABEI CHKD: HARUYAMA APPR: NUKITA 0</td><td rowspan="7">2007/10/22 2007/10/22 2007/10/22</td><td rowspan="7">DESCRIPTION REV</td><td colspan="2">GENERAL TOLERANCES (UNLESS SPECIFIED)</td><td colspan="2">DIMENSION STYLE MM ONLY</td><td>SCALE ---</td><td>DESIGN UNITS METRIC</td><td rowspan="7"> THIRD ANGLE PROJECTION</td></tr><tr><td>10 UNDER</td><td>±0.2</td><td>DRAWN BY M. NABEI</td><td>DATE '07/10/19</td><td colspan="2" rowspan="2">TITLE COMPACT ROBOT CONN. W/W TYPE SOCKET SET</td></tr><tr><td>10 OVER 30 UNDER</td><td>±0.25</td><td>CHECKED BY T. HARUYAMA</td><td>DATE '07/10/19</td></tr><tr><td>30 OVER</td><td>±0.3</td><td>APPROVED BY N. NUKITA</td><td>DATE '07/10/19</td><td colspan="2" rowspan="2">MATERIAL NO. SD-54333-006</td></tr><tr><td colspan="2">ANGULAR ±3 °</td><td colspan="2">DOCUMENT NO.</td></tr><tr><td colspan="2">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td colspan="2">SEE SHEET 1</td><td colspan="2">SHEET NO. 4 OF 5</td></tr><tr><td colspan="2">SIZE A3</td><td colspan="4">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td></tr></table>										RELEASED EC NO: J2008-1429 DRAWN: NABEI CHKD: HARUYAMA APPR: NUKITA 0	2007/10/22 2007/10/22 2007/10/22	DESCRIPTION REV	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	10 UNDER	±0.2	DRAWN BY M. NABEI	DATE '07/10/19	TITLE COMPACT ROBOT CONN. W/W TYPE SOCKET SET		10 OVER 30 UNDER	±0.25	CHECKED BY T. HARUYAMA	DATE '07/10/19	30 OVER	±0.3	APPROVED BY N. NUKITA	DATE '07/10/19	MATERIAL NO. SD-54333-006		ANGULAR ±3 °		DOCUMENT NO.		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE SHEET 1		SHEET NO. 4 OF 5		SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																						
RELEASED EC NO: J2008-1429 DRAWN: NABEI CHKD: HARUYAMA APPR: NUKITA 0	2007/10/22 2007/10/22 2007/10/22	DESCRIPTION REV	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION																																																																													
			10 UNDER	±0.2	DRAWN BY M. NABEI	DATE '07/10/19	TITLE COMPACT ROBOT CONN. W/W TYPE SOCKET SET																																																																															
			10 OVER 30 UNDER	±0.25	CHECKED BY T. HARUYAMA	DATE '07/10/19																																																																																
			30 OVER	±0.3	APPROVED BY N. NUKITA	DATE '07/10/19	MATERIAL NO. SD-54333-006																																																																															
			ANGULAR ±3 °		DOCUMENT NO.																																																																																	
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE SHEET 1		SHEET NO. 4 OF 5																																																																															
			SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																																	
10	9	8	7	6	5	4	3	2	1																																																																													

	10	9	8	7	6	5	4	3	2	1	
F											F
E											E
D											D
C											C
B											B

MOLD COVER	51237-1205	2	51237-2005	2	51237-3005	2
CROSS RECESSED HEAD SCREW	58203-0020	2	58203-0020	2	58203-0021	2
CABLE CLAMP	56382-1200	1	56382-2000	1	56382-3000	1
SHELL COVER	56385-1228	1	56385-2028	1	56385-3028	1
SHELL BODY	56384-1228	1	56384-2028	1	56384-3028	1
RECEPTACLE SHELL	56377-1202	1	56377-2002	1	56377-3002	1
REC. SOCKET HS'G ASS'Y	51238-1215	1	51238-2015	1	51238-3015	1
部品名称 PART NAME	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.
極数 CIRCUIT	12		20		30	
セット型番 SET NO.	54333-1274		54333-2074		54333-3074	
タイプ TYPE	D TYPE					

A	RELEASED EC NO: J2008-1429 DRWN: MABEI CHKD: THARUYAMA APPR: NUKITA	2007/10/22 2007/10/22 2007/10/22	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	A
				10 UNDER	± 0.2	DRAWN BY M. NABEI	DATE '07/10/19	TITLE COMPACT ROBOT CONN. W/W TYPE SOCKET SET			
				10 OVER 30 UNDER	± 0.25	CHECKED BY T. HARUYAMA	DATE '07/10/19				
				30 OVER	± 0.3	APPROVED BY N. UKITA	DATE '07/10/19			MOLEX INCORPORATED	
				ANGULAR ±3 °		MATERIAL NO.		DOCUMENT NO.		SHEET NO.	
				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE SHEET 1		SD-54333-006		5 OF 5	
				0	REV	SIZE A3 THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					