Tool bag, equipped - TOOL-BELTPOUCH - 1212506

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)



Toolbag belt, equipped with: cable cutter, side cutter, stripping tool, combination pliers, switch cabinet key, screwdriver, slit:: 0.5x3.0/1.0x4.0/1.0x5.5 crosshead: PH1/PH2, voltage tester, blades, tape measure

Why buy this product

- Universal tool sets, with cutting, stripping, crimping, and testing tools from the TOOL fox tool range
- Rugged and heavy-duty tool bags

Key Commercial Data

Packing unit	1 STK
Weight per Piece (excluding packing)	2,780.000 g
Custom tariff number	82060000
Country of origin	Germany

Technical data

Dimensions

Length (b)	250 mm
Width (a)	140 mm
Height	315 mm

Articles in set

Diagonal cutter - CUTFOX-S VDE - 1212207



Diagonal cutter for copper and aluminum conductors, VDE 1000 V AC/ 1500 V DC-tested

Tool bag, equipped - TOOL-BELTPOUCH - 1212506

Articles in set

Cable-cutting tool - CUTFOX 18 - 1212129



Cable cutter, angled, for copper and aluminum up to 18 mm diameter (up to 50 mm²)

Stripping tool - WIREFOX-D 13 - 1212162

Stripping tool, for stripping installation lines of Ø 8 - 13 mm , e.g. NYM 3 x 1.5 mm² to 5 x 2.5 mm², single line stripping 0.2 mm² - 4 mm² , with longitudinal cut blade and sliding knife

---

Tool - UNIFOX-CE VDE - 1212203



Combination pliers, angled design, with opening spring and locking device, cross-notched grip area, integrated M8 - M10 ring wrench, VDE 1000 V AC/1500 V DC tested

---

Control cabinet key - USS 4 - 1203149



Control cabinet key, metal, for all common types of control cabinet

---

Screwdriver - SZS 0,5X3,0 VDE - 1207404



Screwdriver, slot-headed, VDE insulated, size: 0.5 x 3.0 x 100 mm, 2-component grip, with non-slip grip

---

Tool bag, equipped - TOOL-BELTPOUCH - 1212506

Articles in set

Screwdriver - SZS 1,0X4,0 VDE - 1205066



Screwdriver, slot-headed, VDE insulated, size: 1.0 x 4.0 x 100 mm, 2-component grip, with non-slip grip

---

Screwdriver - SZS 1,0X5,5 VDE - 1209114



Screwdriver, slot-headed, VDE insulated, size: 1.0 x 5.5 x 125 mm, 2-component grip, with non-slip grip

---

Screwdriver - SZK PH1 VDE - 1205150



Screwdriver, PH crosshead, VDE insulated, size: PH 1 x 80 mm, 2-component grip, with non-slip grip

---

Screwdriver - SZK PH2 VDE - 1205163



Screwdriver, PH crosshead, VDE insulated, size: PH 2 x 100 mm, 2-component grip, with non-slip grip

---

Voltage tester - PROFIPOL - 1209101



Voltage tester, for DC and AC voltages of 6 V to 400 V, IP65

Tool bag, equipped - TOOL-BELTPOUCH - 1212506

Articles in set

Tool bag, unequipped - TOOL-BELTPOUCH EMPTY - 1212502



Tool waist bag, unequipped

Classifications

eCl@ss

eCl@ss 4.0	21043074
eCl@ss 4.1	21043074
eCl@ss 5.0	21049090
eCl@ss 5.1	21049090
eCl@ss 6.0	21049090
eCl@ss 7.0	21049090
eCl@ss 8.0	21045003
eCl@ss 9.0	21045003

ETIM

ETIM 3.0	EC000149
ETIM 4.0	EC000836
ETIM 5.0	EC000149

UNSPSC

UNSPSC 6.01	30211802
UNSPSC 7.0901	39121402
UNSPSC 11	39121402
UNSPSC 12.01	39121410
UNSPSC 13.2	39121402

Phoenix Contact 2016 © - all rights reserved
http://www.phoenixcontact.com