
molex
one company > a world of innovation

This document was generated on 06/28/2011

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: 0639102700
Status: Active
Description: T2 Terminator Tooling Die

Documents:
RoHS Certificate of Compliance (PDF)



Series image - Reference only

General

Product Family	Application Tooling
Series	T1801
Comments	Can be installed in the TM-42™ and TM-40™ Press or Base Unit Adapter for 3BF Press, See Tooling Specification (PDF) Above
Function	Crimp
Geographic Area	Global
Level of Automation	Semi-Automatic
More Detailed Tech Information	applicationtooling@molex.com
Product Name	T2
Survey	www.molex.com//review/apptool_survey.html
Tool Type	T2 Terminator Die

Material Info

Reference - Drawing Numbers

Application Tooling Documents	ATS-639102700, TM-638000029, TM-638000029CN, TM-638000029DE, TM-638000029FR, TM-638000029IT, TM-638000029JP, TM-638000029KR, TM-638000029MY, TM-638000029PL, TM-638000029RU, TM-638000029SK, TM-638000029SP, TM-638000029TH, TM-638000029TW, TM-638000029VN, TM-638500090, TM-638500090SP

EU RoHS	China RoHS
Compliance Status	
Not Reviewed	
REACH SVHC	
Not Reviewed	
Low-Halogen Status	
Not Reviewed	

Need more information on product environmental compliance?

Email productcompliance@molex.com
For a multiple part number RoHS Certificate of Compliance, click here

Please visit the Contact Us section for any non-product compliance questions.

Search Parts in this Series
T1801Series

Use With
Molex TM-42™ press, 0690025001 , 0690025000 , and base unit, 0011193001 for the 3BF press

Application Tooling | **FAQ**

Description	Product #
4.20mm (.165") Pitch Mini-Fit® Crimp Terminal, Female, Phosphor Bronze, Gold (Au), 22-28 AWG, Reel	0039000155
4.20mm (.165") Pitch Mini-Fit® Crimp Terminal, Male, Phosphor Bronze, Gold (Au), 22-28 AWG, Reel	0039000221
4.20mm (.165") Pitch Mini-Fit® Crimp Terminal, Female,	0039000139

		with Selective Gold (Au) and Selective Tin (Sn) over Nickel (Ni), 22-28 AWG, Reel
	4.20mm (.165") Pitch Mini-Fit® Crimp Terminal, Male, Brass, Gold (Au) Contact Plating, Lead-free, 22-28 AWG, Reel	0039000145
	4.20mm (.165") Pitch Mini-Fit® Crimp Terminal, Female, with Tin (Sn) over Copper (Cu) Plated Brass, 22-28 AWG, Reel	0039000046
	4.20mm (.165") Pitch Mini-Fit® Crimp Terminal, Male, with Tin (Sn) Plated Brass Contact, 22-28 AWG, Reel	0039000048
	4.20mm (.165") Pitch Mini-Fit® Crimp Terminal, Female, Phosphor Bronze, Tin (Sn), 22-28 AWG, Reel	0039000065
	4.20mm (.165") Pitch Mini-Fit® Crimp Terminal, Male, Phosphor Bronze, Tin (Sn), 22-28 AWG, Reel	0039000067
	4.20mm (.165") Pitch Mini-Fit® Crimp Terminal, Male, Tin (Sn), Phosphor Bronze, 22-28 AWG, Reel	0039000128
	4.20mm (.165") Pitch Mini-Fit® Crimp Terminal, Female, Phosphor Bronze, Gold (Au), 22-28 AWG, Reel	0039000183
	4.20mm (.165") Pitch Mini-Fit® Crimp Terminal, Female, with Tin (Sn) over Nickel (Ni), 22-28 AWG, Reel	0039000209
	4.20mm (.165") Pitch Mini-Fit® Crimp Terminal, Female, Phosphor Bronze, Tin (Sn), 22-28 AWG, Reel	0039000215
	4.20mm (.165") Pitch Mini-Fit® Crimp Terminal, Male, Brass, Gold (Au)	0039000432

	Contact Plating, Lead-free, 22-28 AWG, Reel 4.20mm (.165") Pitch Mini-Fit® Crimp Terminal, Female, with Selective Gold (Au) and Selective Tin (Sn) over Nickel (Ni), 22-28 AWG, Reel 0039000434

This document was generated on 06/28/2011

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION