

# KR Electronics

## General Description


KR 2515-S is a 50 MHz group delay equalized lowpass filter. Other passband frequencies are available. Please consult the factory.

## Features


- 50 MHz Passband
- Sharp Transition to Stopband
- Group Delay Equalized
- 50  $\Omega$  Source and Load

## Typical Performance

**Passband Amplitude & Group Delay**  
(0.5 dB/div and 5 nsec/div)



**Overall Response**  
(10 dB/div)



KR Electronics, Inc.  
91 Avenel Street  
Avenel, NJ 07001


Web [www.krfilters.com](http://www.krfilters.com)  
Email [sales@krfilters.com](mailto:sales@krfilters.com)  
Phone (732) 636-1900  
Fax (732) 636-1982

# KR Electronics 2515-S

## Specifications

Parameter	Specification
Filter type	Lowpass
Insertion Loss	< 2 dB ( 1 dB typical )
Passband Ripple to 50 MHz	< 0.25 dB
Group Delay Variation to 44 MHz	< 5 nsec
Group Delay Variation to 50 MHz	< 12 nsec (6 nsec typical)
Attenuation at 68 MHz	> 40 dB
Attenuation at 73.6	> 60 dB
Source and Load	50 $\Omega$

## Physical Dimensions



Notes:

1. Surface mount package — Metal cover open frame
2. Dimensions in inches
3. Maximum reflow temperature is 209° C for 10 sec maximum.
4. If boards are cleaned after installation, units must be completely dried.