





4572±76



E62405

Volex 386A
15A 125V~ XXX

MARKING DETAILS

9	LABEL PP WARNING 130X25MM	6101409	1
8	BAG PE 305X356X0.05 LF	904145	1
7	PRINTED LABEL	VL-0325	1
6	PRINTED LABEL	VL-0356	1
5	UL LABEL 1PCS 60.3X12.3MM (FOR VIS/VOLEX INC)	6101205	1
4	8" PE TIE GREY	6310079	2
	PVC IP50G RAL7037 GREY	4100613	-
3	MOLDED CONNECTOR 386A (15A 125V)	386A	1
2	MOLDED PLUG PS206 (15A 125V)	PS206-CS	1
	SJT 14/3 60°C BWGY RAL7037 GREY LF+DOP		
1	FREE+DEHP FREE (PP/INDENT)	---	1
S/N	DESCRIPTION	ITEM NUMBER	QTY

TITLE : NORTH-AMERICAN POWER SUPPLY CORDSET (RoHS COMPLIANT) SCALE : N.T.S.

CUSTOMER : VNA/VOLEX INC

CUSTOMER PART NUMBER : 17967 8

Reference Number : 112915/10 (HG09-095-11)

ENG'G : *Wang* **DATE :** 21/9/11

CHECKED BY : *Wang* **DATE :** 21/9/11

DRAWN BY : WANGHUI

SALES :	QA <i>Wang</i>	ENG'G :	<i>Wang</i>	CHECKED BY :	WANGHUI	DATE :	21/09/11
Date :	21/9/11	Date :	21/9/11	Date :	21/09/11	Date :	21/09/11

- NOTE :**
- ALL DIMENSIONS IN mm.
 - THE CORD SHALL COMPLY WITH NMX-J-436-ANCE + CSA C22.2 NO.49 + UL 62.
 - THE MOLDED PLUG SHALL COMPLY WITH UL498, UL817, CSA C22.2 NO.21-95.
 - THE MOLDED CONNECTOR SHALL COMPLY WITH UL817, CSA C22.2 NO.21-95 AND C22.2 NO. 182.3-M1987.
 - PACKAGING QTY : 22 PCS PER CARTON.
 - LABEL DETAILS:
REFER TO LABEL DRAWING NO. : VL-0356 AND VL-0325 RESPECTIVELY.
 - THIS PART CAN BE MANUFACTURED AT ANY LOCATION WHICH HAS SAFETY APPROVAL.

CUSTOMER APPROVED :

APPROVED BY :	
SIGNATURE :	
APPROVED DATE :	

Volex (Asia) Pte Ltd

Confidential property of Volex. Information contained herein shall not be used for any other purposes except as authorized in writing by an authorized official of Volex Asia.

ISSUE

001

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Volex:](#)

[17967 8](#)