

D

C

B

A

D

C

B

A

NOTE



- 1 SEE SHEET 4 FOR AVAILABLE CONFIGURATIONS
- 2 MATERIAL: HOUSING, NYLON, UL94 V0, 750°C GWT NO FLAME
EIGHT COLORS AVAILABLE, INCLUDING: NATURAL,
RED, BLUE, YELLOW, BLACK, GREY, GREEN, PURPLE
WHITE VERSION IS PRELIMINARY
CONTACT, COPPER ALLOY, 0.60MM THICK
- 3 FINISH: OPTION 1: TIN PLATING OVER NICKEL UNDERPLATING
OPTION 2: AG PLATING OVER NICKEL UNDERPLATING
- 4 PCB LAYOUT AS SHOWN

5 THE PART NUMBERS SHOWING IN SHEET 2 & 3 & 4
ARE FOR NATURAL COLOR . THE PART NUMBER FOR OTHER COLOR
ARE BASED ON THE NATURAL ONE: FOR THE SAME CONFIGURATION,
THE PREFIX AND POSTFIX OF THE P/N ARE THE SAME, ONLY THE
BASE NUMBER IS DIFFERENT ACCORDING TO DIFFERENT COLOR,
DETAIL PLEASE SEE SHEET 5





6 PACKAGING: LOOSE PIECE OR TUBE. THE PART NUMBERS IN THIS
DRAWING ARE WITH LOOSE PIECE PACKAGING. PLEASE CONTACT TE
SALES REPRESENTATIVES FOR TUBE PACKAGING REQUIREMENT.

7 FOR PN 7-1971817-5 PIN LAYOUT AS FOLLOW


8 PRELIMINARY PART NOT RELEASED FOR PRODUCTION




SECTION A-A



PCB LAYOUT - SOLDER SIDE
FOR P/N: 7-1971817-5



PCB LAYOUT - SOLDER SIDE
ODD NUMBER OF PINS
SCALE 4:1



PCB LAYOUT - SOLDER SIDE
EVEN NUMBER OF PINS
SCALE 4:1

N	M	NO. OF POS.
40.10	35.00	15
37.60	32.50	14
35.10	30.00	13
32.60	27.50	12
30.10	25.00	11
27.60	22.50	10
25.10	20.00	9
22.60	17.50	8
20.10	15.00	7
17.60	12.50	6
15.10	10.00	5
12.60	7.50	4
10.10	5.00	3

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC	±
1 PLC	±
2 PLC	±0.20
3 PLC	±
4 PLC	±
ANGLES	±1°
FINISH	

DWN

CHK

APVD

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING

12NOV2012

WINTER WANG

12NOV2012

HAPYE WU

12NOV2012

YUJHONG MAO

108-106079

-

-

NAME

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

RAST 2.5 TAB HEADER ASSY
TH, VERTICAL, EXTERNAL LOCKING

A2

00779

C-1971817

-

TE Connectivity

SCALE

NTS

SHEET

1

OF

5

REV

A7

D

C

B

A

D

C

B

A

						10	TAB CONTACT w/ SILVER PLATING	I	RAST 2.5 TAB HEADER HOUSING, EXTERNAL LOCKING, 10P (SEE THE DETAIL LAYOUT ON SHEET 4)	10	3-1971837-0 2-1971837-0 1-1971837-0
						6		I	RAST 2.5 TAB HEADER HOUSING, EXTERNAL LOCKING, 9P (SEE THE DETAIL LAYOUT ON SHEET 4)	9	6-1971837-9 5-1971837-9 4-1971837-9 3-1971837-9 2-1971837-9 1-1971837-9
						9		I	RAST 2.5 TAB HEADER HOUSING, EXTERNAL LOCKING, 8P (SEE THE DETAIL LAYOUT ON SHEET 4)	8	4-1971837-8 3-1971837-8 2-1971837-8 1-1971837-8
						8		I	RAST 2.5 TAB HEADER HOUSING, EXTERNAL LOCKING, 7P (SEE THE DETAIL LAYOUT ON SHEET 4)	7	7-1971837-7 6-1971837-7 5-1971837-7 4-1971837-7 3-1971837-7 2-1971837-7 1-1971837-7
						6		I	RAST 2.5 TAB HEADER HOUSING, EXTERNAL LOCKING, 6P (SEE THE DETAIL LAYOUT ON SHEET 4)	6	4-1971837-6 3-1971837-6 2-1971837-6 1-1971837-6
						7		I	RAST 2.5 TAB HEADER HOUSING, EXTERNAL LOCKING, 5P (SEE THE DETAIL LAYOUT ON SHEET 4)	5	4-1971837-5 3-1971837-5 2-1971837-5 1-1971837-5
						6		I	RAST 2.5 TAB HEADER HOUSING, EXTERNAL LOCKING, 4P (SEE THE DETAIL LAYOUT ON SHEET 4)	4	7-1971837-4 6-1971837-4 5-1971837-4 4-1971837-4 3-1971837-4 2-1971837-4 1-1971837-4
						5		I	RAST 2.5 TAB HEADER HOUSING, EXTERNAL LOCKING, 3P (SEE THE DETAIL LAYOUT ON SHEET 4)	3	1971837-3 9-1971837-3 8-1971837-3 7-1971837-3 6-1971837-3 5-1971837-3 4-1971837-3 3-1971837-3 2-1971837-3 1-1971837-3
						4		I	RAST 2.5 TAB HEADER HOUSING, EXTERNAL LOCKING, 2P (SEE THE DETAIL LAYOUT ON SHEET 4)	2	
						3		I	RAST 2.5 TAB HEADER HOUSING, EXTERNAL LOCKING, 1P (SEE THE DETAIL LAYOUT ON SHEET 4)	1	
15	TAB CONTACT w/ SILVER PLATING	I	RAST 2.5 TAB HEADER HOUSING, EXTERNAL LOCKING, 15P (SEE THE DETAIL LAYOUT ON SHEET 4)	15	3-1971838-5 2-1971838-5 1-1971838-5	4	I	RAST 2.5 TAB HEADER HOUSING, EXTERNAL LOCKING, 4P (SEE THE DETAIL LAYOUT ON SHEET 4)	4		
9		I	RAST 2.5 TAB HEADER HOUSING, EXTERNAL LOCKING, 14P (SEE THE DETAIL LAYOUT ON SHEET 4)	14	2-1971838-4 1-1971838-4						
14		I	RAST 2.5 TAB HEADER HOUSING, EXTERNAL LOCKING, 13P (SEE THE DETAIL LAYOUT ON SHEET 4)	13	1-1971838-3						
8		I	RAST 2.5 TAB HEADER HOUSING, EXTERNAL LOCKING, 12P (SEE THE DETAIL LAYOUT ON SHEET 4)	12	2-1971838-2 1-1971838-2						
13		I	RAST 2.5 TAB HEADER HOUSING, EXTERNAL LOCKING, 11P (SEE THE DETAIL LAYOUT ON SHEET 4)	11	2-1971838-1 1-1971838-1						
12											
11											
QTY	TAB CONTACT	QTY	HOUSING	POS.	TE PART NO. 5	QTY	TAB CONTACT	QTY	HOUSING	POS.	TE PART NO. 5

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20

BY -

ALL RIGHTS RESERVED.

LOC

DIST

ES00

P

LTR

DESCRIPTION

DATE

DWN

APVD

10

6

9

8

6

7

6

2

5

4

3

QTY

TAB CONTACT
w/ TIN PLATING

1

1

1

1

1

1

1

1

1

1

1

QTY

RAST 2.5 TAB HEADER HOUSING,
EXTERNAL LOCKING, 10P
(SEE THE DETAIL LAYOUT ON SHEET 4)

RAST 2.5 TAB HEADER HOUSING,
EXTERNAL LOCKING, 9P
(SEE THE DETAIL LAYOUT ON SHEET 4)

RAST 2.5 TAB HEADER HOUSING,
EXTERNAL LOCKING, 8P
(SEE THE DETAIL LAYOUT ON SHEET 4)

RAST 2.5 TAB HEADER HOUSING,
EXTERNAL LOCKING, 7P
(SEE THE DETAIL LAYOUT ON SHEET 4)

RAST 2.5 TAB HEADER HOUSING,
EXTERNAL LOCKING, 6P
(SEE THE DETAIL LAYOUT ON SHEET 4)

RAST 2.5 TAB HEADER HOUSING,
EXTERNAL LOCKING, 5P
(SEE THE DETAIL LAYOUT ON SHEET 4)

RAST 2.5 TAB HEADER HOUSING,
EXTERNAL LOCKING, 4P
(SEE THE DETAIL LAYOUT ON SHEET 4)

RAST 2.5 TAB HEADER HOUSING,
EXTERNAL LOCKING, 3P
(SEE THE DETAIL LAYOUT ON SHEET 4)

HOUSING

10

9

8

7

6

5

4

3

POS.

3-1971817-0

2-1971817-0

1-1971817-0

6-1971817-9

5-1971817-9

4-1971817-9

3-1971817-9

2-1971817-9

1-1971817-9

4-1971817-8

3-1971817-8

2-1971817-8

1-1971817-8

7-1971817-7

6-1971817-7

5-1971817-7

4-1971817-7

3-1971817-7

2-1971817-7

1-1971817-7

4-1971817-6

3-1971817-6

2-1971817-6

1-1971817-6

7-1971817-5

6-1971817-5

4-1971817-5

3-1971817-5

2-1971817-5

1-1971817-5

7-1971817-4

6-1971817-4

5-1971817-4

4-1971817-4

3-1971817-4

2-1971817-4

1-1971817-4

1971817-3

9-1971817-3

8-1971817-3

7-1971817-3

6-1971817-3

5-1971817-3

4-1971817-3

3-1971817-3

2-1971817-3

1-1971817-3

TE PART NO.5

15

9

14

13

8

12

11

QTY

TAB CONTACT
w/ TIN PLATING

1

1

1

1

1

1

1

QTY

RAST 2.5 TAB HEADER HOUSING,
EXTERNAL LOCKING, 15P
(SEE THE DETAIL LAYOUT ON SHEET 4)

RAST 2.5 TAB HEADER HOUSING,
EXTERNAL LOCKING, 14P
(SEE THE DETAIL LAYOUT ON SHEET 4)

RAST 2.5 TAB HEADER HOUSING,
EXTERNAL LOCKING, 13P
(SEE THE DETAIL LAYOUT ON SHEET 4)

RAST 2.5 TAB HEADER HOUSING,
EXTERNAL LOCKING, 12P
(SEE THE DETAIL LAYOUT ON SHEET 4)

RAST 2.5 TAB HEADER HOUSING,
EXTERNAL LOCKING, 11P
(SEE THE DETAIL LAYOUT ON SHEET 4)

HOUSING

15

14

13

12

11

POS.

3-1971818-5

2-1971818-5

1-1971818-5

2-1971818-4

1-1971818-4

1-1971818-3

2-1971818-2

1-1971818-2

2-1971818-1

1-1971818-1

TE PART NO.5

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±

1 PLC ±

2 PLC ±0.20

3 PLC ±

4 PLC ±

ANGLES ±1°

FINISH

MATERIAL

-

DWN

CHK

APVD

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING

12NOV2012

12NOV2012

12NOV2012

YUJHONG MAO

WINTER WANG

HAPYE WU

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

TE Connectivity

RAST 2.5 TAB HEADER ASSY
TH, VERTICAL, EXTERNAL LOCKING

A200779

C-1971817

SCALE

NTS

SHEET

3

OF

5

REV

A7

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20

BY -

ALL RIGHTS RESERVED.

LOC

DIST

ES00

P

LTR

DESCRIPTION

DATE

DWN

APVD

10

6

9

8

6

7

6

2

5

4

3

QTY

TAB CONTACT
w/ TIN PLATING

1

1

1

1

1

1

1

1

1

1

1

QTY

RAST 2.5 TAB HEADER HOUSING,
EXTERNAL LOCKING, 10P
(SEE THE DETAIL LAYOUT ON SHEET 4)

RAST 2.5 TAB HEADER HOUSING,
EXTERNAL LOCKING, 9P
(SEE THE DETAIL LAYOUT ON SHEET 4)

RAST 2.5 TAB HEADER HOUSING,
EXTERNAL LOCKING, 8P
(SEE THE DETAIL LAYOUT ON SHEET 4)

RAST 2.5 TAB HEADER HOUSING,
EXTERNAL LOCKING, 7P
(SEE THE DETAIL LAYOUT ON SHEET 4)

RAST 2.5 TAB HEADER HOUSING,
EXTERNAL LOCKING, 6P
(SEE THE DETAIL LAYOUT ON SHEET 4)

RAST 2.5 TAB HEADER HOUSING,
EXTERNAL LOCKING, 5P
(SEE THE DETAIL LAYOUT ON SHEET 4)

RAST 2.5 TAB HEADER HOUSING,
EXTERNAL LOCKING, 4P
(SEE THE DETAIL LAYOUT ON SHEET 4)

RAST 2.5 TAB HEADER HOUSING,
EXTERNAL LOCKING, 3P
(SEE THE DETAIL LAYOUT ON SHEET 4)

HOUSING

10

9

8

7

6

5

4

3

POS.

3-1971817-0

2-1971817-0

1-1971817-0

6-1971817-9

5-1971817-9

4-1971817-9

3-1971817-9

2-1971817-9

1-1971817-9

4-1971817-8

3-1971817-8

2-1971817-8

1-1971817-8

7-1971817-7

6-1971817-7

5-1971817-7

4-1971817-7

3-1971817-7

2-1971817-7

1-1971817-7

4-1971817-6

3-1971817-6

2-1971817-6

1-1971817-6

7-1971817-5

6-1971817-5

4-1971817-5

3-1971817-5

2-1971817-5

1-1971817-5

7-1971817-4

6-1971817-4

5-1971817-4

4-1971817-4

3-1971817-4

2-1971817-4

1-1971817-4

1971817-3

9-1971817-3

8-1971817-3

7-1971817-3

6-1971817-3

5-1971817-3

4-1971817-3

3-1971817-3

2-1971817-3

1-1971817-3

TE PART NO.5

15

9

14

13

8

12

11

QTY

TAB CONTACT
w/ TIN PLATING

1

1

1

1

1

1

1

QTY

RAST 2.5 TAB HEADER HOUSING,
EXTERNAL LOCKING, 15P
(SEE THE DETAIL LAYOUT ON SHEET 4)

RAST 2.5 TAB HEADER HOUSING,
EXTERNAL LOCKING, 14P
(SEE THE DETAIL LAYOUT ON SHEET 4)

RAST 2.5 TAB HEADER HOUSING,
EXTERNAL LOCKING, 13P
(SEE THE DETAIL LAYOUT ON SHEET 4)

RAST 2.5 TAB HEADER HOUSING,
EXTERNAL LOCKING, 12P
(SEE THE DETAIL LAYOUT ON SHEET 4)

RAST 2.5 TAB HEADER HOUSING,
EXTERNAL LOCKING, 11P
(SEE THE DETAIL LAYOUT ON SHEET 4)

HOUSING

15

14

13

12

11

POS.

3-1971818-5

2-1971818-5

1-1971818-5

2-1971818-4

1-1971818-4

1-1971818-3

2-1971818-2

1-1971818-2

2-1971818-1

1-1971818-1

TE PART NO.5

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±

1 PLC ±

2 PLC ±0.20

3 PLC ±

4 PLC ±

ANGLES ±1°

FINISH

MATERIAL

-

DWN

CHK

APVD

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING

12NOV2012

12NOV2012

12NOV2012

YUJHONG MAO

WINTER WANG

HAPYE WU

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

TE Connectivity

RAST 2.5 TAB HEADER ASSY
TH, VERTICAL, EXTERNAL LOCKING

A200779

C-1971817

SCALE

NTS

SHEET

3

OF

5

REV

A7

LOC		DIST		REVISIONS				
-	-	P	LTR	DESCRIPTION	DATE	DWN	APVD	

D

D

C

C

B

B

A


A




1-1971817-3
1-1971837-3




1-1971817-4
1-1971837-4



1-1971817-5
1-1971837-5




1-1971817-6
1-1971837-6




1-1971817-7
1-1971837-7




1-1971817-8
1-1971837-8




1-1971817-9
1-1971837-9




1-1971817-0
1-1971837-0




2-1971817-0
2-1971837-0




3-1971817-0
3-1971837-0




2-1971817-3
2-1971837-3




2-1971817-4
2-1971837-4




2-1971817-5
2-1971837-5




2-1971817-6
2-1971837-6




2-1971817-7
2-1971837-7




2-1971817-8
2-1971837-8




2-1971817-9
2-1971837-9



3-1971817-3
3-1971837-3




3-1971817-4
3-1971837-4



3-1971817-5
3-1971837-5



3-1971817-6
3-1971837-6



3-1971817-7
3-1971837-7



3-1971817-8
3-1971837-8



3-1971817-9
3-1971837-9




4-1971817-3
4-1971837-3




4-1971817-4
4-1971837-4




4-1971817-5
4-1971837-5




4-1971817-6
4-1971837-6



4-1971817-7
4-1971837-7




3-1971817-8
3-1971837-8



4-1971817-9
4-1971837-9




5-1971817-0
5-1971837-0



5-1971817-3
5-1971837-3




5-1971817-4
5-1971837-4




6-1971817-5
6-1971837-5



6-1971817-6
6-1971837-6




5-1971817-7
5-1971837-7




6-1971817-3
6-1971837-3




6-1971817-4
6-1971837-4




7-1971817-5
7-1971837-5




6-1971817-7
6-1971837-7



7-1971817-7
7-1971837-7




6-1971817-9
6-1971837-9




7-1971817-3
7-1971837-3




9-1971817-3
9-1971837-3




8-1971817-3
8-1971837-3




1971817-3
1971837-3




7-1971817-4
7-1971837-4




1-1971818-2
1-1971838-2



1-1971818-3
1-1971838-3



1-1971818-4
1-1971838-4



1-1971818-5
1-1971838-5

3 POS

4 POS

5 POS


6 POS

7 POS


8 POS

9 POS


10 POS




1-1971818-1
1-1971838-1




2-1971818-1
2-1971838-1




2-1971818-2
2-1971838-2




2-1971818-4
2-1971838-4



2-1971818-5
2-1971838-5



3-1971818-5
3-1971838-5



PICTORIAL VIEW KEY

11 POS

12 POS

13 POS

14 POS

15 POS

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN: WINTER WANG	12NOV2012	TE Connectivity			
		CHK: HAPYE WU	12NOV2012				
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME			
mm		0 PLC ± 1 PLC ± 2 PLC ±0.20 3 PLC ± 4 PLC ± ANGLES ±1° FINISH		PRODUCT SPEC			
MATERIAL		-		APPLICATION SPEC			
				WEIGHT			
				CUSTOMER DRAWING			
				SIZE: A1		CAGE CODE: 00779	
				DRAWING NO: 1971817		RESTRICTED TO: -	
				SCALE: NTS		SHEET: 4 OF 5	
						REV: A7	


D

C

B


A

FOR ANY KEYING CONFIGURATION, THERE ARE EIGHT COLORS AVAILABLE, BESIDES THE NATURAL COLOR, THERE ARE OTHER SEVEN COLORS, INCLUDE: YELLOW, BLUE, GREY, PURPLE, RED, GREEN, BLACK. THE WHITE VERSION IS PRELIMINARY. THE P/N OF THE COLOR CONNECTOR ARE BASED ON THE NATURAL CONNECTOR, THE PREFIX AND POSTFIX ARE THE SAME FOR THE SAME KEYING CONFIGURATION, BUT THE BASE NUMBERS ARE DIFFERENT ACCORDING TO DIFFERENT COLOR.THE FOLLOWING SHOWS WHAT’S THE P/N FOR COLOR CONNECTOR



COLOR	PART NUMBER OF THE CONNECTOR 				COMMENTS
	WITH TIN PLATING CONTACT		WITH AG PLATING CONTACT		
NATURAL	#-1971817-#	#-1971818-#	#-1971837-#	#-1971838-#	THE DETAIL P/N FOR DIFFERENT KEYING SEE SHEET 2 & 3 & 4
RED	#-1971938-#	#-1971939-#	#-2232141-#	#-2232142-#	THE PREFIX AND POSTFIX ARE THE SAME WITH THE P/N OF THE NATURAL CONNECTOR FOR THE SAME KEYING CONFIGURATION, JUST THE BASE NUMBERS ARE DIFFERENT BASED ON DIFFERENT COLOR. # CAN BE THE NUMBER FROM 0 TO 9.
BLUE	#-2232143-#	#-2232144-#	#-2232145-#	#-2232146-#	
YELLOW	#-2232147-#	#-2232148-#	#-2232149-#	#-2232150-#	
BALCK	#-1971994-#	#-1971995-#	#-2232151-#	#-2232152-#	
GREY	#-1971976-#	#-1971977-#	#-2232153-#	#-2232154-#	
GREEN	#-1971988-#	#-1971989-#	#-2232155-#	#-2232156-#	
PURPLE	#-2232157-#	#-2232158-#	#-2232159-#	#-2232160-#	
WHITE	#-2232277-#	#-2232278-#	#-2232279-#	#-2232280-#	


FOR EXAMPLE, IF A CONNECTOR WITH THE CONFIGURATION AS BELOW, AND WITH TIN PLATING CONTACT, IN THE SHEET 4, WE CAN FIND THE RELATED CONNECTOR P/N WITH NATURAL COLOR IS 5-1971817-4, THEN WE CAN LOOK IN THE ABOVE TABLE TO FIND THE CONNECTOR P/N WITH RED COLOR IS 5-1971938-4



THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

mm



MATERIAL

-

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±-

1 PLC ±-

2 PLC ±0.20

3 PLC ±-

4 PLC ±-

ANGLES ±1°

FINISH

-

DWN 12NOV2012 WINTER WANG

CHK 12NOV2012 HAPYE WU

APVD 12NOV2012 YUJHONG MAO

PRODUCT SPEC 108-106079

APPLICATION SPEC -

WEIGHT -

CUSTOMER DRAWING

TE Connectivity

NAME RAST 2.5 TAB HEADER ASSY TH, VERTICAL, EXTERNAL LOCKING

SIZE A2

CAGE CODE 00779

DRAWING NO C-1971817

RESTRICTED TO -

SCALE NTS SHEET 5 OF 5 REV A7