


Data sheet | Item number: 2002-1291

End and intermediate plate; 0.8 mm thick; gray

www.wago.com/2002-1291



Data

Physical data

Width	0.8 mm / 0.031 inch
Height	48.5 mm / 1.909 inch
Depth	33 mm / 1.299 inch

Material data

Color	gray
Flammability class per UL94	V0
Fire load	0.036 MJ
Weight	1.2 g

Commercial data

Product Group	22 (TOPJOB S)
PU (SPU)	100 (25) Stück
Packaging type	box
Country of origin	CN

Subject to changes. Please also observe the further product documentation!



WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.

GTIN	4055143234085
Customs tariff number	85389099990

Approvals / Certificates

Ex-Approvals

Logo	Approval	Additional Approval Text	Certificate name
 Ex e IIC Gb Ex e I Mb	CCCEX CQST/CNEx	CNCA-C23-01	2020312313000238
	IECEX Physikalisch Technische Bundesanstalt	IEC 60079	IECEX PTB 03.0004 U (Ex eb IIC Gb or Ex eb I Mb)

Downloads

Documentation

Bid Text

2002-1291 X81 - Datei	2019. 2. 19.	xml 2.6 kB	Download
--------------------------	--------------	---------------	----------

2002-1291 doc - Datei	2017. 4. 27.	doc 24.1 kB	Download
--------------------------	--------------	----------------	----------

Additional Information

Technical explanations		pdf 2.2 MB	Download
------------------------	--	---------------	----------

CAD/CAE-Data

CAD data

2D/3D Models 2002-1291		URL	Download
------------------------	--	-----	----------

CAE data

EPLAN Data Portal 2002-1291		URL	Download
-----------------------------	--	-----	----------

WSCAD Universe 2002-1291		URL	Download
--------------------------	--	-----	----------

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



ZUKEN Portal 2002-1291

[URL](#)

[Download](#)

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 2002-1291

[URL](#)

[Download](#)

End and intermediate plate; 0.8 mm thick; gray

Installation Notes

Product family

TOPJOB® S

TOPJOB® S: In various industrial applications and modern building installations, WAGO's wide and versatile range of rail-mount terminal blocks provides more than just reliable electrical connections.

[Show all products from the family](#)

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.