

**DUAL AUDIO POWER AMPLIFIER****AA8227****Description**

The AA8227 is a monolithic dual audio power amplifier with built-in power on/off switch. It is designed for use in portable radio cassette, tape recorder and other audio products.

Because it needs only few external components to work, an audio system adopting AA8227 will have a remarkable merit to save system space.

Features

- High Power: $P_{OUT}=2.5W/CH$ (Typ) at $R_L=4\Omega$, $V_{CC1}=V_{CC2}=9V$, THD=10%
- Built-in Standby Switch
- Built-in Thermal Shutdown Protection Circuit
- Low Popping Noise at Power On
- Soft Clip
- Few External Components
- Operating Supply Voltage Range: 5 to 15 V

Applications

- Mini 2.1-CH or 5.1-CH Audio Sound System
- PC External Audio Power Amplifier
- Portable Radio Cassette
- Tape Recorder
- Active Speaker

Parametric Table

($V_{CC1}=V_{CC2}=9V$, $R_L=4\Omega$, unless otherwise specified.)

Supply Voltage (Min) (V)	5
Supply Voltage (Max) (V)	15
Supply Current (mA)	21
Quiescent Output Voltage (V)	4.5
Output Power per Channel at THD=10% when $R_L=4\Omega$ (W)	2.5
Output Power per Channel at THD=10% when $R_L=3\Omega$ (W)	3.0
Total Harmonic Distortion at 0.4W/CH (%)	0.2
Closed Loop Voltage Gain when $R_{NF}=120\Omega$ (dB)	45
Output Noise Voltage (mVrms)	0.3
Ripple Rejection Ratio (dB)	52
Channel Separation (dB)	50
Package	HDIP-12

Benefits


- High Power
- Low THD
- Low Output Noise
- Small Supply Current

Additional Available Materials

- Samples
- Preliminary Datasheet
- Reliability Report

**DUAL AUDIO POWER AMPLIFIER****AA8227****Pin Configuration**

HDIP-12

**Ordering Information Example**

Package	Temperature Range	Part Number	Marking ID	Packing Type
HDIP-12	0 to 70 °C	AA8227PH-E1	AA8227PH-E1	Tube

Detailed information please refer to the relevant datasheet.

Sales Office:**USA**

3170 De La Cruz Blvd, Suite # 105 Santa Clara, CA 95054-2411,
U.S.A
Tel : +1-408-988 6388
Fax : +1-408-988 6386

Shanghai

8F, B Zone, 900 Yi Shan Road, Shanghai 200233,
China
Tel : 86-21-6495 9539
Fax : 86-21-6485 9673

Taiwan

4F, 298-1 Rui Guang Road, Nei-Hu District, Taipei,
Taiwan
Tel : 886-2-2656-2808
Fax : 886-2-2656-2806

Shenzhen

Room 27B, Tower C, No. 2070, Shennanzhong Road, Shenzhen
518031, China
Tel : 86-755-8368 3987
Fax : 86-755-8368 3166