

1	2	3	4	5	6	7																																																						
A																																																												
B																																																												
C																																																												
D	<p>PIN OUT</p> <table border="1"> <thead> <tr> <th>CN1</th> <th>WIRE COLOR</th> <th>CN2</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>WHITE</td> <td>1</td> </tr> <tr> <td>2</td> <td>ORANGE</td> <td>2</td> </tr> <tr> <td>3</td> <td>WHITE</td> <td>3</td> </tr> <tr> <td>4</td> <td>GREEN</td> <td>6</td> </tr> <tr> <td>5</td> <td>BLUE</td> <td>4</td> </tr> <tr> <td>6</td> <td>WHITE</td> <td>5</td> </tr> <tr> <td>7</td> <td>WHITE</td> <td>7</td> </tr> <tr> <td>8</td> <td>BROWN</td> <td>8</td> </tr> </tbody> </table>						CN1	WIRE COLOR	CN2	1	WHITE	1	2	ORANGE	2	3	WHITE	3	4	GREEN	6	5	BLUE	4	6	WHITE	5	7	WHITE	7	8	BROWN	8																											
CN1	WIRE COLOR	CN2																																																										
1	WHITE	1																																																										
2	ORANGE	2																																																										
3	WHITE	3																																																										
4	GREEN	6																																																										
5	BLUE	4																																																										
6	WHITE	5																																																										
7	WHITE	7																																																										
8	BROWN	8																																																										
E	<table border="1"> <thead> <tr> <th>Part Number</th> <th>Cable Length</th> </tr> </thead> <tbody> <tr> <td>A-MCSSHHP60010-R</td> <td>1m</td> </tr> <tr> <td>A-MCSSHHP60020-R</td> <td>2m</td> </tr> <tr> <td>A-MCSSHHP60030-R</td> <td>3m</td> </tr> <tr> <td>A-MCSSHHP60050-R</td> <td>5m</td> </tr> <tr> <td>A-MCSSHHP60070-R</td> <td>7m</td> </tr> <tr> <td>A-MCSSHHP60100-R</td> <td>10m</td> </tr> <tr> <td>A-MCSSHHP60150-R</td> <td>15m</td> </tr> <tr> <td>A-MCSSHHP60200-R</td> <td>20m</td> </tr> <tr> <td>A-MCSSHHP60300-R</td> <td>30m</td> </tr> </tbody> </table>						Part Number	Cable Length	A-MCSSHHP60010-R	1m	A-MCSSHHP60020-R	2m	A-MCSSHHP60030-R	3m	A-MCSSHHP60050-R	5m	A-MCSSHHP60070-R	7m	A-MCSSHHP60100-R	10m	A-MCSSHHP60150-R	15m	A-MCSSHHP60200-R	20m	A-MCSSHHP60300-R	30m																																		
Part Number	Cable Length																																																											
A-MCSSHHP60010-R	1m																																																											
A-MCSSHHP60020-R	2m																																																											
A-MCSSHHP60030-R	3m																																																											
A-MCSSHHP60050-R	5m																																																											
A-MCSSHHP60070-R	7m																																																											
A-MCSSHHP60100-R	10m																																																											
A-MCSSHHP60150-R	15m																																																											
A-MCSSHHP60200-R	20m																																																											
A-MCSSHHP60300-R	30m																																																											
F	<p>SHELL _____ BRAID _____ SHELL _____</p>																																																											
G	<p><b>ROHS compliant</b> Unit: mm</p>																																																											
H	<table border="1"> <thead> <tr> <th>Scale</th> <th>FREE</th> <th>Id.</th> <th>Modification</th> <th>Date</th> <th>Name</th> </tr> </thead> <tbody> <tr> <td>TOLERANCE</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>.XXX</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>.XX</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>X</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>DIM</td> <td>TOL</td> <td>①</td> <td>Update P/N and cable length</td> <td>07.03.2014</td> <td>Ray</td> </tr> <tr> <td>Angle</td> <td></td> <td>②</td> <td>Drawn</td> <td>22.08.2013</td> <td>Ray</td> </tr> <tr> <td>Angle</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Angle</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>						Scale	FREE	Id.	Modification	Date	Name	TOLERANCE						.XXX						.XX						X						DIM	TOL	①	Update P/N and cable length	07.03.2014	Ray	Angle		②	Drawn	22.08.2013	Ray	Angle						Angle					
Scale	FREE	Id.	Modification	Date	Name																																																							
TOLERANCE																																																												
.XXX																																																												
.XX																																																												
X																																																												
DIM	TOL	①	Update P/N and cable length	07.03.2014	Ray																																																							
Angle		②	Drawn	22.08.2013	Ray																																																							
Angle																																																												
Angle																																																												
1	2	3	4	5	6	7																																																						
<table border="1"> <thead> <tr> <th>NO.</th> <th>PARTS NAME</th> <th>SPECIFICATION DESCRIPTION</th> </tr> </thead> <tbody> <tr> <td>①</td> <td>CABLE</td> <td>SS1P (26A W/G*1PR+A)*4+B+LSDH OD:5.8±0.2mm COLOR: GRAY ①</td> </tr> <tr> <td>②</td> <td>RJ45 CONNECTOR</td> <td>RJ45,8P8C,TWO FORK GOLD PLATED CONTACTS WITH METAL HOUSING</td> </tr> <tr> <td>③</td> <td>MOLDING PVC</td> <td>MOLDING PVC 45P COLOR: GRAY ①</td> </tr> </tbody> </table>						NO.	PARTS NAME	SPECIFICATION DESCRIPTION	①	CABLE	SS1P (26A W/G*1PR+A)*4+B+LSDH OD:5.8±0.2mm COLOR: GRAY ①	②	RJ45 CONNECTOR	RJ45,8P8C,TWO FORK GOLD PLATED CONTACTS WITH METAL HOUSING	③	MOLDING PVC	MOLDING PVC 45P COLOR: GRAY ①																																											
NO.	PARTS NAME	SPECIFICATION DESCRIPTION																																																										
①	CABLE	SS1P (26A W/G*1PR+A)*4+B+LSDH OD:5.8±0.2mm COLOR: GRAY ①																																																										
②	RJ45 CONNECTOR	RJ45,8P8C,TWO FORK GOLD PLATED CONTACTS WITH METAL HOUSING																																																										
③	MOLDING PVC	MOLDING PVC 45P COLOR: GRAY ①																																																										
<table border="1"> <thead> <tr> <th>Date</th> <th>Name</th> <th>Customer-No.</th> </tr> </thead> <tbody> <tr> <td>Drawn 22.08.2013</td> <td>Ray</td> <td></td> </tr> <tr> <td>Approved 07.03.2014</td> <td>Ray</td> <td></td> </tr> </tbody> </table>						Date	Name	Customer-No.	Drawn 22.08.2013	Ray		Approved 07.03.2014	Ray																																															
Date	Name	Customer-No.																																																										
Drawn 22.08.2013	Ray																																																											
Approved 07.03.2014	Ray																																																											
<p>ASSMANN WSW-No. ASSMANN WSW-No. ① A-MCSSHHP600XXX-R</p> <p>Drawing-No. ASS 4924 CA rev01</p> <p>Replace Sheet 1/1</p>																																																												

