

# Closet Connector Housing Panels (CCH-CP)

A LANscape® Solutions Product

Corning  
Cable Systems

## Applications

- The panels are used with field-installable connectors or in applications where the preconnectorized cables are routed directly from the equipment to the piece of interconnect hardware
- Provides an efficient way to securely mate two or more connectors


## Description

Closet Connector Housing Panels are offered in 6-, 8-, 12-, 16- and 24-fiber panels for use with the LANscape® Solutions hardware products. The panels are used with field-installable connectors or in applications where the preconnectorized cables are routed directly from the equipment to the interconnect hardware.


The panels are available with a variety of industry-standard adapter types. In most applications, the Closet Connector Housing Panels are designed for applications where specified labeling and connector identification are required. This is accomplished by the use of colored icons with different symbols molded into the icon.

## Features / Benefits


- Designed to accommodate all industry-standard adapter types
- Unique color-coded connector labeling system
- Universal approach is used; one panel size fits in all standard LANscape Solutions hardware
- Available in 6-, 8- and 12-fiber count options in most adapter styles; 16- and 24-fiber count options available in MT-RJ and LC duplex styles
- Also available for copper jacks




Closet Connector Housing Panels | Photo LAN215




6-Fiber ST Compatible Connector Panel (CCH-CP06-25T)  
| Drawing CPC-220/5/14



8-Fiber SC Simplex Panel (CCH-CP08-56)  
| Drawing CPC-220/5/13



12-Fiber SC Duplex Panel (CCH-CP12-91)  
| Drawing CPC-220/5/12



24-Fiber MT-RJ Connector Panel (CCH-CP24-97)  
| Drawing CPC-220/5/15



Product Specifications

# Closet Connector Housing Panels (CCH-CP)

A LANscape® Solutions Product

Corning  
Cable Systems

## Ordering Information

Part Number	Description
<b>6-Fiber Closet Connector Housing Panels</b>	
<b>FC Adapter</b>	
<b>CCH-CP06-11</b>	CCH Connector Panel with six Corning Cable Systems universal adapter holders with FC, single-mode
<b>CCH-CP06-21</b>	CCH Connector Panel with six FC, angle polish, single-mode adapters with metal inserts, metal housings
<b>ST® Compatible Adapter</b>	
<b>CCH-CP06-15T</b>	CCH Connector Panel with six threaded bulkhead ST compatible, multimode 62.5 µm, ceramic insert, composite housing
<b>CCH-CP06-19T</b>	CCH Connector Panel with six threaded bulkhead ST compatible, single-mode, ceramic insert, composite housing
<b>CCH-CP06-25T</b>	CCH Connector Panel with six threaded bulkhead ST compatible, multimode 62.5 µm, composite insert, composite housing
<b>CCH-CP06-G5</b>	CCH Connector Panel with six ST compatible, standard 50 µm multimode, ceramic insert, composite housing
<b>CCH-CP06-E5</b>	CCH Connector Panel with six ST compatible, Xcelerate Plus™ Solutions laser-optimized 50 µm multimode, ceramic insert, composite housing
<b>SC Adapter (Simplex)</b>	
<b>CCH-CP06-3C</b>	CCH Connector Panel with six SC simplex adapters, single-mode, ceramic insert, composite housing
<b>CCH-CP06-6C</b>	CCH Connector Panel with six SC simplex adapters, angle polish, single-mode, ceramic insert, composite housing
<b>CCH-CP06-56</b>	CCH Connector Panel with six SC simplex adapters, multimode 62.5 µm, composite insert, composite housing
<b>SC Adapter (Duplex)</b>	
<b>CCH-CP06-59</b>	CCH Connector Panel with three 568SC (SC duplex) adapters, single-mode, ceramic insert, composite housing
<b>CCH-CP06-91</b>	CCH Connector Panel with three 568SC (SC duplex) adapters, multimode 62.5 µm, composite insert, composite housing
<b>CCH-CP06-G7</b>	CCH Connector Panel with three SC duplex, standard 50 µm multimode, ceramic insert, composite housing
<b>CCH-CP06-E7</b>	CCH Connector Panel with three SC duplex, Xcelerate Plus Solutions laser-optimized 50 µm multimode, ceramic insert, composite housing
<b>LC Adapter (Duplex)</b>	
<b>CCH-CP06-A7</b>	CCH Connector Panel with three LC duplex adapters, multimode 62.5 µm, metal insert, composite housing
<b>CCH-CP06-A8</b>	CCH Connector Panel with three LC duplex adapters, multimode 62.5 µm, ceramic insert, composite housing
<b>CCH-CP06-A9</b>	CCH Connector Panel with three LC duplex adapters, single-mode, ceramic insert, composite housing
<b>CCH-CP06-D3</b>	CCH Connector Panel with three LC duplex, standard 50 µm multimode, ceramic insert, composite housing
<b>CCH-CP06-E4</b>	CCH Connector Panel with three LC duplex, Xcelerate Plus Solutions laser-optimized 50 µm multimode, ceramic insert, composite housing
<b>MT-RJ Adapter</b>	
<b>CCH-CP06-97</b>	CCH Connector Panel with three MT-RJ adapters, multimode 62.5 µm
<b>CCH-CP06-98</b>	CCH Connector Panel with three MT-RJ adapters, single-mode
<b>CCH-CP06-G1</b>	CCH Connector Panel with three MT-RJ, standard 50 µm multimode, composite housing
<b>CCH-CP06-E1</b>	CCH Connector Panel with three MT-RJ, Xcelerate Plus Solutions laser-optimized 50 µm multimode, composite housing

# Closet Connector Housing Panels (CCH-CP)

A LANscape® Solutions Product

Corning  
Cable Systems

## Ordering Information *(continued)*

Part Number	Description
<b>8-Fiber Closet Connector Housing Panels</b>	
<b>ST® Compatible Adapter</b>	
<b>CCH-CP08-15T</b>	CCH Connector Panel with eight threaded bulkhead ST compatible, multimode 62.5 µm, ceramic insert, composite housing
<b>CCH-CP08-19T</b>	CCH Connector Panel with eight threaded bulkhead ST compatible, single-mode, ceramic insert, composite housing
<b>CCH-CP08-25T</b>	CCH Connector Panel with eight threaded bulkhead ST compatible, multimode 62.5 µm, composite insert, composite housing
<b>CCH-CP08-G5</b>	CCH Connector Panel with eight ST compatible, standard 50 µm multimode, ceramic insert, composite housing
<b>CCH-CP08-E5</b>	CCH Connector Panel with eight ST compatible, Xcelerate Plus™ Solutions laser-optimized 50 µm multimode, ceramic insert, composite housing
<b>SC Adapter (Simplex)</b>	
<b>CCH-CP08-3C</b>	CCH Connector Panel with eight SC simplex adapters, single-mode, ceramic insert, composite housing
<b>CCH-CP08-6C</b>	CCH Connector Panel with eight SC simplex adapters, angle polish, single-mode, ceramic insert, composite housing
<b>CCH-CP08-39</b>	CCH Connector Panel with eight SC simplex adapters, multimode 62.5 µm, metal insert, composite housing
<b>CCH-CP08-56</b>	CCH Connector Panel with eight SC simplex adapters, multimode 62.5 µm, composite insert, composite housing
<b>SC Adapter (Duplex)</b>	
<b>CCH-CP08-59</b>	CCH Connector Panel with four 568SC (SC duplex) adapters, single-mode, ceramic insert, composite housing
<b>CCH-CP08-91</b>	CCH Connector Panel with four 568SC (SC duplex) adapters, multimode 62.5 µm, composite insert, composite housing
<b>CCH-CP08-G7</b>	CCH Connector Panel with four SC duplex, standard 50 µm multimode, ceramic insert, composite housing
<b>CCH-CP08-E7</b>	CCH Connector Panel with four SC duplex, Xcelerate Plus Solutions laser-optimized 50 µm multimode, ceramic insert, composite housing
<b>LC Adapter (Duplex)</b>	
<b>CCH-CP08-A7</b>	CCH Connector Panel with four LC duplex adapters, multimode 62.5 µm, metal insert, composite housing
<b>CCH-CP08-A8</b>	CCH Connector Panel with four LC duplex adapters, multimode 62.5 µm, ceramic insert, composite housing
<b>CCH-CP08-A9</b>	CCH Connector Panel with four LC duplex adapters, single-mode, ceramic insert, composite housing
<b>CCH-CP08-D3</b>	CCH Connector Panel with four LC duplex, standard 50 µm multimode, ceramic insert, composite housing
<b>CCH-CP08-E4</b>	CCH Connector Panel with four LC duplex, Xcelerate Plus Solutions laser-optimized 50 µm multimode, ceramic insert, composite housing

# Closet Connector Housing Panels (CCH-CP)

A LANscape® Solutions Product

Corning  
Cable Systems

## Ordering Information *(continued)*

Part Number	Description
<b>8-Fiber Closet Connector Housing Panels</b>	
<b>MT-RJ Adapter</b>	
<b>CCH-CP08-97</b>	CCH Connector Panel with four MT-RJ adapters, multimode 62.5 µm
<b>CCH-CP08-98</b>	CCH Connector Panel with four MT-RJ adapters, single-mode
<b>CCH-CP08-G1</b>	CCH Connector Panel with four MT-RJ, standard 50 µm multimode, composite housing
<b>CCH-CP08-E1</b>	CCH Connector Panel with four MT-RJ, Xcelerate Plus™ Solutions laser-optimized 50 µm multimode, composite housing
<b>FC Adapter</b>	
<b>CCH-CP08-11</b>	CCH Connector Panel with eight FC, single-mode adapters with metal inserts, metal housings
<b>CCH-CP08-21</b>	CCH Connector Panel with eight FC, angle polish, single-mode adapters with metal inserts, metal housings
<b>12-Fiber Closet Connector Housing Panels</b>	
<b>SC Adapter (Duplex)</b>	
<b>CCH-CP12-59</b>	CCH Connector Panel with six 568SC (SC duplex) adapters, single-mode, ceramic insert, composite housing
<b>CCH-CP12-91</b>	CCH Connector Panel with six 568SC (SC duplex) adapters, multimode 62.5 µm, composite insert, composite housing
<b>CCH-CP12-G7</b>	CCH Connector Panel with six SC duplex, standard 50 µm multimode, ceramic insert, composite housing
<b>CCH-CP12-E7</b>	CCH Connector Panel with six SC duplex, Xcelerate Plus Solutions laser-optimized 50 µm multimode, ceramic insert, composite housing
<b>LC Adapter (Duplex)</b>	
<b>CCH-CP12-A7</b>	CCH Connector Panel with six LC duplex adapters, multimode 62.5 µm, metal insert, composite housing
<b>CCH-CP12-A8</b>	CCH Connector Panel with six LC duplex adapters, multimode 62.5 µm, ceramic insert, composite housing
<b>CCH-CP12-A9</b>	CCH Connector Panel with six LC duplex adapters, single-mode, ceramic insert, composite housing
<b>CCH-CP12-D3</b>	CCH Connector Panel with six LC duplex, standard 50 µm multimode, ceramic insert, composite housing
<b>CCH-CP12-E4</b>	CCH Connector Panel with six LC duplex, Xcelerate Plus Solutions laser-optimized 50 µm multimode, ceramic insert, composite housing
<b>SC Adapter (Simplex)</b>	
<b>CCH-CP12-3C</b>	CCH Connector Panel with 12 SC simplex, single-mode adapters with ceramic insert, composite housing
<b>CCH-CP12-6C</b>	CCH Connector Panel with 12 SC simplex, angle polish, single-mode adapters with ceramic insert, composite housing
<b>CCH-CP12-56</b>	CCH Connector Panel with 12 SC simplex adapters, multimode 62.5 µm, composite insert, composite housing
<b>CCH-CP12-G6</b>	CCH Connector Panel with 12 SC, standard 50 µm multimode
<b>CCH-CP12-E6</b>	CCH Connector Panel with 12 SC, Xcelerate Plus Solutions laser-optimized 50 µm multimode

# Closet Connector Housing Panels (CCH-CP)

A LANscape® Solutions Product

Corning  
Cable Systems

## Ordering Information (continued)

Part Number	Description
<b>12-Fiber Closet Connector Housing Panels</b>	
<b>ST® Compatible Adapter</b>	
<b>CCH-CP12-15T</b>	CCH Connector Panel with 12 threaded bulkhead ST compatible adapters, multimode 62.5 µm, ceramic insert, composite housing
<b>CCH-CP12-19T</b>	CCH Connector Panel with 12 threaded bulkhead ST compatible adapters, single-mode, ceramic insert, composite housing
<b>CCH-CP12-25T</b>	CCH Connector Panel with 12 threaded bulkhead ST compatible adapters, multimode 62.5 µm, composite insert, composite housing
<b>CCH-CP12-G5</b>	CCH Connector Panel with 12 ST compatible, standard 50 µm multimode, ceramic insert, composite housing
<b>CCH-CP12-E5</b>	CCH Connector Panel with eight ST compatible, Xcelerate Plus™ Solutions laser-optimized 50 µm multimode, ceramic insert, composite housing
<b>MT-RJ Adapter</b>	
<b>CCH-CP12-97</b>	CCH Connector Panel with six MT-RJ adapters, multimode 62.5 µm
<b>CCH-CP12-98</b>	CCH Connector Panel with six MT-RJ adapters, single-mode
<b>CCH-CP12-G1</b>	CCH Connector Panel with six MT-RJ, standard 50 µm multimode, composite housing
<b>CCH-CP12-E1</b>	CCH Connector Panel with six MT-RJ, Xcelerate Plus Solutions laser-optimized 50 µm multimode, composite housing
<b>16-Fiber Closet Connector Housing Panels</b>	
<b>MT-RJ Adapter</b>	
<b>CCH-CP16-97</b>	CCH Connector Panel with eight MT-RJ adapters, multimode 62.5 µm
<b>CCH-CP16-98</b>	CCH Connector Panel with eight MT-RJ adapters, single-mode
<b>CCH-CP16-G1</b>	CCH Connector Panel with eight MT-RJ, standard 50 µm multimode, composite housing
<b>CCH-CP16-E1</b>	CCH Connector Panel with eight MT-RJ, Xcelerate Plus Solutions laser-optimized 50 µm multimode, composite housing
<b>LC Adapter (Duplex)</b>	
<b>CCH-CP16-A7</b>	CCH Connector Panel with eight LC duplex adapters, multimode 62.5 µm, metal insert, composite housing
<b>CCH-CP16-A8</b>	CCH Connector Panel with eight LC duplex adapters, multimode 62.5 µm, ceramic insert, composite housing
<b>CCH-CP16-A9</b>	CCH Connector Panel with eight LC duplex adapters, single-mode, ceramic insert, composite housing
<b>CCH-CP16-D3</b>	CCH Connector Panel with eight LC duplex, standard 50 µm multimode, ceramic insert, composite housing
<b>CCH-CP16-E4</b>	CCH Connector Panel with eight LC duplex, Xcelerate Plus Solutions laser-optimized 50 µm multimode, ceramic insert, composite housing

# Closet Connector Housing Panels (CCH-CP)

A LANscape® Solutions Product

Corning  
Cable Systems

## Ordering Information *(continued)*

Part Number	Description
<b>24-Fiber Closet Connector Housing Panels</b>	
<b>MT-RJ Adapter</b>	
CCH-CP24-97	CCH Connector Panel with 12 MT-RJ adapters, multimode 62.5 µm
CCH-CP24-98	CCH Connector Panel with 12 MT-RJ adapters, single-mode
CCH-CP24-G1	CCH Connector Panel with 12 MT-RJ adapters, standard 50 µm multimode, composite housing
CCH-CP24-E1	CCH Connector Panel with 12 MT-RJ adapters, Xcelerate Plus™ Solutions laser-optimized 50 µm multimode, composite housing
<b>LC Adapter (Duplex)</b>	
CCH-CP24-A7	CCH Connector Panel with 12 LC duplex adapters, multimode 62.5 µm, metal insert, composite housing
CCH-CP24-A8	CCH Connector Panel with 12 LC duplex adapters, multimode 62.5 µm, ceramic insert, composite housing
CCH-CP24-A9	CCH Connector Panel with 12 LC duplex adapters, single-mode, ceramic insert, composite housing
CCH-CP24-D3	CCH Connector Panel with 12 LC duplex, standard 50 µm multimode, ceramic insert, composite housing
CCH-CP24-E4	CCH Connector Panel with 12 LC duplex adapters, Xcelerate Plus Solutions laser-optimized 50 µm multimode, ceramic insert, composite housing
<b>36-Fiber Closet Connector Housing Panels</b>	
<b>MTP® Adapter</b>	
CCH-CP36-G3	CCH Connector Panel with three MTP adapters, standard 50 µm multimode
CCH-CP36-E3	CCH Connector Panel with three MTP adapters, Xcelerate Plus Solutions laser-optimized 50 µm multimode
<b>72-Fiber Closet Connector Housing Panels</b>	
<b>MTP Adapter</b>	
CCH-CP72-G3	CCH Connector Panel with six MTP adapters, standard 50 µm multimode
CCH-CP72-E3	CCH Connector Panel with six MTP adapters, Xcelerate Plus Solutions laser-optimized 50 µm multimode
<b>Closet Connector Panels for Copper Terminations</b>	
CCH-CP04-8L5BX-A	CCH Panel for four AMP Category 5e jacks with T568A wiring
CCH-CP04-8L5BX-B	CCH Panel for four AMP Category 5e jacks with T568B wiring
CCH-CP04-8L5CX-B	CCH Panel for four AT&T Category 5e jacks with T568B wiring
CCH-CP04-8L5DX-A	CCH Panel for four Krone Category 5e jacks with T568A wiring
CCH-CP04-8L5DX-B	CCH Panel for four Krone Category 5e jacks with T568B wiring

## Ordering Information (continued)

---

### Pigtailed Closet Connector Panels

CCH - CP  -  - P03   
**1**   **2**   **3**

Use the following options to construct the part number:

#### **1** Select fiber count.

- 06 = 6 fibers
- 08 = 8 fibers
- 12 = 12 fibers (only for SC duplex, LC and MT-RJ)
- 16 = 16 fibers (only for LC and MT-RJ)
- 24 = 24 fibers (only for LC and MT-RJ)

#### **2** Select adapters.

##### **ST® Compatible**

- 50 = ST compatible, ceramic insert, multimode, composite housing
- 61 = ST compatible/UPC, ceramic insert, single-mode

##### **FC**

- 17 = FC, metal insert, multimode
- 21 = FC for angled polish connectors (APC), metal insert, single-mode, metal housing
- 54 = FC/UPC, metal insert, single-mode

##### **SC Simplex**

- 56 = SC Simplex, composite insert, multimode
- 5C = SC Simplex/UPC, ceramic insert, single-mode
- 6C = SC Simplex/APC, ceramic insert, single-mode

##### **SC Duplex**

- 72 = 568SC (SC duplex/UPC), single-mode, ceramic insert
- 91 = 568SC (SC duplex), composite insert, multimode, plastic housing

##### **LC Duplex**

- 04 = LC duplex, ceramic insert, single-mode
- 05 = LC duplex, ceramic insert, multimode

##### **MT-RJ**

- 86 = MT-RJ multimode
- 87 = MT-RJ single-mode

#### **3** Select fiber type.

##### **MIC® Subunit (Standard Fiber Cable Option)**

- CH = Standard multimode (50/125 μm)
- SH = Laser-optimized multimode (50/125 μm)
- KH = Multimode (62.5/125 μm)
- RH = Single-mode

##### **Ribbon Fiber**

- CJ = Standard multimode (50/125 μm)
- SJ = Laser-optimized multimode (50/125 μm)
- KJ = Multimode (62.5/125 μm)
- RJ = Single-mode

##### **OptiStrip™ Buffered Fiber**

- KN = Multimode (62.5/125 μm)
- RN = Single-mode

# Closet Connector Housing Panels (CCH-CP)

A LANscape® Solutions Product

Corning  
Cable Systems

## Ordering Information (continued)

---

### Colored Icons

Pack of 100 Colored Icons

ICN -     
**1**

Use the following options to construct the part number:

#### **1** Select color/symbol.

YLB = Blank (Yellow)



BLP = Phone (Blue)



RDC = Computer (Red)



GRT = Cable TV (Green)



PRD = Satellite (Purple)



ORV = Video (Orange)



Corning Cable Systems LLC • PO Box 489 • Hickory, NC 28603-0489 USA

1-800-743-2675 • FAX: +1-828-901-5973 • International: +1-828-901-5000 • <http://www.corning.com/cablesystems>

Corning Cable Systems reserves the right to improve, enhance and modify the features and specifications of Corning Cable Systems' products without prior notification. LANscape and MIC are registered trademarks of Corning Cable Systems Brands, Inc. Xcelerate Plus and OptiStrip are trademarks of Corning Cable Systems Brands, Inc. Discovering Beyond Imagination is a trademark of Corning Incorporated. MTP is a registered trademark of USConec, Ltd. ST is a registered trademark of Lucent Technologies. All other trademarks are the properties of their respective owners. Corning Cable Systems is ISO 9001 certified. © 2001, 2003 Corning Cable Systems. All rights reserved. Published in the USA.  
LAN-133-EN / March 2003 / pdf