



LOC	DIST	REVISIONS					
FX	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
			A	REVISED PER ECO-10-000500	20JAN2010	MBH	BB
			A1	REVISED PER ECO-12-015851	05SEP2012	DLD	SLM
			A2	REVISED PER ECO-13-005998	05APR2013	DLD	SLM
			B	REVISED PER ECO-20-006565	12MAY2020	AB	AS



SCALE 5:1



- FOR INSULATION  $\varnothing 1.35$  TO  $\varnothing 2.1$ mm.
- MATERIAL: SILICONE  
COLOR: RED
- INSULATION CRIMP MEASUREMENTS ARE DEPENDENT ON WIRE INSULATION TYPE AND OUTSIDE DIAMETER. INSULATION CRIMP MUST BE SUFFICIENT TO KEEP SEAL FROM SLIDING OUT OF CRIMP WHEN INSERTING INTO CONNECTOR CAVITY BUT NOT TEAR THE SEAL.

2098582-1

PART NUMBER

20  
RELEASED FOR PUBLICATION

ALL RIGHTS RESERVED.

BY -

© COPYRIGHT 20

DIMENSIONS: mm	DWN HARISH.M 22OCT2009	MATERIAL -	FINISH -
TOLERANCES UNLESS OTHERWISE SPECIFIED:	CHK B.BUCHTER 22OCT2009	TE Connectivity	
0 PLC ±-	APVD B.BUCHTER 22OCT2009		
1 PLC ±-	PRODUCT SPEC	NAME MCON CABLE SEAL, 50 DURO-METER SILO 3.45 - 3.70mm DIAMETER	
2 PLC ±-	APPLICATION SPEC	SIZE A4	RESTRICTED TO
3 PLC ±-		CAGE CODE 00779	
4 PLC ±-		DRAWING NO C-2098582	
ANGLES ±1°	WEIGHT -		
	Customer Drawing	SCALE 10:1	SHEET 1 OF 1
			REV B

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[2098582-1](#)