


LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
—	—		B	REVISED	05JUNE2013	IC.K	JH.K
			C	REVISED	10JUNE2013	IC.K	JH.K
			C1	REVISED	25FEB2014	IC.K	JH.K
			C2	REVISED	06FEB2015	IC.K	JH.K

D


C

B

A



AS SHOWN
①2108609-5/6
②2-2108609-6



SECTION B-B
STROKE CONDITION(REFERENCE)

- 1 MATERIAL: TICU(COPPER ALLOY), THK.= 0.1
- 2 FINISH: Ni UNDER PLATING ALL OVER 0.8~3.0um
CONTACT PLATING: Au 0.1~0.4um
SOLDER PLATING: Au 0.05~0.35um
- 3 CUTTING BURR: 0.05mm MAX.
- ① 4 F/G SHOULD BE SEPARATED BASED ON THE CUSTOMER'S PART NUMBER AS BELOW TABLE

NO	PART NUMBER	CUSTOMER PART NUMBER	PRODUCT SPEC
1	2108609-5	MBV62562101	108-61190
2	2108609-6	EAG63651901	
② 3	2-2108609-6	-	108-61255

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm

MATERIAL
1

TOLERANCES UNLESS OTHERWISE SPECIFIED:
± 0.15

0-PLC ±
1-PLC ±0.5
2-PLC ±0.13
3-PLC ±0.013
4-PLC ±0.0001
ANGLES ±

FINISH
2

DWN IC KANG 09APR2013
CHK JH KIM 09APR2013
APVD JH KIM 09APR2013
PRODUCT SPEC
APPLICATION SPEC
-
WEIGHT -

09APR2013
09APR2013
09APR2013
SEE TABLE 4
-
-

TE Connectivity

NAME

SIZE CAGE CODE DRAWING NO RESTRICTED TO

A300779 C=2108609 -

CUSTOMER DRAWING




SCALE 20:1

SHEET 1 OF 3



REV C2

LOC	DIST	REVISIONS				
		P	LTR	DESCRIPTION	DATE	DWN APVD
-	-			SEE SHEET 1		



①④<2108609-5 : FOR MBV62562101>




1. LG PART NO. 2. FINAL INSPECTION(YYMMDD)
3. VENDOR PRODUCTION LOT NO. 4. VENDOR CODE





WEEDING THE COVER TAPE, AROUND THE OUTER PERIPHERY IN A TURN



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN JH GONG 08FEB2013	 TE Connectivity			
DIMENSIONS: mm		CHK JH KIM 08FEB2013	NAME SPRING FINGER 3.0H			
		APVD JH KIM 08FEB2013				
TOLERANCES UNLESS OTHERWISE SPECIFIED: ±0.15		PRODUCT SPEC 108-XXXXX	SIZE A3			
		APPLICATION SPEC -				
MATERIAL -		WEIGHT -	CAGE CODE 00779	DRAWING NO C=2108609	RESTRICTED TO -	
FINISH -		CUSTOMER DRAWING	SCALE 20:1	SHEET 2	OF 3	REV C2

①④<2108609-6 : FOR EAG63651901>



①

EAG63651901-YYYYMMDD-*****-HK000120

SPEC:3.0H SPRING FINGER WITH EMBOSS



Company Name:TE CONNECTIVITY

Tyco Part Number :2108609-5

RoHS

H/F

1. LG PART NO.
2. FINAL INSPECTION<YYMMDD>
3. VENDOR PRODUCTION LOT NO.
4. VENDOR CODE




WEEDING THE COVER TAPE,
AROUND THE OUTER
PERIPHERY IN
A TURN

②

WITH PRODUCT CHARGE
4000EA/1REEL

WITHOUT CHARGE
400mm REF

WITHOUT CHARGE
160mm REF



13.4
19.4
REEL WIDTH

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

±0.15

Ø-PLC ±

1-PLC ±0.5

2-PLC ±0.13


3-PLC ±0.013

4-PLC ±0.0001

ANGLES ±

FINISH -

MATERIAL



DWN

08FEB2013

CHK

08FEB2013

APVD

08FEB2013

PRODUCT SPEC

108-XXXXX

APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING



TE Connectivity

SPRING FINGER 3.0H

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A3

00779

©=2108609

SCALE 20:1

SHEET 3

OF 3

REV C2