

PACKAGING VIEW LEAD STYLE SD -22

TABLE 2: SOCKET SPECIFICATION

LEAD STYLE	SERIES				
	-1 SS HSS SD	F _I G	SL SDL	'B'	PIN LENGTH
-1			N/A	.038 [.97]	.760 19.30
-1A	SC-1W1-XX-2 (SL & SDL N/R)	1	N/A	N/A	.553 14.05
-1B	SC-1W1-XX-1 (SL & SDL N/R)	1	N/A	.038 [.97]	.703 17.86
-1C	SC-1W1-XX-3 (SL & SDL N/R)	1	N/A	N/A	.453 11.51
-2	SC-1P1-XX (SL & SDL N/R)	1	N/A	.038 [.97]	.300 7.62
-3	SC-1S1-XX (SL & SDL N/R)	1	N/A	.038 [.97]	.203 5.16
-4	SC-2S1-XX (SL & SDL N/R)	5,6	N/A	.038 [.97]	.290 7.37
-5	SC-2P1-XX (SS & HSS ONLY)	3	N/A	.038 [.97]	.703 17.86
-5A	SC-2P1-XX (SL & SDL N/R)	1	N/A	N/A	.703 17.86
-7	SC-1P3-XX (SL & SDL N/R)	1	N/A	N/A	.600 15.24
-8	SC-2P3-XX (SL & SDL N/R)	1	N/A	N/A	.542 13.77
-9	SC-2P2-XX (SL & SDL N/R)	1	N/A	N/A	.703 17.86
-10	N/A	2	SC-3P1-XX	.038 [.97]	.230 5.84
-11	N/A	2	SC-4P1-XX	.028 [.71]	.240 6.10
-12	N/A	2	SC-5P1-XX	.028 [.71]	.190 4.83
-13	SC-2P7-XX (SS ONLY)	2	N/A	.039 [.99]	.310 7.87
-14	SC-1M1-XX (N/A)	1	N/A	N/A	.205 5.21
-15	SC-1M2-XX (N/A)	2	N/A	.028 [.71]	.167 4.24
-17	SC-7P1-XX (N/A)	1	N/A	N/A	.443 11.25
-18	SC-6P1-XX (SL & SDL N/R)	1	N/A	.038 [.97]	.353 8.97
-19	N/A	2	SC-8P1-XX	.016 [.41]	.165 4.19
-20	SC-9P1-XX (N/A)	2	N/A	.028 [.71]	.190 4.83
-21A	EZ-1W1-XX-2 (SL & SDL N/R)	1	N/A	N/A	.553 14.05
-21B	EZ-1W1-XX-1 (SL & SDL N/R)	1	N/A	N/A	.703 17.86
-21C	EZ-1W1-XX-3 (SL & SDL N/R)	1	N/A	N/A	.453 11.51
-22	EZ-1P1-XX (SL & SDL N/R)	1	N/A	.030 [.76]	.300 7.62
-23	EZ-1S1-XX (SL & SDL N/R)	1	N/A	N/A	.203 5.16
-28	EZ-2P3-XX (SL & SDL N/R)	1	N/A	N/A	.542 13.77
-29	EZ-2P2-XX (SL & SDL N/R)	1	N/A	N/A	.703 17.86
-30	EZ-3P1-XX (SL & SDL ONLY)	2	N/A	.038 [.97]	.230 5.84
-31	EZ-4P1-XX (SL & SDL ONLY)	2	N/A	.028 [.71]	.240 6.10
-32	EZ-5P1-XX (SL & SDL ONLY)	2	N/A	.028 [.71]	.190 4.83
-34	EZ-1M1-XX (N/A)	1	N/A	N/A	.205 5.21
-37	EZ-7P1-XX (N/A)	1	N/A	N/A	.443 11.25
-38	EZ-6P1-XX (SL & SDL N/R)	1	N/A	N/A	.353 8.97
-39	EZ-8P1-XX (SL & SDL ONLY)	2	N/A	.016 [.41]	.165 4.19
-40	EZ-9P1-XX (N/A)	2	N/A	.028 [.71]	.190 4.83
-41	SC-6P1-XX (N/A)	9	N/A	.005 [.13]	.353 8.97

Do not scale from this print

SEE NOTE 4
SEE NOTE 3 & 4 (SHEET 1)

SEE NOTE 6 (SHEET 1)

NOT AVAILABLE IN -TT PLATING

.005 [.13] MAX. (FOR ALL FLUSH ASSEMBLIES)




FIGURE 1 (SEE NOTE 9 SHT.1)




FIGURE 2





FIGURE 3 (SEE NOTE 9 SHT.1)



OPTION -L: REPLACE BOTH END POS. (BOTH ROWS) AS SHOWN

FIGURE 4 (SEE NOTE 9 SHT.1)






FIGURE 5 (SEE NOTE 9 SHT.1)



SAME AS FIG. 5 EXCEPT AS SHOWN (USED IN CSS CABLE)

FIGURE 6 (SEE NOTE 9 SHT.1)

DELETED FIGURE 7




FIGURE 9 (SEE NOTE 9 SHT.1)




FIGURE 8 OPTION -N (SEE NOTE 9 SHT.1)

"B" DIMENSION FOR OPTION -N = NON FLUSH

PROPRIETARY NOTE
THIS DOCUMENT CONTAINS INFORMATION CONFIDENTIAL AND PROPRIETARY TO SAMTEC INC. AND SHALL NOT BE REPRODUCED OR TRANSMITTED TO OTHER DOCUMENTS OR DISCLOSED TO OTHERS OR USED FOR ANY PURPOSE OTHER THAN THAT FOR WHICH IT WAS OBTAINED WITHOUT THE EXPRESSED WRITTEN CONSENT OF SAMTEC INC.

samtec MISC\MKTG XSX-MKT2
520 PARK EAST BLVD. NEW ALBANY, INDIANA 47151-1147
PHONE (812) 944-6733 P.O. BOX 1147
CODE 55322

MADE BY: MARK CHILTON 11-28-88 XSX-1XX-XX-XX-X-X SHEET 2 OF 2