

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:

0190990014

Status:

Active

Description:

InsulKrimp™ Snap Spade for 18-22 AWG Wire, Stud Size 8, Mylar Tape Carrier

Documents:

Drawing (PDF)

Product Specification PS-19902-009 (PDF)

RoHS Certificate of Compliance (PDF)

Agency Certification

CSA	LR18689
UL	E32244

General

Product Family	Ring and Spade Terminals
Series	19099
Crimp Quality Equipment	Yes
Mil-Spec	N/A
Product Name	InsulKrimp™
Type	Spade Snap

Physical


Barrel Type	Closed
Color - Resin	Natural
Flammability	94V-2
Insulation	PVC
Material - Plating Mating	Tin
Packaging Type	Adhesive Tape on Reel
Stud Size	8 (M4)
Wire Insulation Diameter	4.40mm (.175") max.
Wire Size AWG	18, 20, 22
Wire Size mm²	0.38 – 0.96

Material Info

Old Part Number	AA-2714-08XT
-----------------	--------------

Reference - Drawing Numbers

Product Specification	PS-19902-009
Sales Drawing	AACD20503



Series
image - Reference only

EU RoHS

ELV and RoHS
Compliant
REACH SVHC
Not Reviewed
Halogen-Free
Status
Not Reviewed

China RoHS



Need more information on product
environmental compliance?

Email productcompliance@molex.com
For a multiple part number RoHS Certificate of
Compliance, [click here](#)

Please visit the [Contact Us](#) section for any
non-product compliance questions.

Search Parts in this Series
19099Series

Application Tooling | [FAQ](#)
*Tooling specifications and manuals are
found by selecting the products below.
Crimp Height Specifications are then
contained in the Application Tooling
Specification document.*

Global	
Description	Product #
Crimp Dies for MTA-100 Tape Applicator used in 3BF Press, MTA-105 Tape Applicator used in TM-2000™ Press, and ATP-301 Air Crimping Press for Mylar Tape Mounted Terminals	0192880023
Mini-Mac™ Applicator	0638851300

This document was generated on 03/18/2010

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

AA-CD-205-03

-
- Technical drawing of a bolt and nut assembly. The drawing shows a side view of a bolt and a nut. The bolt is labeled "STUD" and has a diameter of $\varnothing 14.5$. The nut is labeled "NUT" and has a diameter of $\varnothing 14.5$. The bolt has a length of L and a thread length of C . The nut has a height of D . The bolt is shown with a cross-section of the thread. The nut is shown with a cross-section of the thread. The drawing includes dimension lines and labels for various parts and dimensions.

WIRE SIZE: 22-18. AWG.
.25-1.5 MM²

ETC molex
INCORPORATED

INCORPORATED

ETC
molex
INCORPORATED