

Housing - VC-MEMV-T1-Z-M20 - 1886553

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Sleeve housing with EMC coating and conductive seal, with metric cable entry, locking screws with cylinder head, type 1

The illustration shows version VC-MEMV-T3-Z-M25



Key commercial data

| | |
|--------------------------------------|-----------|
| Packing unit | 1 pc |
| Weight per Piece (excluding packing) | 219.4 GRM |
| Custom tariff number | 85389099 |
| Country of origin | Poland |

Technical data

Dimensions

| | |
|--------|-------|
| Height | 65 mm |
| Width | 33 mm |
| Length | 59 mm |

Ambient conditions

| | |
|---------------------------------|-------------------|
| Ambient temperature (operation) | -40 °C ... 125 °C |
|---------------------------------|-------------------|

General

| | |
|-----------------------------------|---|
| Note | When using fiber optics, the bending radii of the cable manufacturers must be observed. |
| Type | VC1 |
| Housing type | Sleeve housings |
| Color | nickel |
| Locking type | Screw locking, cylinder head |
| Tightening torque, mounting screw | 1.5 Nm ±0.3 Nm |
| No. of cable outlets | 1 |

Housing - VC-MEMV-T1-Z-M20 - 1886553

Technical data

General

| | |
|------------------------------|------------------|
| Cable exit | Angled |
| Screw connection | none |
| Type of the screw connection | M20 |
| Housing material | Zinc die-cast |
| Housing surface material | Nickel-plated |
| Seal material | EPDM, conductive |
| Material of locking screw | V2A |

Classifications

eCl@ss

| | |
|------------|----------|
| eCl@ss 4.0 | 27140816 |
| eCl@ss 4.1 | 27140816 |
| eCl@ss 5.0 | 27371205 |
| eCl@ss 5.1 | 27371205 |
| eCl@ss 6.0 | 27371205 |
| eCl@ss 7.0 | 27371205 |
| eCl@ss 8.0 | 27440202 |

ETIM

| | |
|----------|----------|
| ETIM 2.0 | EC000437 |
| ETIM 3.0 | EC000437 |
| ETIM 4.0 | EC000437 |
| ETIM 5.0 | EC000437 |

UNSPSC

| | |
|---------------|----------|
| UNSPSC 6.01 | 31261502 |
| UNSPSC 7.0901 | 31261502 |
| UNSPSC 11 | 31261502 |
| UNSPSC 12.01 | 31261502 |
| UNSPSC 13.2 | 31261502 |

Approvals

Approvals

Approvals

GOST

Housing - VC-MEMV-T1-Z-M20 - 1886553

Approvals

Ex Approvals


Approvals submitted

Approval details




Drawings

Dimensioned drawing



Dimensioned drawing



Dimensioned drawing

