
CMLT5088EM

SURFACE MOUNT SILICON DUAL, MATCHED NPN TRANSISTOR





SOT-563 CASE

• Device is ***Halogen Free*** by design

www.centralsemi.com

DESCRIPTION:

The CENTRAL SEMICONDUCTOR CMLT5088EM consists of two individual, isolated 5088E NPN silicon transistors with matched $V_{BE(ON)}$ characteristics. This device is designed for applications requiring high gain and low noise.

MARKING CODE: 88M

FEATURES:

• Transistor pair matched for $V_{BE(ON)}$

MAXIMUM RATINGS: (T_A=25°C)	**SYMBOL**		**UNITS**
Collector-Base Voltage	V_{CBO}	50	V
Collector-Emitter Voltage	V_{CEO}	50	V
Emitter-Base Voltage	V_{EBO}	5.0	V
Continuous Collector Current	I_C	100	mA
Power Dissipation	P_D	350	mW
Operating and Storage Junction Temperature	T_J, T_{stg}	-65 to +150	°C
Thermal Resistance	Θ_{JA}	357	°C/W

ELECTRICAL CHARACTERISTICS PER TRANSISTOR: (T_A=25°C unless otherwise noted)

SYMBOL	**TEST CONDITIONS**	**MIN**	**TYP**	**MAX**	**UNITS**
I_{CBO}	V_{CB}=20V			50	nA
I_{EBO}	V_{EB}=3.0V			50	nA
BV_{CBO}	I_C=100μA	50	135		V
BV_{CEO}	I_C=1.0mA	50	65		V
BV_{EBO}	I_E=100μA	5.0	8.7		V
$V_{CE(SAT)}$	I_C=10mA, I_B=1.0mA		45	100	mV
$V_{CE(SAT)}$	I_C=100mA, I_B=10mA		110	400	mV
$V_{BE(SAT)}$	I_C=10mA, I_B=1.0mA		700	800	mV
h_{FE}	V_{CE}=5.0V, I_C=0.1mA	300	430	900	
h_{FE}	V_{CE}=5.0V, I_C=1.0mA	300	435		
h_{FE}	V_{CE}=5.0V, I_C=10mA	300	430		
h_{FE}	V_{CE}=5.0V, I_C=100mA	50	125		
f_T	V_{CE}=5.0V, I_C=500μA, f=20MHz	100			MHz
C_{ob}	V_{CB}=5.0V, I_E=0, f=1.0MHz			4.0	pF
C_{ib}	V_{BE}=0.5V, I_C=0, f=1.0MHz			15	pF
h_{fe}	V_{CE}=5.0V, I_C=1.0mA, f=1.0kHz	350		1400	
NF	V_{CE}=5.0V, I_C=100μA, R_S=10kΩ f=10Hz to 15.7kHz			3.0	dB

MATCHING CHARACTERISTICS:


SYMBOL	**TEST CONDITIONS**	**MIN**	**MAX**	**UNITS**
$\lvert V_{BE1}-V_{BE2}\rvert$	V_{CE}=5.0V, I_C=1.0μA		10	mV
$\lvert V_{BE1}-V_{BE2}\rvert$	V_{CE}=5.0V, I_C=5.0μA		10	mV
$\lvert V_{BE1}-V_{BE2}\rvert$	V_{CE}=5.0V, I_C=10μA		10	mV
$\lvert V_{BE1}-V_{BE2}\rvert$	V_{CE}=5.0V, I_C=100μA		10	mV

R3 (29-June 2015)

CMLT5088EM

SURFACE MOUNT SILICON
DUAL, MATCHED
NPN TRANSISTOR


SOT-563 CASE - MECHANICAL OUTLINE




DIMENSIONS				
	INCHES		MILLIMETERS	
SYMBOL	MIN	MAX	MIN	MAX
A	0.0027	0.007	0.07	0.18
B	0.008		0.20	
C	0.017	0.024	0.45	0.60
D	0.059	0.067	1.50	1.70
E	0.020		0.50	
F	0.059	0.067	1.50	1.70
G	0.043	0.051	1.10	1.30
H	0.006	0.012	0.15	0.30

SOT-563 (REV: R2)

CMLT5088EM Typical $V_{BE(ON)}$



PIN CONFIGURATION



LEAD CODE:
1) Emitter Q1
2) Base Q1
3) Collector Q2
4) Emitter Q2
5) Base Q2
6) Collector Q1

MARKING CODE: 88M

CMLT5088EM

SURFACE MOUNT SILICON
DUAL, MATCHED
NPN TRANSISTOR

SERVICES

- Bonded Inventory
- Custom Electrical Screening
- Custom Electrical Characteristic Curves
- SPICE Models
- Custom Packaging
- Package Base Options
- Custom Device Development / Multi Discrete Modules (MDM™)
- Bare Die Available for Hybrid Applications

LIMITATIONS AND DAMAGES DISCLAIMER: In no event shall Central be liable for any collateral, indirect, punitive, incidental, consequential, or exemplary damages in connection with or arising out of a purchase order or contract or the use of products provided hereunder, regardless of whether Central has been advised of the possibility of such damages. Excluded damages shall include, but not be restricted to: cost of removal or reinstallation, rework, ancillary costs to the procurement of substitute products, loss of profits, loss of savings, loss of use, loss of data, or business interruption. No claim, suit, or action shall be brought against Central more than two (2) years after the related cause of action has occurred.

In no event shall Central's aggregate liability from any warranty, indemnity, or other obligation arising out of or in connection with a purchase order or contract, or any use of any Central product provided hereunder, exceed the total amount paid to Central for the specific products sold under a purchase order or contract with respect to which losses or damages are claimed. The existence of more than one (1) claim against the specific products sold to Buyer under a purchase order or contract shall not enlarge or extend this limit.

Buyer understands and agrees that the foregoing liability limitations are essential elements of a purchase order or contract and that in the absence of such limitations, the material and economic terms of the purchase order or contract would be substantially different.

R3 (29-June 2015)