

## Data sheet | Item number: 706-5030/204-200

System cable; for Gefanuc 9030; 6 digital outputs for higher voltages;  
Length: 2 m; Conductor cross-section: 0.34 mm<sup>2</sup>



[www.wago.com/706-5030/204-200](http://www.wago.com/706-5030/204-200)



### Data Notes

Note	If less than 3 channels used at the same time, the maximum current per wire 2 A and up to 5 A (amb. T 30 °C) or 3.5 A (amb. T 50 °C) on the power supply pins N/L. If more than 3 channels used at the same time, the maximum current per wire 0.75 A and up to 5 A (amb. T 30 °C) or 3.5 A (amb. T 50 °C) on the power supply pins N/L.
------	--

### Electrical data

Inputs/outputs	6 digital outputs; for higher voltages
Operating voltage	≤ AC/DC 35 V
Current per wire (max.)	0.75 A

### Connection data

Compatible PLC Modules	GE Fanuc 9030
Compatible PLC I/O Card Types	IC693 MDL734
Connection type (1)	System
Pole number 1	10
Pluggable connectors	WAGO 231 Series
Connection type 2	System
Pole number 2	10
Connector 2	WAGO 231 Series
Connection type (3)	System

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



Pole number 3	20
Connector 3	GeFanuc IC 693 ACC 311
Cable type	LiYY
Wire cross-section	0.34 mm <sup>2</sup>
Color code	per DIN VDE 47100

**Physical data**

Cable length	2 m
--------------	-----

**Material data**

Weight	1.1 g
--------	-------

**Environmental requirements**

Surrounding air temperature (operation)	-20 ... 50 °C
---	---------------

**Commercial data**

PU (SPU)	1 Stück
Packaging type	box
GTIN	4055143044981

**Downloads****Documentation****System Description**

WAGO System Wiring, Selection Guide	pdf	Download
This guide will help you select the appropriate interface modules and system cables for the controller you are usng.	545.9 kB	

**Environmental Product Compliance****Compliance Search**

Environmental Product Compliance 706-5030/204-200	URL	Download
System cable; for Gefanuc 9030; 6 digital outputs for higher voltages; Length: 2 m; Conductor cross-section: 0.34 mm <sup>2</sup>		

Subject to changes. Please also observe the further product documentation!



## Installation Notes

Subject to changes. Please also observe the further product documentation!

---

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.