

## Cable sleeve - CES-SRC-BK - 0801718

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Small, unslopped cable sleeves suitable for cables with a diameter of 2 ... 11 mm, material: NBR

### Product Description

Unslopped sleeves for accommodating cables and lines with a diameter of 2 ... 11 mm, can be used in CES sealing frames

RoHS

### Key Commercial Data

|              |                                                                                                         |
|--------------|---------------------------------------------------------------------------------------------------------|
| Packing unit | 10 pc                                                                                                   |
| GTIN         | <br>4 046356 675185 |
| GTIN         | 4046356675185                                                                                           |

### Technical data

#### Dimensions

|                         |                |
|-------------------------|----------------|
| External cable diameter | 2 mm ... 11 mm |
| Length                  | 29.5 mm        |
| Width                   | 19.5 mm        |
| Height                  | 17 mm          |

#### Ambient conditions

|                                 |                            |
|---------------------------------|----------------------------|
| Degree of protection            | IP54                       |
|                                 | IP65                       |
| Ambient temperature (operation) | -40 °C ... 125 °C (static) |

#### General

|                     |                                                                                                                        |
|---------------------|------------------------------------------------------------------------------------------------------------------------|
| Product description | Unslopped sleeves for accommodating cables and lines with a diameter of 2 ... 11 mm, can be used in CES sealing frames |
| No. of conductors   | 1                                                                                                                      |
| Material            | NBR                                                                                                                    |
|                     | NBR                                                                                                                    |
| Color               | black                                                                                                                  |

## Cable sleeve - CES-SRC-BK - 0801718

### Technical data

#### General


|                           |                                                                                                                                                                                                                                                                                                                  |
|---------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Installation instructions | IP54: for vertical sealing frame mounting/for horizontal sealing frame mounting (downward cable outlet direction). IP65: vertical mounting/ horizontal mounting (downward cable outlet direction) of the sealing frame directly on the housing panel and use of a 3.6 mm wide cable binder (e.g., item 3240744). |
|---------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

#### Environmental Product Compliance

|            |                                                         |
|------------|---------------------------------------------------------|
| China RoHS | Environmentally friendly use period: unlimited = EFUP-e |
|            | No hazardous substances above threshold values          |

### Drawings

Dimensional drawing



Dimensional drawing

### Classifications

#### eCl@ss

|               |          |
|---------------|----------|
| eCl@ss 10.0.1 | 27144425 |
| eCl@ss 4.0    | 27081000 |
| eCl@ss 4.1    | 27081000 |
| eCl@ss 5.0    | 27081000 |
| eCl@ss 5.1    | 27081000 |
| eCl@ss 6.0    | 27081000 |
| eCl@ss 7.0    | 27069220 |
| eCl@ss 8.0    | 27069220 |
| eCl@ss 9.0    | 27144425 |

## Cable sleeve - CES-SRC-BK - 0801718

### Classifications

#### ETIM

|          |          |
|----------|----------|
| ETIM 3.0 | EC000879 |
| ETIM 4.0 | EC000451 |
| ETIM 5.0 | EC000451 |
| ETIM 6.0 | EC000451 |
| ETIM 7.0 | EC000451 |

#### UNSPSC

|               |          |
|---------------|----------|
| UNSPSC 6.01   | 30212109 |
| UNSPSC 7.0901 | 39121708 |
| UNSPSC 11     | 39121708 |
| UNSPSC 12.01  | 39121708 |
| UNSPSC 13.2   | 30181807 |
| UNSPSC 18.0   | 39121448 |
| UNSPSC 19.0   | 39121448 |
| UNSPSC 20.0   | 39121448 |
| UNSPSC 21.0   | 39121448 |

### Approvals

#### Approvals

Approvals

DNV GL

Ex Approvals

#### Approval details

|        |                                                                                     |                                                                                   |            |
|--------|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------|
| DNV GL |  | <a href="https://approvalfinder.dnvgl.com/">https://approvalfinder.dnvgl.com/</a> | TAE00003VJ |
|--------|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------|

### Accessories

Accessories

Cable tie

## Cable sleeve - CES-SRC-BK - 0801718

### Accessories

Cable tie - WT-HF 2,5X98 BK - 3240733



Cable binders for quick and secure bundling, standard version

---

Phoenix Contact 2020 © - all rights reserved  
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG  
Flachsmarktstr. 8  
32825 Blomberg  
Germany  
Tel. +49 5235 300  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.com>