



## Main

|                                    |                                                                               |
|------------------------------------|-------------------------------------------------------------------------------|
| Accessory / separate part category | Cabling accessories                                                           |
| Accessory / separate part type     | Connector                                                                     |
| Electrical connection              | Elbowed female connector M12, 4 pins                                          |
| Collar material                    | Metal                                                                         |
| Status LED                         | Without                                                                       |
| Cable connection                   | Screw terminal / wire size <0.75 mm <sup>2</sup> / clamping capacity 3...6 mm |

## Complementary

|                                |                      |
|--------------------------------|----------------------|
| Cable gland type               | Pg 7                 |
| Cable connector fixing         | Screw-on             |
| [Ue] rated operational voltage | 125 V AC<br>150 V DC |
| [In] rated current             | 3 A                  |
| Enclosure material             | Plastic              |
| Minimum insulating resistance  | 1000 GΩ              |
| Contact resistance             | 8000 μOhm            |
| Net weight                     | 0.02 kg              |

## Environment

|                                       |             |
|---------------------------------------|-------------|
| IP degree of protection               | IP67        |
| Ambient air temperature for operation | -40...85 °C |

## Packing Units

|                  |          |
|------------------|----------|
| Package 1 Weight | 0.028 kg |
| Package 1 Height | 0.250 dm |
| Package 1 width  | 0.900 dm |
| Package 1 Length | 0.700 dm |

## Offer Sustainability

|                            |                                                                                 |
|----------------------------|---------------------------------------------------------------------------------|
| REACH Regulation           | REACH Declaration                                                               |
| EU RoHS Directive          | Pro-active compliance (Product out of EU RoHS legal scope)  EU RoHS Declaration |
| Mercury free               | Yes                                                                             |
| RoHS exemption information | Yes                                                                             |

## Contractual warranty

|          |           |
|----------|-----------|
| Warranty | 18 months |
|----------|-----------|

- (1) Cable gland : no. 7 plastic (Pg 7)

---

## Connections and Schemes

---

