




REVISIONS



変更

P	LTR	DESCRIPTION	DATE	DWN	APVD
	D1	REVISED	27MAR2020	N. U	K. K
	D2	REVICED	12DEC2022	M. T	H. T

1981959-1; AS SHOWN



SECT X-X
SCALE 5:1



1	—	STEEL WIRE	COIL SPRING	8
1	—	STAINLESS	CAM ROD	7
1	ALL OVER Ni; 1um MIN SOLDERING AREA; MATTE TIN PLATING	COPPER ALLOY	SHELL	6
1	ALL OVER Ni; 1um MIN CONTACT AREA; Au 0.05um MIN SOLDERING AREA; TIN PLATING	COPPER ALLOY	SWITCH B	5
1	ALL OVER Ni; 1um MIN CONTACT AREA; Au 0.05um MIN SOLDERING AREA; TIN PLATING	COPPER ALLOY	SWITCH A	4
1	COLOR; BLACK	LCP	SLIDER	3
6	ALL OVER Ni; 1um MIN CONTACT AREA; Au 0.4um MIN SOLDERING AREA; Au 0.05um MIN	COPPER ALLOY	CONTACT	2
1	COLOR; BLACK	LCP	HOUSING	1
QTY	FINISH	MATERIAL	DESCRIPTION	ITEM


1. CONNECTOR INITIAL COPLANARITY; 0.1mmMAX.

2. MARK DATE CODE

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
単位: mm

TOLERANCES UNLESS
OTHERWISE SPECIFIED:



MATERIAL
材料 SEE TABLE

FINISH
仕上 SEE TABLE

DWN 02NOV2007

C. OHASHI

CHK 02NOV2007

Y. NAKAZAWA

APVD 08NOV2007

T. FUTATSUGI

PRODUCT SPEC

製品規格

108-78454

APPLICATION SPEC

取付適用規格

WEIGHT

1.2g



TE Connectivity

NAME

名称

SIM CONNECTOR
PUSH-PUSH TYPE
H1.87 WITH SWITCH

SIZE

CAGE CODE

DRAWING NO

番号

RESTRICTED TO

—

A300779

C-1981959

Customer Drawing

SCALE

尺度

4:1

SHEET

1

OF

5

REV

D2

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20071017

© COPYRIGHT 2007

BY TYCO ELECTRONICS CORPORATION.


ALL RIGHTS RESERVED.

REVISIONS

変更

P	LTR	DESCRIPTION	DATE	DWN	APVD


1981959-1; AS SHOWN



FRANGE CORE DIA
Ø100±1

Ø380±1
REEL DIA.

32.4⁺²₀
38.4 MAX
REEL WIDTH



WEEDING THE COVER TAPE
300 REF
カバーテープリーダ部

剥離角度165°~180°
PEELING ANGLE
剥離強度; 0.1~1.3N MAX(300mm/min)
PEELING STRENGTH


製品装填部
WITH PRODUCT CHARGE
800個/1リール
800EA/1REEL

空部 7~10穴
WITHOUT CHARGE
7~10HOLES

300 REF
空部
WITHOUT CHARGE

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
単位: 耗
mm



MATERIAL
材料

TOLERANCES UNLESS
OTHERWISE SPECIFIED:
一般公差 ±0.2

0-PLC	±
1-PLC	±
2-PLC	±
3-PLC	±
4-PLC	±
ANGLES	±

FINISH
仕上

DWN

CHK

APVD

PRODUCT SPEC
製品規格

APPLICATION SPEC
取付適用規格

WEIGHT

Customer Drawing



TE Connectivity

NAME
名称

SIM CONNECTOR
PUSH-PUSH TYPE
HI.87 WITH SWITCH

SIZE

CAGE CODE

DRAWING NO
番号

RESTRICTED TO
-

A300779C-1981959

SCALE
尺度 4:1


SHEET
2 OF 5

REV
D2

REVISIONS 変更					
P	LTR	DESCRIPTION	DATE	DWN	APVD

FOR ENGINEERING EVALUATION

*THERE IS NO SIM CARD LOCK IN THIS CONNECTOR.
PLEASE HOLD THE CARD EDGE AS SHOWN IN THE FIGURE BELOW AT TIME OF USE.



THIS DRAWING IS A CONTROLLED DOCUMENT.		TE Connectivity			
		NAME 名称 SIM CONNECTOR PUSH-PUSH TYPE HI.87 WITH SWITCH			
DIMENSIONS: 単位: 耗 mm	TOLERANCES UNLESS OTHERWISE SPECIFIED: 一般公差 ±0.25	PRODUCT SPEC 製品規格	SIZE	CAGE CODE	DRAWING NO 番号
	0-PLC ±	APPLICATION SPEC 取付適用規格	A3	00779	C-1981959
	1-PLC ±	WEIGHT	RESTRICTED TO -		
MATERIAL 材料	FINISH 仕上	Customer Drawing	SCALE 尺度	SHEET 5 OF 5	REV D2