


Data sheet | Item number: 2002-2792

End plate; 0.8 mm thick; orange

www.wago.com/2002-2792



Data

Physical data

Width	0.8 mm / 0.031 inch
Height	92.5 mm / 3.642 inch
Depth	51.7 mm / 2.035 inch

Material data

Color	orange
Flammability class per UL94	V0
Weight	3 g

Commercial data

PU (SPU)	100 (25) Stück
Packaging type	box
Country of origin	DE
GTIN	4055143622028
Customs tariff number	85389099990

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Downloads

Documentation

Bid Text

2002-2792 X81 - Datei	2019. 2. 19.	xml 2.6 kB	Download
--------------------------	--------------	---------------	----------

2002-2792 doc - Datei	2018. 1. 3.	doc 24.1 kB	Download
--------------------------	-------------	----------------	----------

Additional Information

Technical explanations		pdf 2.2 MB	Download
------------------------	--	---------------	----------

CAD/CAE-Data

CAD data

2D/3D Models 2002-2792		URL	Download
------------------------	--	-----	----------

CAE data

EPLAN Data Portal 2002-2792		URL	Download
-----------------------------	--	-----	----------

ZUKEN Portal 2002-2792		URL	Download
------------------------	--	-----	----------

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 2002-2792 End plate; 0.8 mm thick; orange		URL	Download
---	--	-----	----------

Installation Notes

Subject to changes. Please also observe the further product documentation!



Product family

TOPJOB® S

TOPJOB® S: In various industrial applications and modern building installations, WAGO's wide and versatile range of rail-mount terminal blocks provides more than just reliable electrical connections.

[Show all products from the family](#)

Subject to changes. Please also observe the further product documentation!