

This document was generated on 09/16/2013 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: 91813-9006						
		<u>91813-9006</u>				
Status:		Active				
	Overview:	KK® Interconnect System				
	Description:	5.08 Pitch, KK®, CRP Terminal HSG, Glow Wire compatible, 6 Circuits, White, Glow				
		Wire Compatible				
				and the second		
	Documents:					
	<u>3D Model</u>		Product Specification PS-99020-0087 (PDF)			
	Drawing (PDF)	RoHS Cert	ificate of Compliance (PDF)			
					Series	
	General	eral L		image - Ref	ference only	
	Product Family	Crimp Housi	ngs			
	Series	<u>91813</u>		EU RoHS	China RoHS	
	Application	Power, Wire-		ELV and RoHS		
	Comments	This Molex p	roduct is manufactured from material	Compliant		
			ollowing ratings, tested by independent	REACH SVHC		
) A Glow Wire Ignition Temperature (GWIT)	Contains SVHC: No		
			5 deg C per IEC 60695-2-13 b) A Glow	Low-Halogen Status		
			bility Index (GWFI) above 850 deg C	Not Reviewed		
		· · · · · · · · · · · · · · · · · · ·	per IEC 60695-2-12.and hence complies with the	Need more information	on on product	
		•	requirements set out in the International Standard IEC		environmental compliance?	
			60335-1 5th edition - household and similar electrical appliances - safety; section 30 Resistance to heat and fire. <p><p>The customers using this product</p></p>		Email <u>productcompliance@molex.com</u> For a multiple part number RoHS Certificate of	
			ne its suitability for use in their particular rough testing or other acceptable means	Compliance, <u>click here</u>		
			as described in end-product glow-wire flammability		Please visit the Contact Us section for any	
			test standard IEC 60695-2-11 and any applicable product end-use standard(s). <p>If it is determined</p>		non-product compliance questions.	
			stomer's evaluation of suitability, that			
			higher performance is required, please contact Molex for possible product options.		Search Parts in this Series	
	Overview	KK® Intercol	inect System	<u>91813</u> Series		
Product Name		KK®				
	UPC	8007567838	800756783864 Mates With			
	Dhysical			KK® Header <u>3003</u> , <u>2599</u>		
Physical		No				
Breakaway Circuits (maximum) Color - Resin Gender		No 6		Use With		
		o Natural (Whi		KK® Crimp Terminal 2478 , 2578		
		Female	e)			
	Glow-Wire Compliant	Yes				
	Material - Resin	Nylon				
	Net Weight	1.830/g				
Number of Rows		1.050/g 1				
	Packaging Type	Bag				
	Panel Mount	No				
	Pitch - Mating Interfac					
	Pitch - Termination Int					
	Polarized to Mating Pa					
	Ports	1				
	Stackable	No				
	Temperature Range -	Operating See Product	Specification			
	- C	-				

PS-99020-0087 SD-91813-001

This document was generated on 09/16/2013 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION