

## Data sheet | Item number: 706-2500/602-200

System cable; for Siemens S7-1500; 4 analog inputs and 2 analog outputs, voltage, current, version 2; Length: 2 m; Conductor cross-section: 0.25 mm<sup>2</sup>



[www.wago.com/706-2500/602-200](http://www.wago.com/706-2500/602-200)



### Data Notes

Note	When using more than 10 wires, the maximum current per wire must be reduced to 1 A.
------	---

### Electrical data

Inputs/outputs	4 analog inputs and 2 analog outputs; voltage
Operating voltage	≤ AC/DC 35 V
Current per wire (max.)	2 A

### Connection data

Compatible PLC Modules	Siemens S7-1500
Compatible PLC I/O Card Types	6ES7 534-7QE00-0AB0
Connection type (1)	System
Pole number 1	25
Pluggable connectors	D-sub female connector
Connection type 2	System
Pole number 2	40
Connector 2	Siemens 6ES7-592-1AM00-0XB0
Cable type	LIYCY
Wire cross-section	0.25 mm <sup>2</sup>
Color code	per DIN VDE 47100

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



## Physical data

Cable length	2 m
--------------	-----

## Material data

Weight	567 g
--------	-------

## Environmental requirements

Surrounding air temperature (operation)	-20 ... 50 °C
---	---------------

## Commercial data

PU (SPU)	1 Stück
Packaging type	bag
Country of origin	FR
GTIN	4055143602242
Customs tariff number	85444290900

## Downloads

### Documentation

#### System Description

WAGO System Wiring, Selection Guide This guide will help you select the appropriate interface modules and system cables for the controller you are usng.	pdf 545.9 kB	Download
---	-----------------	----------

## Environmental Product Compliance

### Compliance Search

Environmental Product Compliance 706-2500/602-200 System cable; for Siemens S7-1500; 4 analog inputs and 2 analog outputs, voltage, current, version 2; Length: 2 m; Conductor cross-section: 0.25 mm <sup>2</sup>	URL	Download
---	-----	----------

## Installation Notes

Subject to changes. Please also observe the further product documentation!