



Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



## Data

### Technical data

Connection type	M12 socket; M12 socket - M12 plug
Pole No.	5
Connector interface coding (cable/adaptor) 1 1	A-coded
Connector interface coding (cable/adaptor) 2 1	A-coded
Connector interface coding (cable/adaptor) 1 2	A-coded
Insulation resistance	1000 MΩ

### Mechanical data

Weight	28 g
--------	------

### Environmental requirements

Protection type	IP67
Note on protection type	In fully locked position
Pollution degree (5)	3

Subject to changes. Please also observe the further product documentation!



## Commercial data

PU (SPU)	1 Stück
Packaging type	box
Country of origin	DE
GTIN	4045454835637
Customs tariff number	85366990990

## Downloads

### Documentation

#### Bid Text

756-9301/050-000 X81 - Datei	2019. 2. 19.	xml 2.7 kB	Download
756-9301/050-000 doc - Datei	2017. 9. 20.	doc 24.6 kB	Download

### System Description

IP67 Cables and Pluggable Connectors	pdf 293.9 kB	Download
--------------------------------------	-----------------	----------

## CAD/CAE-Data

### CAE data

WSCAD Universe 756-9301/050-000	URL	Download
WSCAD Universe 756-9301/050-000	URL	Download

## Environmental Product Compliance

### Compliance Search

Environmental Product Compliance 756-9301/050-000 Accessories; 5-pole	URL	Download
--	-----	----------

## Installation Notes

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
 Hansastr. 27  
 32423 Minden  
 Phone: +49571 887-0 | Fax: +49571 887-169  
 Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
 We are always happy to take your call at +49 (571) 887-44222.