


TDK

**Brand** 



Size		
Length(L)	2.50mm ±0.20mm	
Width(W)	2.00mm ±0.10mm	
Thickness   Height	1.80mm ±0.10mm	
Recommended Land Pattern (A)	1.00mm Nom.	
Recommended Land Pattern (B)	1.50mm Nom.	
Recommended Land Pattern (C)	1.50mm Nom.	

Electrical Characteristics		
Inductance	470nH ±20% at 25.2MHz	
Rated Current	1.34A	
DC Resistance [Typ.]	80mΩ	
DC Resistance [Max.]	96mΩ	
Self Resonant Frequency [Min.]	220MHz	
Self Resonant Frequency [Typ.]		
Q [Min.]		
Q [Typ.]	5	
	25200000	


Other		
Operating Temp. Range (Including Self-Temp. Rise)	-40 to 125°C	
Soldering Method	Wave (Flow)	
	Reflow	
	Iron Soldering	
AEC-Q200	YES	
Packing	Embossed (Plastic)Taping [180mm Reel]	
Package Quantity	2000pcs	
Weight	0.025g	


<sup>!</sup> Images are for reference only and show exemplary products.


<sup>!</sup> This PDF document was created based on the data listed on the TDK Corporation website.


<sup>!</sup> All specifications are subject to change without notice.


## Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)















<sup>!</sup> Images are for reference only and show exemplary products.

<sup>!</sup> This PDF document was created based on the data listed on the TDK Corporation website.

<sup>!</sup> All specifications are subject to change without notice.

## Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)





<sup>!</sup> Images are for reference only and show exemplary products.

<sup>!</sup> This PDF document was created based on the data listed on the TDK Corporation website.

<sup>!</sup> All specifications are subject to change without notice.

## **Associated Images**





 $<sup>!\ \</sup>mbox{Images}$  are for reference only and show exemplary products.

<sup>!</sup> This PDF document was created based on the data listed on the TDK Corporation website.

<sup>!</sup> All specifications are subject to change without notice.