

This document was generated on 04/13/2012

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: 11-40-2001 Status: **Active** Terminator Die **Description:**

Documents:

RoHS Certificate of Compliance (PDF)

General

Product Family Application Tooling

T1801 Series **Function** Crimp Geographic Area Global

Level of Automation Semi-Automatic

More Detailed Tech Information applicationtooling@molex.com

Product Name

Survey www.molex.com//review/apptool_survey.html

Tool Type Terminator Die

Material Info


Old Part Number T8300A

Reference - Drawing Numbers

Application Tooling Documents ATS-011402001, TM-638000029, TM-638000029CN,

> TM-638000029DE, TM-638000029FR, TM-638000029IT, TM-638000029JP, TM-638000029KR, TM-638000029MY, TM-638000029PL, TM-638000029RU, TM-638000029SK, TM-638000029SP. TM-638000029TH, TM-638000029TW,

TM-638000029VN, TM-638500090, TM-638500090SP



EU RoHS

China RoHS

Compliance Status Not Reviewed REACH SVHC Not Reviewed Low-Halogen Status

Not Reviewed

Need more information on product environmental compliance?

Email productcompliance@molex.com For a multiple part number RoHS Certificate of Compliance, click here

Please visit the Contact Us section for any non-product compliance questions.

Search Parts in this Series

T1801Series

Use With

Molex TM-42™ press 0690025001 and base unit 0011193001 for the 3BF press

Application Tooling | FAQ **Description**

Product #

2.36mm Diameter, 0002092166

Standard .093" Pin and Socket Crimp

Terminal, Series

4549, Male, with

Tin (Sn) Plated

Phosphor Bronze

Contact, 14-20 AWG,

Reel Packaged

2.36mm Diameter, 0002091102

Standard .093" Pin and Socket Crimp

Terminal, Series

1189, Female, with

Tin (Sn) Plated Brass

Contact, 14-20 AWG, Reel 2.36mm Diameter, 0039000281 Standard .093" Pin and Socket Crimp Terminal, Series 1189, Female, with Tin (Sn) over **Copper Plated Brass** Contact, 14-20 AWG, Reel 2.36mm Diameter, 0039000282 Standard .093" Pin and Socket Crimp Terminal, Series 1189, Female, with Tin (Sn) over **Copper Plated Brass** Contact, 14-20 AWG, Reel, with Dimple 2.36mm Diameter, 0039000296 Standard .093" Pin and Socket Crimp Terminal, Series 1190, Male, with Tin (Sn) over **Copper Plated Brass** Contact, 14-20 AWG, Reel 2.36mm Diameter, 0002091205 Standard .093" Pin and Socket Crimp Terminal, Series 4550, Female, with Tin (Sn) Plated Phosphor Bronze Contact, 14-20 AWG, Reel 2.36mm Diameter, 0002092101 Standard .093" Pin and Socket Crimp Terminal, Series 1190, Male, with Tin (Sn) Plated Brass Contact, 14-20 AWG, Reel 2.36mm Diameter, 0002095100 Standard .093" Pin and Socket Crimp Terminal, Series 1189, Female, with Gold (Au) Plated Brass Contact, 14-20 AWG, Reel 2.36mm Diameter, 0002095102 Standard .093" Pin and Socket Crimp Terminal, Series 1189, Female, with Selective Gold (Au) Plated Brass Contact, 14-20 AWG, 2.36mm Diameter, 0002095169

Standard .093" Pin

and Socket Crimp Terminal, Series 4550, Female, with Gold (Au) Plated Phosphor Bronze Contact, 14-20 AWG, Reel 2.36mm Diameter, 0002096100 Standard .093" Pin and Socket Crimp Terminal, Series 1190, Male, with Gold (Au) Plated Brass Contact, 14-20 AWG, Reel 2.36mm Diameter, 0002096101 Standard .093" Pin and Socket Crimp Terminal, Series 1190, Male, with Selective Gold (Au) Plated Brass Contact, 14-20 AWG, Reel

This document was generated on 04/13/2012

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION