

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [0685608101](#)
Status: **Active**
Overview: [ganged_rf](#)
Description: 8 Circuits Male-to-8 Circuits Male, Ganged RF Cable Assembly 1.0m (3.28') Length

Documents:

[Drawing \(PDF\)](#) [RoHS Certificate of Compliance \(PDF\)](#)

General

Product Family	Cable Assemblies
Series	68560
Connector to Connector	Ganged RF-to-Ganged RF
Overview	ganged_rf
Product Name	Ganged RF

Physical

Cable Length	1.0m (3.28')
Circuits (Loaded)	8/8
Gender	Male-Male
Lock to Mating Part	Yes
Material - Plating Mating	Gold
Material - Plating Termination	Gold
Packaging Type	Bag
Plating min: Mating (µin)	30
Plating min: Mating (µm)	0.75
Plating min: Termination (µin)	30
Plating min: Termination (µm)	0.75
Single Ended	No
Wire Insulation Diameter	N/A
Wire Size AWG	22
Wire/Cable Type	Coaxial


Electrical

Current - Maximum per Contact	1A
Impedance	50 ohms
Shielded	No
Voltage - Maximum	5V

Material Info

Reference - Drawing Numbers

Sales Drawing	SD-68560-011
---------------	--------------



EU RoHS

RoHS Compliant by Exemption
REACH SVHC Not Reviewed
Halogen-Free Status Not Reviewed

China RoHS



Need more information on product environmental compliance?

Email productcompliance@molex.com
 For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series

[68560Series](#)

Mates With

[74712 GRF Receptacle](#)

7 6 5 4 3 2 1

DIM. L




TABLE 1

MATERIAL NO.	DIM. L (MM)
68560-8001	500+/-10
68560-8101	1000+/-20
68560-8201	1500+/-20

NOTES:

- HOTMELT OVERMOLD RESIN, BLACK, 887800140
- ELECTRICAL TEST SPEC. REFER TO ES-012 FOR DETAILS.
- THIS PRODUCT MUST MEET MX RoHS COMPLIANCE.

WIRING DIAGRAM

CONN A	CONN B	WIRE COLOR
D2	D2	RED
D5	D5	ORANGE
D8	D8	BLACK
D11	D11	BLUE
B2	B2	VIOLET
B5	B5	YELLOW
B8	B8	WHITE
B11	B11	GREEN

ENTER DESCRIPTION
EC NO: DG2007-0051
DRWN:PDAI
CHKD:
APPR:TKAN

2006/10/20
2006/10/20
2006/10/20
DESCRIPTION
QUALITY SYMBOLS
=0
=0

GENERAL TOLERANCES (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± ---
2 PLACES	± ---	± ---
1 PLACE	± ---	± ---
ANGULAR ± ---°		

DRAFT WHERE APPLICABLE
MUST REMAIN
WITHIN DIMENSIONS

C	8 CKT MALE HOUSING MOLEX: 45349-0002	2 PCS
B	Male contact ass'y MOLEX: 73173-0010	16 PCS
A	8C COAXIAL CABLE MOLEX: 887808570	500(REF.) 1 PC
ITEM	DESCRIPTION	LENGTH(mm) QT'Y

DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION	
MM ONLY		---	METRIC		
DRAWN BY	DATE	TITLE			
PDAI	2006/09/02	8CKT(MALE) TO 8CKT(MALE) GRF CABLE ASS'Y			
CHECKED BY	DATE	MOLEX MOLEX INCORPORATED			
ZXDENG	2006/09/02	MATERIAL NO. DOCUMENT NO. SHEET NO.			
BORON	2006/09/02	SEE TABLE 1	SD-68560-011	1 OF 1	
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					

6 5 4 3 2 1