


IMPEDANCE (Z)			
Frequency	25 MHz	100 MHz	300 MHz
Nominal (REF)	105 Ω	240 Ω	390 Ω
Minimum	- Ω	192 Ω	- Ω

Z vs. FREQUENCY
(REF. ONLY)



AGILENT E4991A Impedance/Material Analyzer
HP 16092A-Test Fixture REF 3158

NOTES:

1. ASSEMBLED PART #: 28A0640-0A0
2. CASE COLOR: WHITE-0A0.
3. CORE DIMENSIONS REFER TO 28A0640-000 SPEC. FERRITE CORE DIMENSION IS FOR INTERNAL PURPOSE TO ENHANCE FITTING TO CASE AND ELECTRICAL CHARACTERISTICS ONLY.
4. COSMETIC SPECIFICATION REFER TO WI-QA-038.

UNCONTROLLED DOCUMENT

CASE DIMENSIONS:

A	20.07 [.790]	+	1.00 [.039]
B	9.07 [.357]	+	1.00 [.039]
C	41.55 [1.636]	+	2.00 [.079]
D	21.57 [.849]	+	1.00 [.039]
E	5.74 [.226]	+	REF.

DIMENSIONS ARE IN mm [INCHES].				This print is the property of Laird Tech. and is loaned in confidence subject to return upon request and with the understanding that no copies shall be made without the written consent of Laird Tech. All rights to design or invention are reserved.					
REV	DESCRIPTION	DATE	INT						
P	UPDATE CASE DIMENSIONS REMOVE CORE DIM AND ADD NOTE 3&4	01/13/14	Jcai	PROJECT/PART NUMBER: 28A0640-0A0		REV	P	PART TYPE: FERRITE SNAP-ON	DRAWN BY: BAC
N	UPDATE COMPANY LOGO	12/28/12	QIU			SCALE:	NTS	MATERIAL:	Ferrite
M	UPDATE CASE DIMENSIONS TO MATCH CASE PRINT	08/23/07	TMB	DATE:	07/12/96	TOOL #	-		
L	UPDATE 100 MHz MINIMUM VALUE	06/11/07	TMB	CAD #	28A0640-0A0-P				
K	UPDATE COMPANY LOGO	04/17/07	TMB						
J	UPDATE Z SPEC 100MHz MIN VALUE	12/11/06	TMB						
REV	DESCRIPTION	DATE	INT						