






LOC		DIST		REVISIONS			
ES	00	P	LTM	DESCRIPTION	DATE	DMN	APVD
		G2		ADDED THE DASH NO -27	11MAY2011	ML	SZ
		G3		REV PER ECR-13-006828	25APR2013	CZ	SZ
		G4		ADDED NEW DASH NUMBER 2-9	03JUN2013	CZ	SZ



- △ OPTIONAL CENTER MODULE, WITH Ø.150 THRU HOLE OR HOLD DOWN FEATURE
- △ "AMP", TRADEMARK, PART NUMBER AND DATE CODE TO BE MARKED IN AREA SHOWN PARTS UNDER 2.00 LONG MAY BE MARKED ON BOTH SIDES
- △ MATERIAL: HOUSING - GLASS FILLED HIGH TEMP THERMO PLASTIC, UL94 V-0
 SIGNAL CONTACT - HIGH CONDUCTIVITY COPPER ALLOY
 POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY
- △ CONTACT PLATING: NOBLE METAL PLATING ON CONTACT FUNCTIONAL AREA OF POWER AND SIGNAL CONTACTS
- △ MECHANICAL CONNECTOR KEEP OUT ZONE
- △ DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER
- △ PCB - ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES
- △ PCB - .0453 ±.0010 DRILLED HOLES PLATED WITH .0003 MIN Sn OVER .001 TO .003 CU PLATING TO ACHIEVE A .040±.003 DIA HOLE
- △ FOR P/N:2-6450150-2.THE VARIABLE DIMENSIONS PLEASE SEE SHEET 7.




THIS DRAWING IS A CONTROLLED DOCUMENT.		DMN: R.GRZYBOWSKI 16FEB05	TE Connectivity
DIMENSIONS: INCHES		CHK: M.PERCHEKKE 16FEB05	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD: M.PERCHEKKE	NAME: VERTICAL RECEPTACLE ASSEMBLY WITH GUIDES MULTI-BEAM XL
0 PLC ±.01	1 PLC ±.01	PRODUCT SPEC: 108-1973	SIZE: A1
2 PLC ±.005	3 PLC ±.005	APPLICATION SPEC: 114-13038	CAGE CODE: 6450150
4 PLC ±.0020	ANGLES ±.7°	WEIGHT: -	RESTRICTED TO: -
MATERIAL: △3	FINISH: △4	CUSTOMER DRAWING	SCALE: 1:1 SHEET 1 OF 12 REV: G5

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
 © COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS					
		P	LTN	DESCRIPTION	DATE	DWN	APVD
ES	00	-	-	SEE SHEET 1	-	-	-

WITH	2.650	.200	.250	1.550	.875	2.700	-	3.000	.450	2P + 24S + 6P	2-6450150-9
WITH	2.300	.250	.300	1.950	1.275	2.350	-	2.650	.475	3ACP + 24S + 2P	2-6450150-8
WITH	5.150	.300	.300	3.550	2.700	5.200	-	5.500	.450	8ACP + 32S + 6ACP	2-6450150-7
WITH	2.800	.300	.250	2.075	1.375	2.850	-	3.150	.450	4P + 24S + 3ACP	2-6450150-6
WITH	3.800	.300	.250	1.875	1.375	3.850	-	4.150	.450	4P + 16S + 7ACP	2-6450150-5
WITH	2.400	.200	.200	2.100	.825	2.450	-	2.750	.450	2P + 48S + 2P	2-6450150-4
WITH	1.700	.250	.250	1.350	.875	1.750	-	2.050	.450	2P + 16S + 2P	2-6450150-3
WITHOUT	5.500	.300	.300	3.175	2.525	5.550	-	5.850	.475	7ACP+20S+4ACP+5P	2-6450150-2
WITH	2.900	.250	.250	2.550	.875	2.950	-	3.250	.450	2P + 64S + 2P	2-6450150-1
WITH	3.550	-	.300	2.550	1.275	3.600	-	3.900	.475	3ACP + 48S + 5P	2-6450150-0
WITH	4.000	-	-	-	.375	4.050	-	4.350	-	148S	1-6450150-9
WITH	2.800	.250	.250	1.700	1.125	2.850	-	3.150	.450	3P + 20S + 5P	1-6450150-8
WITH	2.200	.250	.250	1.350	.875	2.250	-	2.550	.450	2P + 16S + 4P	1-6450150-7
WITH	3.500	.300	.250	2.775	2.375	3.550	-	3.850	.450	8P + 12S + 3ACP	1-6450150-3
WITH	2.300	.250	.300	1.950	1.275	2.350	-	2.650	.475	3ACP + 24S + 2P	6450150-9
WITH	1.575	-	-	1.425	.700	1.625	-	1.925	.475	1P + 24S + 1P	6450150-8
WITH	3.000	.250	.250	2.150	1.425	3.050	-	3.350	.450	4P + 24S + 4P	6450150-6
WITH	2.500	.300	.250	1.800	1.125	2.550	-	2.850	.450	3P + 24S + 3ACP	6450150-5
WITH	2.675	.200	.200	2.375	1.650	2.725	-	3.025	.475	5P + 24S + 2P	6450150-4
WITH	2.800	.300	.250	2.075	1.375	2.850	-	3.150	.450	4P + 24S + 3ACP	6450150-3
WITH	3.550	-	.300	2.550	1.275	3.600	-	3.900	.475	3ACP + 48S + 5P	6450150-2
WITH	4.350	.250	.250	3.500	2.625	4.400	-	4.700	.450	9P + 32S + 4P	6450150-1
HOLD DOWN	U	T	S	R	W	D	M	L	K	DESCRIPTION	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN R. GRZYBOWSKI CHK M. PERCHERKE APVD M. PERCHERKE	16FEB05 16FEB05	 TE Connectivity NAME VERTICAL RECEPTACLE ASSEMBLY WITH GUIDES MULTI-BEAM XL
DIMENSIONS: INCHES	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±. 2 PLC ±.01 3 PLC ±.005 4 PLC ±.0020 ANGLES ±.7°	PRODUCT SPEC 108-1973 APPLICATION SPEC 114-13038	SIZE A100779	
MATERIAL	FINISH	WEIGHT	SCALE 1:1	RESTRICTED TO SHEET 2 OF 12 REV G5
CUSTOMER DRAWING		DRAWING NO 6450150		



LOC	DIST	REVISIONS			
P	LTN	DESCRIPTION	DATE	DNW	APVD
ES	00	SEE SHEET 1	-	-	-

PART NUMBER	ROWS	POWER (L)				SIGNAL								POWER (R)					HD							
		P13	P12	P11	P10	8	7	6	5	4	3	2	1	P9	P8	P7	P6	P5		P4	P3	P2	P1			
6450150-1	D C B A	VM	VM	VA	VM	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	VA	VM	VM	HD

9P + 32S + 4P


PART NUMBER	ROWS	POWER (L)				SIGNAL												POWER (R)			HD								
		P8	P7	P6	P5	P4	12	11	10	9	8	7	6	5	4	3	2	1	P3	P2		P1							
6450150-2	D C B A	VM	VM	VM	VM	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	VA	VM	VM	HD

3ACP + 48S + 5P



PART NUMBER	ROWS	POWER (L)			SIGNAL							POWER (R)			HD												
		P7	P6	P5	6	5	4	3	2	1	P4	P3	P2	P1													
6450150-3	D C B A	VM	VM	VA	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	VM	VM	VM	HD

4P + 24S + 3ACP



CODE	TAIL LENGTH	DESCRIPTION	CODE	TAIL LENGTH
VN	.090	STD		
VM	.135	STD		
VB	.090	MFBL	J	.090
VA	.135	MFBL	E	.135

THIS DRAWING IS A CONTROLLED DOCUMENT.

OWN: R. GRZYBOWSKI 16FEB05
 CHK: M. PERCHERKE 16FEB05
 APVD: M. PERCHERKE

DIMENSIONS: INCHES
 TOLERANCES UNLESS OTHERWISE SPECIFIED:
 0 PLC ±.
 1 PLC ±.01
 2 PLC ±.01
 3 PLC ±.005
 4 PLC ±.002
 ANGLES ±30°

MATERIAL: -
 FINISH: -

PRODUCT SPEC: 108-1973
 APPLICATION SPEC: 114-13038
 WEIGHT: -

CUSTOMER DRAWING



NAME: VERTICAL RECEPTACLE ASSEMBLY WITH GUIDES MULTI-BEAM XL
 SIZE: A1
 CAGE CODE: 100779
 DRAWING NO: 6450150
 RESTRICTED TO: -

SCALE: 1:1
 SHEET: 3 OF 12
 REV: G5

LOC		DIST		REVISIONS					
ES	00	REV	DATE	BY	APPD	DESCRIPTION	DATE	BY	APPD
		-				SEE SHEET 1			



PART NUMBER	ROWS	POWER (L)								SIGNAL								POWER (R)							
		P7	P6	6	5	4	3	2	1	P5	P4	P3	P2	P1	P5	P4	P3	P2	P1						
6450150-4	D C B A	VB	VB	J	J	J	J	J	J	J	J	J	J	J	VN	VN	VN	VN	VN						
5P + 24S + 2P		[HD]																		[HD]					

PART NUMBER	ROWS	POWER (L)								SIGNAL								POWER (R)							
		P8	P7	P6	P5	6	5	4	3	2	1	P4	P3	P2	P1	P4	P3	P2	P1						
6450150-6	D C B A	VB	VN	VB	VN	J	J	J	J	J	J	J	J	J	VN	VB	VN	VB	VB						
4P + 24S + 4P		[HD]																		[HD]					



PART NUMBER	ROWS	POWER (L)								SIGNAL								POWER (R)							
		P6	P5	P4	6	5	4	3	2	1	P3	P2	P1	P6	5	4	3	2	1	P3	P2	P1			
6450150-5	D C B A	VM	VM	VM	E	E	E	E	E	E	E	E	E	E	VM	VM	VA								
3P + 24S + 3ACP		[HD]																		[HD]					

PART NUMBER	ROWS	POWER								SIGNAL								POWER							
		P2	6	5	4	3	2	1	P1	P2	6	5	4	3	2	1	P1	P2	6	5	4	3	2	1	P1
6450150-8	D C B A	VM	E	E	E	E	E	E	E	E	E	E	E	E	VA										
1P + 24S + 1P		[HD]																		[HD]					





THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN: R.GRZYBOWSKI 16FEB05 CHK: M.PERCHEKKE 16FEB05		NAME: VERTICAL RECEPTACLE ASSEMBLY WITH GUIDES MULTI-BEAM XL	
DIMENSIONS: INCHES		TOLERANCES UNLESS OTHERWISE SPECIFIED:		SIZE: A1	
Ø.040 ± .003		0 PLC ± .01		SCALE: 1:1	
Ø.098 ± .002		1 PLC ± .01		SHEET 4 OF 12	
Ø.100 ± .002		2 PLC ± .01		REV: G5	
Ø.100 ± .005		3 PLC ± .01			
Ø.100 ± .002		4 PLC ± .01			
ANGLES ± .002		5 PLC ± .01			
MATERIAL: -		FINISH: -		CAGE CODE: 114-13038	
				DRAWING NO: 6450150	
				CUSTOMER DRAWING	

PART NUMBER	ROWS	POWER (L)			SIGNAL								POWER		
		P11	P10	P9	3	2	1	P8	P7	P6	P5	P4	P3	P2	P1
I-6450150-3	D C B A	VM	VM	VA	E	E	E	E	E	E	E	E	E	E	E
		VM	VM	VA	E	E	E	E	E	E	E	E	E	E	E
		VM	VM	VA	E	E	E	E	E	E	E	E	E	E	E

8P + 12S + 3ACP


PART NUMBER	ROWS	POWER (L)					SIGNAL					POWER (R)		
		P8	P7	P6	P5	P4	5	4	3	2	1	P3	P2	P1
I-6450150-8	D C B A	VA	VA	VM	VA	VM	E	E	E	E	E	VM	VM	VM
		VA	VA	VM	VA	VM	E	E	E	E	E	VM	VM	VM
		VA	VA	VM	VA	VM	E	E	E	E	E	VM	VM	VM

3P + 20S + 5P




PART NUMBER	ROWS	SIGNAL																																						
		37	36	35	34	33	32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1		
I-6450150-9	D C B A	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E		
		E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E
		E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E

148S




THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R. GRZYBOWSKI 16FEB05	16FEB05	STE TE Connectivity
DIMENSIONS: INCHES		CHK M. PERCHERKE 16FEB05	16FEB05	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME		
0 PLC ±	1 PLC ±.01	M. PERCHERKE		
2 PLC ±.01	3 PLC ±.005	PRODUCT SPEC		
4 PLC ±.002	ANGLES ±.020	108-1973		
MATERIAL		APPLICATION SPEC		
FINISH		114-13038		
		WEIGHT		
		A100779C=6450150		
		CUSTOMER DRAWING		
		SCALE 1:1 SHEET 5 OF 12 REV G5		

LOC		DIST		REVISIONS			
ES	00	P	LTN	DESCRIPTION	DATE	DMN	APVD
				SEE SHEET 1			



PART NUMBER	ROWS	POWER	POWER				SIGNAL				POWER		
			P6	P5	P4	P3	4	3	2	1	P2	P1	
1-6450150-7	D C B A	VM	VM	VA	VA	E	E	E	E	VA	VM	HD	
						E	E	E	E				
						E	E	E	E				
2P + 16S + 4P													



PART NUMBER	ROWS	POWER (L)	SIGNAL																POWER (R)							
			P8	P7	P6	P5	P4	I2	I1	I0	9	8	7	6	5	4	3	2	1	P3	P2		P1			
2-6450150-0	D C B A	VM	VM	VM	VM	VM	VM	VM	VM	VM	VM	VM	VM	VM	VM	VM	VM	VM	VM	VM	VM	VA	VM	VM	HD	
																										NO CONTACTS LOADED
3ACP + 48S + 5P																										

THIS DRAWING IS A CONTROLLED DOCUMENT. DWG: R. GRZYBOWSKI 16FEB05
 CHK: M. PERCHERKE 16FEB05
 APVD: M. PERCHERKE

TE Connectivity

NAME: VERTICAL RECEPTACLE ASSEMBLY WITH GUIDES MULTI-BEAM XL

PRODUCT SPEC: 108-1973
 APPLICATION SPEC: 114-13038

SIZE: 114-13038
 WEIGHT: -

CAGE CODE: A100779
 DRAWING NO: 6450150

CUSTOMER DRAWING

SCALE: 1:1 SHEET 6 OF 12 REV: G5

REVISIONS			
LOC	DIST	DESCRIPTION	DATE
ES	00	SEE SHEET 1	



PART NUMBER	ROWS	POWER (L)	SIGNAL																POWER (R)		HD		
			P4	P3	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1		P2	P1
			2-6450150-1	D C B A	VB	VN	J	J	J	J	J	J	J	J	J	J	J	J	J	J		J	J

PART NUMBER	ROWS	POWER		SIGNAL						POWER			HD	
		P5	P4	6	5	4	3	2	1	P3	P2	P1		
		6450150-9	D C B A	VM	VM	E	E	E	E	E	E	E		E

PART NUMBER	ROWS	POWER		SIGNAL						POWER			HD	
		P5	P4	6	5	4	3	2	1	P3	P2	P1		
		2-6450150-8	D C B A	VM	VM	E	E	E	E	E	E	E		E

G3

NO CONTACTS LOADED



6450150-9 & 2-6450150-8 PCB LAYOUT

THIS DRAWING IS A CONTROLLED DOCUMENT.

APVD: M. PERCHERKE	CHECKED: M. PERCHERKE	DATE: 16FEB05
DRAWN: R. GRZYBOWSKI		DATE: 16FEB05

DIMENSIONS: INCHES		TOLERANCES UNLESS OTHERWISE SPECIFIED:	
0 PLC	± .010	1 PLC	± .010
2 PLC	± .010	2 PLC	± .010
3 PLC	± .010	3 PLC	± .010
4 PLC	± .010	4 PLC	± .010
ANGLES	± .0020		

MATERIAL	FINISH	WEIGHT	SCALE	CAGE CODE	DRAWING NO.	RESTRICTED TO
			1:1	114-13038	6450150	


TE Connectivity
VERTICAL RECEPTACLE ASSEMBLY WITH GUIDES MULTI-BEAM XL
CUSTOMER DRAWING
SCALE 1:1 SHEET 7 OF 12 REV G5

LOC		DIST		REVISIONS				
ES	00	P	LTH	DESCRIPTION	DATE	DWN	APVD	
-	-	-	-	SEE SHEET 1	-	-	-	

NO CONTACTS LOADED

PART NUMBER	ROWS	POWER (L)								SIGNAL					POWER (R)							
		P16	P15	P14	P13	P12	P11	P10	P9	P8	5	4	3	2	1	P7	P6	P5	P4	P3	P2	P1
2-6450150-2	D C B A	VA		VM		VM	VM	VM	VM	VM	E	E	E	E	E	VM	VM	VM	VM	VM	VM	VM
											E	E	E	E	E							
											E	E	E	E	E							
											E	E	E	E	E							

7ACP+20S+4ACP+5P





THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN: R. GRZYBOWSKI 16FEB05	TE Connectivity
DIMENSIONS: INCHES		CHK: M. PERCHERKE 16FEB05	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD: M. PERCHERKE	NAME: VERTICAL RECEPTACLE ASSEMBLY WITH GUIDES MULTI-BEAM XL
0 PLC ±. 1 PLC ±.01 2 PLC ±.01 3 PLC ±.005 4 PLC ±.0020 ANGLES ±.2°		PRODUCT SPEC: 108-1973	SIZE: A1
MATERIAL: -		APPLICATION SPEC: 114-13038	CAGE CODE: 6450150
FINISH: -		WEIGHT: -	RESTRICTED TO: -
CUSTOMER DRAWING		SCALE: 1:1	SHEET 8 OF 12 REV G5

LOC		DIST		REVISIONS				
P	LTN	DATE	DMN	APVD	DESCRIPTION	DATE	DMN	APVD
-	-	-	-	-	SEE SHEET 1	-	-	-

PART NUMBER	ROWS	POWER		SIGNAL				POWER	
		P4	P3	4	3	2	1	P2	P1
2-6450150-3	D	VM	VM	E	E	E	E	VA	VA
	C			E	E	E	E		
	B			E	E	E	E		
	A			E	E	E	E		
2P + 16S + 2P									

PART NUMBER	ROWS	POWER		SIGNAL								POWER					
		P4	P3	12	11	10	9	8	7	6	5	4	3	2	1	P2	P1
2-6450150-4	D	VM	VA	E	E	E	E	E	E	E	E	E	E	E	E	VA	VM
	C			E	E	E	E	E	E	E	E	E	E	E			
	B			E	E	E	E	E	E	E	E	E	E	E			
	A	HD			E	E	E	E	E	E	E	E	E	E			HD
2P + 48S + 2P																	



THIS DRAWING IS A CONTROLLED DOCUMENT. DWN: R. GRZYBOWSKI 16FEB05
 CHK: M. PERCHERKE 16FEB05

TE Connectivity

NAME: VERTICAL RECEPTACLE ASSEMBLY WITH GUIDES MULTI-BEAM XL

PRODUCT SPEC: 108-1973
 APPLICATION SPEC: 114-13038

SIZE: A1
 CAGE CODE: 00779
 DRAWING NO: 6450150

RESTRICTED TO: -

CUSTOMER DRAWING SCALE: 1:1 SHEET: 9 OF 12 REV: G5



LOC		DIST		REVISIONS			
ES		00		REV	DATE	BY	APPD
				1	SEE SHEET 1	-	-

PART NUMBER	ROWS	POWER							SIGNAL				POWER						
		P11	P10	P9	P8	P7	P6	P5	4	3	2	1	P4	P3	P2	P1			
		VM	VA	VM	VM	VA	VM		E	E	E	E	VM	VM	VM	VM			
2-6450150-5	D C B A								E	E	E	E	VM	VM	VM	VM			
		HD																HD	
4P + 16S + 7ACP																			

PART NUMBER	ROWS	POWER (L)			SIGNAL							POWER (R)							
		P7	P6	P5	6	5	4	3	2	1	P4	P3	P2	P1					
2-6450150-6	D C B A	VM	VM	VA	E	E	E	E	E	E	E	E	VM	VM	VM	VM			
		HD																HD	
4P + 24S + 3ACP																			

(F1)


NO CONTACT LOADED



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN: R. GRZYBOWSKI 16FEB05 CHK: M. PERCHERKE 16FEB05 APVD: M. PERCHERKE	STE TE Connectivity
DIMENSIONS: INCHES TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ±.01 2 PLC ±.01 3 PLC ±.005 4 PLC ±.0020 ANGLES ±.020		NAME: VERTICAL RECEPTACLE ASSEMBLY WITH GUIDES MULTI-BEAM XL PRODUCT SPEC: 108-1973 APPLICATION SPEC: 114-13038 WEIGHT: - CUSTOMER DRAWING	
MATERIAL: - FINISH: -		SIZE: A1 CAGE CODE: 00779 DRAWING NO: 6450150	RESTRICTED TO: - SCALE: 1:1 SHEET: 10 OF 12 REV: G5

LOC	DIST	REVISIONS					
ES	00	P	LTN	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1			

PART NUMBER	ROWS	PI4	PI3	POWER (L)				SIGNAL								POWER (R)						PI										
				PI2	PI1	PI0	P9	8	7	6	5	4	3	2	1	P8	P7	P6	P5	P4	P3		P2									
2-6450150-7	D C B A	VM	VM		VM	VM		E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	VA		VM	VM		VM	VM		
8ACP + 32S + 6ACP																																




THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R. GRZYBOWSKI CHK M. PERCHERKE APVD M. PERCHERKE	16FEB05 16FEB05	TE Connectivity
DIMENSIONS: INCHES	TOLERANCES UNLESS OTHERWISE SPECIFIED:	NAME VERTICAL RECEPTACLE ASSEMBLY WITH GUIDES MULTI-BEAM XL		
0 PLC ± 1 PLC ±.01 2 PLC ±.01 3 PLC ±.005 4 PLC ±.0020 ANGLES ±.020	FINISH *P*	PRODUCT SPEC 108-1973 APPLICATION SPEC 114-13038 WEIGHT CUSTOMER DRAWING		SIZE A1
MATERIAL		CAGE CODE DRAWING NO 100779C=6450150		RESTRICTED TO SCALE 1:1 SHEET 11 OF 12 REV G5

LOC		DIST		REVISIONS				
ES	00	REV	DATE	BY	CHKD	APVD	DESCRIPTION	
		-					SEE SHEET 1	

PART NUMBER	ROWS	POWER						SIGNAL						P2	P1
		P8	P7	P6	P5	P4	P3	4	3	2	3	2	1		
2-6450150-9	D							E	E	E	E	E			
	C	VM						E	E	E	E	E	VM	VM	
	B		VM					E	E	E	E	E			
	A	HD			VA			E	E	E	E	E		HD	

NO CONTACTS LOADED

NO CONTACTS LOADED



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R. GRZYBOWSKI CHK M. PERCHERKE APVD	16FEB05 16FEB05	STE TE Connectivity
DIMENSIONS: INCHES	TOLERANCES UNLESS OTHERWISE SPECIFIED:	NAME PRODUCT SPEC APPLICATION SPEC	108-1973 114-13038	
	0 PLC ±. 2 PLC ±.01 3 PLC ±.005 4 PLC ±.0020 ANGLES ±2°	SIZE CAGE CODE DRAWING NO	A100779C=6450150	RESTRICTED TO
MATERIAL	FINISH	WEIGHT	CUSTOMER DRAWING	SCALE 1:1 SHEET 12 OF 12 REV G5