

GEU-0822 Version: 1



8-Port Gigabit Ethernet Switch

Product Overview

The LevelOne GEU-0822 Gigabit Ethernet Switch is designed for reliable high-performance networking. With its non-blocking switching fabric in full-duplex mode, this switch can deliver up to 2000Mbps per port, while the Store-and-Forward service brings low latency and error-free packet delivery. This highperformance Gigabit Ethernet switch is perfect for fulfilling the demands of online gaming and multimedia streaming. Moreover, this switch also supports IEEE 802.3az Energy Efficient Ethernet which helps reduce power consumption.

Power Saving Features

The GEU-0822 supports IEEE 802.3az Energy Efficient Ethernet to provide power-saving benefits without compromising performance. One way is to automatically detecting the length of connected cables and to adjust power usage by saving energy on shorter cable connections.

Compact and Stylish Design

The stylish, compact wall-mountable housing of GEU-0822 fits any working environment. It comes with 8 x 10/100/1000Mbps ports to meet SOHO and home network expansion needs.

Easy to Use

The GEU-0822 features plug-and-play for easy installation. No configuration is required. Autonegotiation on each port senses the link speed of a network device and adjusts for compatibility and optimal performance.





- 1. LED Indicators
- 2. 10/100/1000Mbps RJ-45 Port
- 3. External power socket

Key Features

- 8 Gigabit Ethernet ports
- 10/100/1000Mbps wire speed transmission and reception
- 9K jumbo frames to increase data transfer rates
- Supports 8K MAC address auto-learning and auto-aging
- Provides wall or desktop mounting
 - Minimize carbon footprint with advanced energy efficient technology (IEEE 802.3az)

Specifications

System Specifications

Standards & Protocols:

IEEE802.3(10BASE-T)

IEEE802.3u(100BASE-T)

IEEE802.3ab(1000BASE-T)

IEEE802.3az Energy Efficient Ethernet

Memory:

8Kbit

Buffer Memory:

1Mbit

Connectors and Cabling:

Full Shielded

Button:

NO

Indicator:

Power

LINK/ACT

1000M

Transmission Method:

Store- froward

Features

General:

8 x 10/100/1000Mbps

Performance

Backplane (Gbps):

16Gbps

MAC Address Table:

8K

Packet Forwarding Rate:

1488000pps

Jumbo Frame (K):

9KB

Environment

Power Saving:

YES

Temperature (°C):

0-40°C

Humidity (Non-condensing):

10%~90%


Physical Specifications

Dimensions (W x D x H mm):

137x75x25mm

Weight (g): 300g

Diagram



Order Information

GEU-0822

Package Contents

GEU-0822 Power Adapter User Manual Resource CD (User Manual)

No liability or responsibility for any errors or omissions in the content. Specifications are subject to change without notice.

All mentioned brand names are registered trademarks and property of their owners. Copyright © Digital Data Communications GmbH, Germany. All Rights Reserved.

www.level1.com Page 3 of 3