

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [0622018801](#)
Status: **Active**
Overview: [Application Tooling](#)
Description: Impact 85 Ohm Backplane Press-In Tool for 3-Pair by 8-Column Assemblies


Documents:
[RoHS Certificate of Compliance \(PDF\)](#)

General

Product Family	Application Tooling
Series	207123
Comments	See Tooling Specification (PDF) Above
Function	Insertion
Geographic Area	Global
Level of Automation	Manual
More Detailed Tech Information	applicationtooling@molex.com
Overview	Application Tooling
Product Name	Impact
Tool Type	Press-Fit Insertion Tool
UPC	884982555099
Warranty Disclaimer	CAUTION: Molex tooling crimp specifications are valid only when used with Molex terminals and tooling manufactured by Molex and sold by Molex or authorized distributors ("Molex Tooling"). When using tooling other than Molex Tooling with Molex specific connector systems listed in our ATS documents, the Molex tooling qualification does not apply and the responsibility for full qualification of the connector system is that of the customer. Molex accepts no liability for connector performance or tooling support where tooling other than Molex Tooling is used or where Molex Tooling is modified.

Material Info

Reference - Drawing Numbers
Application Tooling Documents [ATS-622018801, TM-622018799](#)



EU ELV

Not Relevant

EU RoHS

Not Reviewed

REACH SVHC

Not Contained Per
-ED/01/2018 (15
January 2018)

Halogen-Free

Status

Not Relevant

For more information, please visit [Contact US](#)

China ROHS

Not Relevant

ELV

Not Relevant

RoHS Phthalates

Not Contained

Search Parts in this Series

[207123 Series](#)

Use With

[170522](#) , [170525](#) Impact 85 Ohm Backplane Assembly 3-Pair by 8 Column Assemblies

Application Tooling

FAQ

Description

Product #

Impact 85 Ohm Plus 3 Pair Vertical Backplane Header, Unguided, Open Endwalls, 8 Columns, 72 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.46mm, Lead Free	1705251805
Impact 85 Ohm Plus 3 Pair Vertical Backplane Header, Unguided, Open Endwalls, 8 Columns, 72 Circuits,	1705251807

Pin Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm 1705251813
Plus 3 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 8 Columns,
72 Circuits, Pin
Length 4.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead Free
Impact 85 Ohm 1705251814
Plus 3 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 8 Columns,
72 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.46mm,
Lead Free
Impact 85 Ohm 1705251815
Plus 3 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 8 Columns,
72 Circuits, Pin
Length 5.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead Free
Impact 85 Ohm 1705251816
Plus 3 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 8 Columns,
72 Circuits, Pin
Length 4.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm 1705251817
Plus 3 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 8 Columns,
72 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm 1705251818
Plus 3 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 8 Columns,
72 Circuits, Pin
Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead Free

Impact 85 Ohm 1705251824
Plus 3 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 8 Columns,
72 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.46mm,
Lead Free

Impact 85 Ohm 1705251827
Plus 3 Pair Vertical
Backplane Header,
Unguided, Dual
Endwalls, 8
Columns, 72 Circuits,
Pin Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead Free

Impact 85 Ohm 1705251828
Plus 3 Pair Vertical
Backplane Header,
Unguided, Dual
Endwalls, 8
Columns, 72 Circuits,
Pin Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead Free

Impact 85 Ohm 1705251837
Plus 3 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 8 Columns,
72 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead Free

Impact 85 Ohm 1705253807
Plus 3 Pair Vertical
Backplane Header,
Left Guide, Open
Endwall, 8 Columns,
72 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead Free

Impact 85 Ohm 1705253817
Plus 3 Pair Vertical
Backplane Header,
Left Guide, Open
Endwall, 8 Columns,
72 Circuits, Pin
Length 4.90mm,
Plated Through
Hole Dimension
0.39mm, Polarizing
Key Position A, Lead
Free

Impact 85 Ohm 1705255807
Plus 3 Pair Vertical
Backplane Header,

Right Guide, Open
Endwall, 8 Columns,
72 Circuits, Pin
Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead Free

Impact 85 Ohm 1705255817

Plus 3 Pair Vertical
Backplane Header,
Right Guide, Open
Endwall, 8 Columns,
72 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Polarizing Key
Position A, Lead-
Free

Impact 85 Ohm 1705257807

Plus 3 Pair Vertical
Backplane Header,
Left Guide with
Endwall, 8 Columns,
72 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead Free

This document was generated on 02/26/2021

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION