

Housing - HC-EVO-B10-BWD-PLRBK



1407634

<https://www.phoenixcontact.com/us/products/1407634>

Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.



HEAVYCON EVO panel mounting base, plastic, B10, with double locking latch, height: 30.5 mm, with flat gasket

Your advantages

- Lower costs than metal version
- Low weight
- Lower risk of condensation

Commercial Data

Item number	1407634
Packing unit	1 pc
Minimum order quantity	1 pc
Sales Key	B10
Product Key	BF7APL
Catalog Page	Page 608 (C-2-2019)
GTIN	4046356776967
Weight per Piece (including packing)	82.58 g
Weight per Piece (excluding packing)	78.5 g
Customs tariff number	85389099
Country of origin	PL

Technical Data


Notes

General	For contact inserts HC-B10, BB18, DD42, M, K8/24, HV03-I-PT, HC- 3-E...C
---------	--

Product properties

Type	B10
Product type	Housing with locking latch
Application	Standard
Housing type	Panel mounting base
Locking type	with double locking latch
Pg screw connection	none

Dimensions

Dimensional drawing	
Width	53 mm
Height	30.5 mm
Length	93.5 mm
Hole diameter	4.5 mm

Installation dimensions

Width of the assembly cutout	35 mm
Length of the assembly cutout	65 mm

Material specifications

Color	black
Flammability rating according to UL 94	V0 (Housing) V0 (Interlock)
Sealing material	NBR (profile gasket) NBR (Flat gasket)
Locking latch material	PA
Impact strength	IK09
Housing material	PA

Ambient conditions

Degree of protection	IP66
Degree of protection	12 (UL 50e)
Impact strength	IK09
Ambient temperature (operation)	-40 °C ... 125 °C

Housing - HC-EVO-B10-BWD-PLRBK



1407634

<https://www.phoenixcontact.com/us/products/1407634>

Mechanical properties

Mechanical data

Locking type	Latch
--------------	-------

Mounting


Assembly instructions	Not for D series terminal adapters
	Not for HC-B 24-ADP-B..... adapter plates

1407634


<https://www.phoenixcontact.com/us/products/1407634>

Drawings

Dimensional drawing



Dimensional drawing



Mounting cutout

Housing - HC-EVO-B10-BWD-PLRBK



1407634

<https://www.phoenixcontact.com/us/products/1407634>

Approvals

DNV

Approval ID: TAE000037S



cUL Recognized

Approval ID: E255026



UL Recognized

Approval ID: E255026



EAC

Approval ID: RU C-DE.AI30.B.01102



EAC

Approval ID: RU C-DE.BL08.B.00511

cULus Recognized

Housing - HC-EVO-B10-BWD-PLRBK



1407634

<https://www.phoenixcontact.com/us/products/1407634>

Classifications

ECLASS

ECLASS-10.0.1	27440202
ECLASS-9.0	27440202
ECLASS-11.0	27440202

ETIM

ETIM 8.0	EC000437
----------	----------

UNSPSC

UNSPSC 21.0	31261500
-------------	----------

Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Housing - HC-EVO-B10-BWD-PLRBK



1407634

<https://www.phoenixcontact.com/us/products/1407634>

Accessories

Flat gasket

Flat gasket - HC-B10-SG-RBK - 1407703

<https://www.phoenixcontact.com/us/products/1407703>

Replacement flat gasket, for HEAVYCON EVO panel mounting base type B10



Profile gasket

Profile gasket - HC-B10-SP-RBK - 1407707

<https://www.phoenixcontact.com/us/products/1407707>

Profile gasket for HEAVYCON EVO supporting base element type B10



Housing - HC-EVO-B10-BWD-PLRBK

1407634

<https://www.phoenixcontact.com/us/products/1407634>



Housing brackets

Housing brackets - HC-B10-24-DL-PLBK - 1407696

<https://www.phoenixcontact.com/us/products/1407696>



Replacement double locking latch for HEAVYCON EVO housing, HC-B10/HC-B16/HC-B24, PA

Snap-in markers

Snap-in markers - US-EMP (20X9) - 0829439

<https://www.phoenixcontact.com/us/products/0829439>



Snap-in markers, Card, white, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: snapped, lettering field size: 20 x 9 mm, Number of individual labels: 70

Phoenix Contact 2022 © - all rights reserved

<https://www.phoenixcontact.com>

Phoenix Contact USA

586 Fulling Mill Road

Middletown, PA 17057, United States

(+717) 944-1300

info@phoenixcon.com