

Crimping pliers - CRIMPFOX-RCI 1 - 1212055

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)




Crimping pliers, for insulated cable lugs, 0.14 - 1.0 mm² (light green, red), oval crimp

Why buy this product

- The color-coded dies clearly indicate the cross section
- Unlockable pressure lock
- They unlock as soon as the required crimping pressure is reached, therefore ensuring sufficient pressure is applied

Key commercial data

Packing unit	0
Minimum order quantity	1
Catalog page	Page 272 (CL2-2011)
GTIN	 4 046356 453851
Custom tariff number	82032000
Country of origin	SWEDEN

Technical data

General

Length (b)	198 mm
Height	59 mm
Width (a)	18 mm
Weight	358 g
Die station	Crimping position 1
Min. cross section	0.14 mm ²
Max. cross section	0.25 mm ²
AWG min	26
AWG max	24
Die station	Crimping position 2
Min. cross section	0.25 mm ²
Max. cross section	0.5 mm ²
AWG min	24
AWG max	22

Crimping pliers - CRIMPFOX-RCI 1 - 1212055

Technical data

General

Die station	Crimping position 3
Min. cross section	0.5 mm ²
Max. cross section	1 mm ²
AWG min	22
AWG max	18
Die station	Crimping position 4
Die station	Crimping position 5
Compression	Oval crimp
Type of contact	Insulated cable lugs

Classifications

eclass

eCl@ss 4.0	21040301
eCl@ss 4.1	21040301
eCl@ss 5.0	21040301
eCl@ss 5.1	21040301
eCl@ss 6.0	21043811
eCl@ss 7.0	21043811

etim

ETIM 2.0	EC001186
ETIM 3.0	EC001186
ETIM 4.0	EC001186

unspsc

UNSPSC 6.01	27112118
UNSPSC 7.0901	27111518
UNSPSC 11	23171604
UNSPSC 12.01	27111518
UNSPSC 13.2	27111518

Approvals

Approvals

Approvals

GOST

Ex Approvals

Crimping pliers - CRIMPFOX-RCI 1 - 1212055

Approvals

Approvals submitted

Approval details



Accessories

Accessories

Tools

Replacement die - CRIMPFOX-RCI 1/DIE - 1212056



Spare die for CRIMPFOX-RCI 1

Replacement spring - CRIMPFOX/ SPR-3 - 1212036



Spare recuperating spring

Drawings

Product drawing

