


Data sheet | Item number: 2000-5491

End and intermediate plate; 1 mm thick; for 4-conductor terminal blocks;
gray

www.wago.com/2000-5491



Data

Physical data

Width	1 mm / 0.039 inch
-------	-------------------

Material data

Color	gray
Flammability class per UL94	V0
Fire load	0.122 MJ
Weight	4.1 g

Commercial data

PU (SPU)	100 (25) Stück
Packaging type	box
Country of origin	DE
GTIN	4055143408127
Customs tariff number	85389099990


Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.

Approvals / Certificates

UL-Approvals

Logo	Approval	Additional Approval Text	Certificate name
	UL Underwriters Laboratories Inc.	UL 1059	E45172

Downloads

Documentation

Bid Text

2000-5491 X81 - Datei	2019. 2. 19.	xml 2.6 kB	Download
2000-5491 doc - Datei	2017. 4. 27.	doc 24.1 kB	Download

Additional Information

Technical explanations		pdf 2.2 MB	Download
------------------------	--	---------------	----------

CAD/CAE-Data

CAD data

2D/3D Models 2000-5491		URL	Download
------------------------	--	-----	----------

CAE data

EPLAN Data Portal 2000-5491		URL	Download
ZUKEN Portal 2000-5491		URL	Download

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 2000-5491 End and intermediate plate; 1 mm thick; for 4-conductor terminal blocks; gray		URL	Download
---	--	-----	----------

Subject to changes. Please also observe the further product documentation!



Installation Notes

Product family

TOPJOB® S

TOPJOB® S: In various industrial applications and modern building installations, WAGO's wide and versatile range of rail-mount terminal blocks provides more than just reliable electrical connections.

[Show all products from the family](#)

Subject to changes. Please also observe the further product documentation!