

4

3

2

1

THIS DRAWING IS UNPUBLISHED.




RELEASED FOR PUBLICATION

© COPYRIGHT - By -

ALL RIGHTS RESERVED.


REVISIONS

P	LTR	DESCRIPTION	ECO	DATE	DWN	APVD
	B4	ADD NEW PN , CASE MATERIAL ADD PA66	ECO-17-006657	06-APR-17	XR,L	T.K
	B3	ADD NEW PN	ECO-16-017849	12-DEC-16	XR,L	T.K



(B4)	1-1721685-3	OMIH-SS-112LM, 0002M	OMIH-SS-112LM	12V	107-84028	k
(B3)	1-1721685-0	OMIH-SS-112LM, 0000M	OMIH-SS-112LM	12V	107-84032	j
(B3)	1-1721685-2	OMIH-SS-112LM,01020	OMIH-SS-112LM	12V	107-84028	i
	1721685-7	OMIH-SS-112LM,00001	OMIH-SS-112LM	12V	107-79006	h
	9-1419121-1	OMIH-SS-148LM	OMIH-SS-148LM	48V	107-79006	k
	8-1419121-9	OMIH-SS-148DM	OMIH-SS-148DM	48V	107-79006	j
	8-1419121-8	OMIH-SS-124LM	OMIH-SS-124LM	24V	107-79006	i
	8-1419121-6	OMIH-SS-124DM	OMIH-SS-124DM	24V	107-79006	h
	8-1419121-4	OMIH-SS-118DM	OMIH-SS-118DM	18V	107-79006	g
	8-1419121-1	OMIH-SS-112LM	OMIH-SS-112LM	12V	107-79006	f
	7-1419121-9	OMIH-SS-112DM	OMIH-SS-112DM	12V	107-79006	e
	7-1419121-6	OMIH-SS-109LM	OMIH-SS-109LM	9V	107-79006	d
	2-1419145-0	OMIH-SS-109DM	OMIH-SS-109DM	9V	107-79006	c
	7-1419121-4	OMIH-SS-106LM	OMIH-SS-106LM	6V	107-79006	b
	7-1419121-3	OMIH-SS-105LM	OMIH-SS-105LM	5V	107-79006	a
	TE PART NO	DESCRIPTION	PART A	PART B	PACK. SPEC.	No.

RELAY TYPE




THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN	Davey Liu	25JUL2010	 TE Connectivity  OMIH CUSTOMER DRAWING			
CHK	Banghua Yu	26JUL2010				
APVD	Sunny Zhang	27JUL2010				
NAME						
DIMENSIONS:	mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
		0 PLC ± -	A3	00779	C=7-1419121-9	-
		1 PLC ± -	SCALE	1:1	SHEET	1 OF 2
		2 PLC ± -	CUSTOMER DRAWING		REV	B4
		3 PLC ± -				
		4 PLC ± -				
		4 PLC ANGLES ± -				
MATERIAL	FINISH					

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION  
 © COPYRIGHT - By - ALL RIGHTS RESERVED.

REVISIONS					
P	LTR	DESCRIPTION	ECO	DATE	APVD
-	-	SEE SHEET 1	-	-	-

NOTES:  
 1.LOT NO. SYSTEM AS FOLLOWING:




2.GENERAL TOLERANCE AS FOLLOWING:


TOLERANCE	
0~0.99mm	±0.1
1mm~2.99mm	±0.2
3mm MIN.	±0.3

3.TERMINAL DIMENSION IS NOT INCLUDING SOLDER TIP.

CONNECTION DIAGRAM  
(BOTTOM VIEW)



DRILLING DIAGRAM(2/1)  
(BOTTOM VIEW)



		UV RESIN	UV SEAL	16
		EPOXY RESIN	SEAL	15
UL94 V-0		PBT/PA66 (B4)	CASE	14
CLASS E		UEW	MAGNETIC WIRE	13
UL94 V-0		PET	BASE	12
UL94 V-0		PBT	BOBBIN	11
	SOLDER DIP	CP WIRE	COIL TERMINAL	10
UL94 V-0		PPS	CARD	9
		Ag ALLOY	MOVABLE CONTACT	8
		Ag ALLOY	STATIONARY CONTACT	7
		Cu ALLOY	HINGE SPRING	6
	SOLDER DIP	Cu ALLOY	STATIONARY TERMINAL	5
	SOLDER DIP	Cu ALLOY	MOVABLE SPRING	4
		STEEL	CORE	3
		STEEL	ARMATURE	2
		STEEL	YOKE	1
INCOMBUSTIBILITY	TREATMENT	MATERIAL	DESCRIPTION	ITEM

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 25JUL2010 Davey Liu	TE Connectivity	
		CHK 26JUL2010 Banghua Yu		
DIMENSIONS: mm		APVD 27JUL2010 Sunny Zhang	NAME	
		PRODUCT SPEC	OMIH CUSTOMER DRAWING	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APPLICATION SPEC	RESTRICTED TO	
0 PLC ± - 1 PLC ± - 2 PLC ± - 3 PLC ± - 4 PLC ± - ANGLES ± -		WEIGHT	SIZE A3	CAGE CODE 00779
MATERIAL		FINISH	DRAWING NO. C=7-1419121-9	
			SCALE 1:1	
		CUSTOMER DRAWING		SHEET 2 OF 2
				REV B4