

# Product data sheet

## Characteristics

# 9422A4

Operating mechanism, flange mounted, variable depth, handle mechanism, 4 inch handle, NEMA 4X stainless steel enclosure



Price\* : 301.50 USD



### Main

Product	Handle Mechanism
For Use With	Disconnect switches (30...200 A)

### Complementary

Product Type	Variable depth
Product destination	disconnect switches (30...200 A)
Enclosure Types	NEMA 4/4X enclosures
Handle Length	4 in (101.60 mm)

### Ordering and shipping details

Category	21732-9422
Discount Schedule	CP1
GTIN	00785901964155
Package weight(Lbs)	2.67 lb(US) (1.211 kg)
Returnability	No
Country of origin	MX

### Packing Units

Package 1 Height	1.90 in (4.826 cm)
Package 1 width	3.80 in (9.652 cm)
Package 1 Length	9.30 in (23.622 cm)

\* Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

## Offer Sustainability

California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>
REACH Regulation	<a href="#">REACH Declaration</a>
REACH free of SVHC	Yes
EU RoHS Directive	Compliant <a href="#">EU RoHS Declaration</a>
Toxic heavy metal free	Yes
Mercury free	Yes
RoHS exemption information	<a href="#">Yes</a>
China RoHS Regulation	<a href="#">China RoHS declaration</a> Pro-active China RoHS declaration (out of China RoHS legal scope)
PVC free	Yes

## Contractual warranty

Warranty	18 months
----------	-----------

Approximate Dimensions

