SC2240B OTP Encoder


SC2240B Description: (Compatible:EV1527,RT1527,FP1527)

SC2240B is OTP Encoder utilizing CMOS technology process. SC2240B hai a maximum of 20 bits providing up to 1 million codes.It can reduce any code collision and unauthorized code scanning possibilities.

SC2240B Features: (Compatible:EV1527,RT1527,FP1527)

CMOS Technology
Low stand by Current:1.0uA
Wide range of Operating Voltage:Vcc＝3.0～
12V Up to 4 data pins
Total 1048576 address codes
Single Resistor Oscillator
Available in DIP and SOP Package

SC2240B Pin out: (Compatible:EV1527,RT1527,FP1527)



SC2240B Pin Description: (Compatible:EV1527,RT1527,FP1527)

Pin No.	Name	Description	I/O
1	OCSI	Oscillator input pull-up R to Vcc	I
2	Vcc	Positive power supply	
3	GND	Ground	
4	Dout	Data output pin	O
5	K0	Data input with pull-low R	I
6	K1	Data input with pull-low R	I
7	K2	Data input with pull-low R	I
8	K3	Data input with pull-low R	I


Silvan Chip Electronics Tech.Co.,Ltd.
Address: Fl.16 FuChang Building,Binhe Rd,Shenzhen,China
Phone: 86-0755-88291843 88304213 **Fax** ： 86-0755-88290509
Email: jja@sc-tech.cn **Http://** www.sc-tech.cn

SC2240B OTP Encoder

SC2240B Output format: (Compatible:EV1527,RT1527,FP1527)

Output data frame:

Preamble	C0 ~ C19 (1 million codes)	D0	D1	D2	D3



SC2240B K0~K3 combination Table: (Compatible:EV1527,RT1527,FP1527)

K3	K2	K1	K0	D3	D2	D1	D0
0	0	0	1	0	0	0	1
0	0	1	0	0	0	1	0
0	0	1	1	0	0	1	1
0	1	0	0	0	1	0	0
0	1	0	1	0	1	0	1
0	1	1	0	0	1	1	0
0	1	1	1	0	1	1	1
1	0	0	0	1	0	0	0
1	0	0	1	1	0	0	1
1	0	1	0	1	0	1	0
1	0	1	1	1	0	1	1
1	1	0	0	1	1	0	0
1	1	0	1	1	1	0	1
1	1	1	0	1	1	1	0
1	1	1	1	1	1	1	1

SC2240B Absolute Maximum Rating: (Compatible:EV1527,RT1527,FP1527)

Symbol	Parameter	Conditions	Rating	Unit
Vcc	Supply voltage		-0.3 ~ 13	V
VI	Input voltage		-0.3 ~ Vcc+0.3	V
Vo	Output voltage		-0.3 ~ Vcc+0.3	V
Tst	Storage temp		-40 ~ 125	℃
Top	Operating temp		-20 ~ 70	℃
Pdis	Max.power dissp	Vcc = 12V	300	mW

Silvan Chip Electronics Tech.Co.,Ltd.
Address: Fl.16 FuChang Building,Binhe Rd,Shenzhen,China
Phone: 86-0755-88291843 88304213 **Fax** ： 86-0755-88290509
Email: jja@sc-tech.cn **Http://** www.sc-tech.cn


SC2240B OTP Encoder

SC2240B Rosc& data cycle:(Compatible:EV1527,RT1527,FP1527)

Rosc& TD:

	12V	11V	10V	9V	8V	7V	6V	5V	4V
300K	1.34ms	1.37ms	1.41ms	1.45ms	1.5ms	1.57ms	1.66ms	1.79ms	1.99ms
330K	1.48ms	1.51ms	1.55ms	1.59ms	1.64ms	1.71ms	1.81ms	1.94ms	2.19ms
360K	1.71ms	1.75ms	1.79ms	1.84ms	1.91ms	1.99ms	2.11ms	2.27ms	2.53ms
390K	1.82ms	1.86ms	1.91ms	1.96ms	2.03ms	2.11ms	2.24ms	2.401ms	2.69ms
430K	2.035ms	2.085ms	2.135ms	2.195ms	2.265ms	2.365ms	2.505ms	2.705ms	3.01ms

SC2240B Schematic diagram:(Compatible:EV1527,RT1527,FP1527)



Silvan Chip Electronics Tech.Co.,Ltd.
Address: Fl.16 FuChang Building,Binhe Rd,Shenzhen,China
Phone: 86-0755-88291843 88304213 **Fax** ： 86-0755-88290509
Email: jja@sc-tech.cn **Http://** www.sc-tech.cn