This document was generated on 03/15/2010

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: 0945095620
Status: Active
Description: Housing for Straight Fork Terminal, 6 Circuits, Polarization A

Documents:
Drawing (PDF)
RoHS Certificate of Compliance (PDF)
Product Specification PS-94509-002 (PDF)

General

Product Family	Crimp Housings
Series	94509
Product Name	Pitch 5 Edge Card

Physical

Breakaway	No
Circuits (maximum)	6
Color - Resin	Natural
Gender	Female
Glow-Wire Compliant	No
Material - Resin	Nylon
Number of Rows	1
Packaging Type	Bag
Panel Mount	No
Pitch - Mating Interface (in)	0.197 In
Pitch - Mating Interface (mm)	5.00 mm
Pitch - Term. Interface (in)	0.197 In
Pitch - Term. Interface (mm)	5.00 mm
Polarized to Mating Part	Yes
Ports	1
Stackable	No
Temperature Range - Operating	-30°C TO +80°C

Electrical

Current - Maximum per Contact	3A, 6A

Material Info

Reference - Drawing Numbers

Product Specification	PS-94509-002
Sales Drawing	SD-94509-003

Series image - Reference only

EU RoHS
ELV and RoHS Compliant
REACH SVHC
Not Reviewed
Halogen-Free Status
Not Reviewed

China RoHS

Need more information on product environmental compliance?

Email productcompliance@molex.com
For a multiple part number RoHS Certificate of Compliance, click here


Please visit the Contact Us section for any non-product compliance questions.

Search Parts in this Series
94509Series


This document was generated on 03/15/2010

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION


SEZIONE A - A
SECTION A - A



SEZIONE B - B
SECTION B - B





SEZIONE C - C
SECTION C - C





VISTA DELL'HOUSING
CON SECONDARY LOCK CHIUSO

VIEW OF THE HOUSING WITH
THE SEC.LOCK IN LOCKED POSITION









N.° VIE CKT.	2	3	4	5	6	7	8
A	11.8	16.8	21.8	26.8	31.8	36.8	41.8
B	10.4	15.4	20.4	25.4	30.4	35.4	40.4

NOTE:

1) MATERIALI/ *MATERIALS:* HOUSING: NYLON 66 NATURALE/*PA 66 NATURAL COLOR*
PIN: ACCIAIO INOX/*STAINLESS STEEL*
2) PER CODICI, POLARIZZAZIONI, MARCATURE E PACKAGING VEDERE FOGLI SEGUENTI
FOR PART NOs, POLARIZATIONS, MARKINGS AND PACKAGING SEE THE FOLLOWING SHEETS
3) LE DIMENSIONI VANNO MISURATE CON CORPI STABILIZZATI SECONDO NG 2301
(AUMENTO IN PESO DEL 2.7 %)
PARTS SHALL BE DIMENSIONALLY CHECKED AFTER ATTAINING EQUILIBRIUM CONDITIONS
E.G.2.7 % INCREASE IN WEIGHT FOR HUMIDITY ABSORPTION FROM DRY STATUS
4) CARATTERISTICHE SECONDO PS 94509
PRODUCT CHARACTERISTICS ACCORDING TO PS 94509 E
5) VEDERE FOGLIO 10/10 PER INFORMAZIONI SULLA CONFEZIONE
SEE SHEET 10/10 FOR INFORMATION REGARDING THE PACKAGING

EC NO: Z2005-0030 2004/09/23
DRWN: FGOTTARD 2004/09/23
CH'KD: RSANDANO 2004/09/23
APPR: GZUIN 2004/09/23
DESCRIPTION
REV
B4

QUALITY SYMBOLS
▼=0
Ⓒ=0

GENERAL TOLERANCES (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± ---
2 PLACES	± 0.1	± ---
1 PLACE	± 0.2	± ---
ANGULAR ± 2 °		

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE: MM ONLY
SCALE: 2:1
DESIGN UNITS: METRIC
FIRST ANGLE PROJECTION

DRAWN BY: SBARBIER DATE: 1991/01/23
CHECKED BY: DATE:
APPROVED BY: MPREVIAT DATE: 1991/01/24
MATERIAL NO.: SEE CHART

TITLE: HOUSING FOR STRAIGHT FORK TERMINAL (WITH STEEL PINS)


MOLEX INCORPORATED


DOCUMENT NO.: SD-94509-003
SHEET NO.: 1 OF 10

SIZE A3

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

HOUSINGS A 2 VIE: / *2 CKT HOUSINGS:*






N.° VIE *CKT No.*	CODICE HOUSING/TIPO POLARIZZAZIONE *HOUSING P/N / POLARIZATION*	
	A	B
2	94509-5210	94509-5220


NOTA: QUESTA VERSIONE E' FORNITA SENZA PIOLINI IN ACCIAIO

NOTE: THIS VERSION IS SUPPLIED WITHOUT STEEL PINS



POLARIZZAZIONE TIPO "A"

TYPE "A" POLARIZATION



POLARIZZAZIONE TIPO "B"

TYPE "B" POLARIZATION

EC NO. Z9-065
DRWN: S. BARBIERI 08-10-98
CH'K: S. SORATO 08-10-98
APPR: R. MARTUCCI 08-10-98

DESCRIPTION

REV: B

QUALITY SYMBOLS
MAJOR M =
SIGNIF. S =
CRITICAL C =

GENERAL TOLERANCES: (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	±0.	±.
3 PLACES	±0.	±.
2 PLACES	±0.1	±.
1 PLACE	±0.2	±.
ANGULAR: ± 2°		

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

SCALE 2:1
DESIGN UNITS ☒mm ☐INCH
FIRST ANGLE PROJECTION
DIMENSIONS: ☐mm/INCH ☐INCH/mm ☒mm ONLY
SHT REV
REVISE ON CAD ONLY

DRAWN BY & DATE: S.BARBIERI 23-01-91
CHECKED BY & DATE:
APPROVED BY & DATE: M.PREVIATO 24-01-91
CAD FILENAME: 94509003.S01


TITLE: HOUSING PER TERM. A FORCELLA DIRITTO (CON PINS IN ACCIAIO)
HOUSING FOR STRAIGHT FORK TERMINAL (WITH STEEL PINS)

MOLEX INCORPORATED

MATERIAL NO.: SEE TABLES
DRAWING NO.: SD-94509-003
SHEET NO.: 2/10
SIZE: A3


THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.


HOUSINGS A 3 VIE: / *3 CKT HOUSINGS:*




N.° VIE *CKT No.*	CODICE HOUSING/TIPO POLARIZZAZIONE *HOUSING P/N / POLARIZATION*	
	A	B
3	94509-5310 ✳	94509-5320

✳ VERSIONE NON ATTREZZATA
NOT TOOLED





POLARIZZAZIONE TIPO "A"
TYPE "A" POLARIZATION



POLARIZZAZIONE TIPO "B"
TYPE "B" POLARIZATION

EC NO. Z9-065
DRWN: S. BARBIERI 08-10-98
CH'K: S. SORATO 08-10-98
APPR: R. MARTUCCI 08-10-98
DESCRIPTION
B
REV

QUALITY SYMBOLS
MAJOR M=
SIGNIF. S=
CRITICAL C=

GENERAL TOLERANCES: (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	±0.	±.
3 PLACES	±0.	±.
2 PLACES	±0.1	±.
1 PLACE	±0.2	±.
ANGULAR: ± 2°		

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

SCALE 2:1
DESIGN UNITS ☒mm ☐INCH
FIRST ANGLE PROJECTION
DIMENSIONS: ☐mm/INCH ☐INCH/mm ☒mm ONLY
SHT REV
REVISE ON CAD ONLY

DRAWN BY & DATE
S.BARBIERI 23-01-91
CHECKED BY & DATE
APPROVED BY & DATE
M.PREVIATO 24-01-91
CAD FILENAME
94509003.S02

TITLE: HOUSING PER TERM. A FORCELLA DIRITTO (CON PINS IN ACCIAIO)
HOUSING FOR STRAIGHT FORK TERMINAL (WITH STEEL PINS)


MOLEX INCORPORATED


MATERIAL NO. SEE TABLES
DRAWING NO. SD-94509-003
SHEET NO. 3/10

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.

SIZE A3


HOUSINGS A 4 VIE: / *4 CKT HOUSINGS:*






N.° VIE *CKT No.*	CODICE HOUSING/TIPO POLARIZZAZIONE *HOUSING P/N / POLARIZATION*	
	A	B
4	94509-5410 ✳	94509-5420

✳ VERSIONE NON ATTREZZATA
NOT TOOLED



POLARIZZAZIONE TIPO "A"
TYPE "A" POLARIZATION



POLARIZZAZIONE TIPO "B"
TYPE "B" POLARIZATION

EC NO. Z9-065
DRWN: S. BARBIERI 08-10-98
CH'K: S. SORATO 08-10-98
APPR: R. MARTUCCI 08-10-98
DESCRIPTION
REV B

QUALITY SYMBOLS
MAJOR M=
SIGNIF. S=
CRITICAL C=

GENERAL TOLERANCES: (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	±0.	±.
3 PLACES	±0.	±.
2 PLACES	±0.1	±.
1 PLACE	±0.2	±.
ANGULAR: ± 2°		

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

SCALE 2:1
DESIGN UNITS ☒mm ☐INCH
FIRST ANGLE PROJECTION
DIMENSIONS: ☐mm/INCH ☐INCH/mm ☒mm ONLY
SHT REV
REVISE ON CAD ONLY

DRAWN BY & DATE
S.BARBIERI 23-01-91
CHECKED BY & DATE
APPROVED BY & DATE
M.PREVIATO 24-01-91
CAD FILENAME
94509003.S03

TITLE: HOUSING PER TERM. A FORCELLA DIRITTO
(CON PINS IN ACCIAIO)
HOUSING FOR STRAIGHT FORK TERMINAL
(WITH STEEL PINS)


MOLEX INCORPORATED

MATERIAL NO. SEE TABLES
DRAWING NO. SD-94509-003
SHEET NO. 4/10


THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.

SIZE A3


HOUSINGS A 5 VIE: / *5 CKT HOUSINGS:*




N.° VIE *CKT No.*	CODICE HOUSING/TIPO POLARIZZAZIONE *HOUSING P/N / POLARIZATION*	
	A	B
5	94509-5510 ✳	94509-5520



✳ VERSIONE NON ATTREZZATA
NOT TOOLED



POLARIZZAZIONE TIPO "A"
TYPE "A" POLARIZATION



POLARIZZAZIONE TIPO "B"
TYPE "B" POLARIZATION

EC NO. Z9-065
DRWN: S. BARBIERI 08-10-98
CH'K: S. SORATO 08-10-98
APPR: R. MARTUCCI 08-10-98
DESCRIPTION
REV B

QUALITY SYMBOLS
MAJOR M=
SIGNIF. S=
CRITICAL C=

GENERAL TOLERANCES: (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	±0.	±.
3 PLACES	±0.	±.
2 PLACES	±0.1	±.
1 PLACE	±0.2	±.
ANGULAR: ± 2°		

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

SCALE 2:1
DESIGN UNITS ☒mm ☐INCH
FIRST ANGLE PROJECTION
DIMENSIONS: ☐mm/INCH ☐INCH/mm ☒mm ONLY
SHT REV
REVISE ON CAD ONLY

DRAWN BY & DATE
S.BARBIERI 20-12-95
CHECKED BY & DATE
APPROVED BY & DATE
M.PREVIATO 20-12-95
CAD FILENAME
94509003.S04

TITLE: HOUSING PER TERM. A FORCELLA DIRITTO (CON PINS IN ACCIAIO)
HOUSING FOR STRAIGHT FORK TERMINAL (WITH STEEL PINS)


MOLEX INCORPORATED

MATERIAL NO. SEE TABLES
DRAWING NO. SD-94509-003
SHEET NO. 5/10


THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.


SIZE A3

HOUSINGS A 6 VIE: / *6 CKT HOUSINGS:*




N.° VIE *CKT No.*	CODICE HOUSING/TIPO POLARIZZAZIONE *HOUSING P/N / POLARIZATION*	
	A	B
6	94509-5610	94509-5620





POLARIZZAZIONE TIPO "A"
TYPE "A" POLARIZATION



POLARIZZAZIONE TIPO "B"
TYPE "B" POLARIZATION

EC NO. Z9-065
DRWN: S. BARBIERI 08-10-98
CH'K: S. SORATO 08-10-98
APPR: R. MARTUCCI 08-10-98

REV: B

DESCRIPTION

QUALITY SYMBOLS
MAJOR M =
SIGNIF. S =
CRITICAL C =

GENERAL TOLERANCES: (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	±0.	±.
3 PLACES	±0.	±.
2 PLACES	±0.1	±.
1 PLACE	±0.2	±.
ANGULAR: ± 2°		

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

SCALE 2:1
DESIGN UNITS ☒mm ☐INCH
FIRST ANGLE PROJECTION
DIMENSIONS: ☐mm/INCH ☐INCH/mm ☒mm ONLY
SHT REV
REVISE ON CAD ONLY

DRAWN BY & DATE: S.BARBIERI 23-01-91
CHECKED BY & DATE:
APPROVED BY & DATE: M.PREVIATO 24-01-91

TITLE: HOUSING PER TERM. A FORCELLA DIRITTO (CON PINS IN ACCIAIO)
HOUSING FOR STRAIGHT FORK TERMINAL (WITH STEEL PINS)


MOLEX INCORPORATED


CAD FILENAME: 94509003.S05
MATERIAL NO.: SEE TABLES
DRAWING NO.: SD-94509-003
SHEET NO.: 6/10

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.

SIZE A3


HOUSINGS A 7 VIE: / *7 CKT HOUSINGS:*






N.° VIE *CKT No.*	CODICE HOUSING/TIPO POLARIZZAZIONE *HOUSING P/N / POLARIZATION*	
	A	B
7	94509-5710 ✳	94509-5720 ✳

✳ VERSIONE NON ATTREZZATA
NOT TOOLED



POLARIZZAZIONE TIPO "A"
TYPE "A" POLARIZATION



POLARIZZAZIONE TIPO "B"
TYPE "B" POLARIZATION

EC NO. Z9-065
DRWN: S. BARBIERI 08-10-98
CH'K: S. SORATO 08-10-98
APPR: R. MARTUCCI 08-10-98
REV: B
DESCRIPTION

QUALITY SYMBOLS
MAJOR M =
SIGNIF. S =
CRITICAL C =

GENERAL TOLERANCES: (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	±0.	±.
3 PLACES	±0.	±.
2 PLACES	±0.1	±.
1 PLACE	±0.2	±.
ANGULAR: ±	2°	

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

SCALE 2:1
DESIGN UNITS ☒mm ☐INCH
FIRST ANGLE PROJECTION
DIMENSIONS: ☐mm/INCH ☐INCH/mm ☒mm ONLY
SHT | REV
REVISE ON CAD ONLY

DRAWN BY & DATE: S.BARBIERI 23-01-91
CHECKED BY & DATE:
APPROVED BY & DATE: M.PREVIATO 24-01-91
CAD FILENAME: 94509003.S06

TITLE: HOUSING PER TERM. A FORCELLA DIRITTO (CON PINS IN ACCIAIO)
HOUSING FOR STRAIGHT FORK TERMINAL (WITH STEEL PINS)

MOLEX INCORPORATED


MATERIAL NO.: SEE TABLES
DRAWING NO.: SD-94509-003
SHEET NO.: 7/10
SIZE: A3


THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.


HOUSINGS A 8 VIE: / *8 CKT HOUSINGS:*

(VEDERE ANCHE FOGLIO SEGUENTE)

(SEE ALSO THE FOLLOWING SHEET)








POLARIZZAZIONE TIPO "A"

TYPE "A" POLARIZATION

N.° VIE *CKT No.*	CODICE HOUSING/TIPO POLARIZZAZIONE *HOUSING P/N / POLARIZATION*	
	A	B
8	94509-5810	94509-5820



POLARIZZAZIONE TIPO "B"

TYPE "B" POLARIZATION

EC NO. Z9-065
DRWN: S.BARBIERI 08-10-98
CH'K: S.SORATO 08-10-98
APPR: R.MARTUCCI 08-10-98
DESCRIPTION
REV B

QUALITY SYMBOLS
MAJOR M =
SIGNIF. S =
CRITICAL C =

GENERAL TOLERANCES: (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	±0.	±.
3 PLACES	±0.	±.
2 PLACES	±0.1	±.
1 PLACE	±0.2	±.
ANGULAR: ±	2°	

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

SCALE 2:1
DESIGN UNITS ☒mm ☐INCH
FIRST ANGLE PROJECTION
DIMENSIONS: ☐mm/INCH ☐INCH/mm ☒mm ONLY
SHT REV
REVISE ON CAD ONLY

DRAWN BY & DATE S.BARBIERI 23-01-91
CHECKED BY & DATE
APPROVED BY & DATE M.PREVIATO 24-01-91

TITLE: HOUSING PER TERM. A FORCELLA DIRITTO (CON PINS IN ACCIAIO)
HOUSING FOR STRAIGHT FORK TERMINAL (WITH STEEL PINS)

MOLEX INCORPORATED


CAD FILENAME 94509003.S07
MATERIAL NO. SEE TABLES
DRAWING NO. SD-94509-003
SHEET NO. 8/10
SIZE A3


THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.

HOUSINGS A 8 VIE: / *8 CKT HOUSINGS:*


(VEDERE ANCHE FOGLIO PRECEDENTE)

(SEE ALSO THE PREVIOUS SHEET)






N.° VIE *CKT No.*	CODICE HOUSING/TIPO POLARIZZAZIONE *HOUSING P/N / POLARIZATION*	
	C	D
8	94509-5830	94509-5840



POLARIZZAZIONE TIPO "C"

TYPE "C" POLARIZATION



POLARIZZAZIONE TIPO "D"

TYPE "D" POLARIZATION

EC NO. Z9-065
DRWN: S. BARBIERI 08-10-98
CH'K: S. SORATO 08-10-98
APPR: R. MARTUCCI 08-10-98

REV: B

DESCRIPTION

QUALITY SYMBOLS
MAJOR M=
SIGNIF. S=
CRITICAL C=

GENERAL TOLERANCES: (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	±0.	±.
3 PLACES	±0.	±.
2 PLACES	±0.1	±.
1 PLACE	±0.2	±.
ANGULAR: ± 2°		

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

SCALE 2:1
DESIGN UNITS ☒mm ☐INCH
FIRST ANGLE PROJECTION
DIMENSIONS: ☐mm/INCH ☐INCH/mm ☒mm ONLY
SHT REV
REVISE ON CAD ONLY

DRAWN BY & DATE: S.BARBIERI 23-01-91
CHECKED BY & DATE:
APPROVED BY & DATE: M.PREVIATO 24-01-91
CAD FILENAME: 94509003.S08

TITLE: HOUSING PER TERM. A FORCELLA DIRITTO (CON PINS IN ACCIAIO)
HOUSING FOR STRAIGHT FORK TERMINAL (WITH STEEL PINS)


MOLEX INCORPORATED

MATERIAL NO.: SEE TABLES
DRAWING NO.: SD-94509-003
SHEET NO.: 9/10

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.

SIZE A3

MARCATURE CON BANDA COLORATA
COLOR MARKING



ZONA COLORATA
MARKED AREA

CONFEZIONE - *PACKAGING*

I PEZZI SONO CONFEZIONATI IN SACCHETTI DI PLASTICA POSTI IN SCATOLE DI CARTONE
PARTS ARE PACKED IN PLASTIC BAGS PUT IN CARTON BOXES

CKT No.	HOUSING P/N - POLARIZATION				STD PACK. QUANTITY
	A	B	C	D	
2	94509-5210	94509-5220			7500
3	94509-5310	94509-5320			5500
4	94509-5410	94509-5420			3000
5	94509-5510	94509-5520			3300
6	94509-5610	94509-5620			2800
7	94509-5710	94509-5720			1500
8	94509-5810	94509-5820	94509-5830	94509-5840	2000

CKT No.	HOUSING P/N	POLARIZATION	COLOR
6	94509-5610	A	
	94509-5620	B	ROSSO/ *RED*
8	94509-5810	A	
	94509-5820	B	ROSSO/ *RED*
	94509-5830	C	BLU/ *BLUE*
	94509-5840	D	NERO/ *BLACK*

EC NO. SEE SHT 1
DRWN:
CH'K:
APPR:

DESCRIPTION

REV B3

QUALITY SYMBOLS
MAJOR M =
SIGNIF. S =
CRITICAL C =

GENERAL TOLERANCES: (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	±0.	±.
3 PLACES	±0.	±.
2 PLACES	±0.1	±.
1 PLACE	±0.2	±.
ANGULAR: ± 2°		

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

SCALE 2:1
DESIGN UNITS ☒mm ☐INCH
FIRST ANGLE PROJECTION
DIMENSIONS: ☐mm/INCH ☐INCH/mm ☒mm ONLY
SHT REV
REVISE ON CAD ONLY

DRAWN BY & DATE S.BARBIERI 05-02-98
CHECKED BY & DATE S.SORATO 06-02-98
APPROVED BY & DATE R.MARTUCCI 06-02-98

TITLE: HOUSING PER TERM. A FORCELLA DIRITTO (CON PINS IN ACCIAIO)
HOUSING FOR STRAIGHT FORK TERMINAL (WITH STEEL PINS)

molex MOLEX INCORPORATED

CAD FILENAME 94509003.S09
MATERIAL NO. SEE TABLES
DRAWING NO. SD-94509-003
SHEET NO. 10/10

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.

SIZE A3